

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 75-14636

Priority: February 25, 2010

Maximum Diversion Rate: 0.09 CFS

This is to certify, that JOSEPH HOY And
SHIRLEY HOY
303 S SAINT CHARLES ST
SALMON ID 83467

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.09 CFS

LOCATION OF POINT(S) OF DIVERSION:GROUND WATER SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 26 Twp 26N Rge 21E, B.M. LEMHI County**PLACE OF USE:** IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
26N	21E	26				3.0											1.6		4.6

Total Acres: 4.6

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **July 01, 2016**.
2. Subject to all prior water rights.
3. Rights 75-14636 and 75-2091D when combined shall not exceed a total diversion rate of 0.14 cfs and the irrigation of 4.6 acres.
4. Place of use is located within Lot 8 of the Lost Trail Lodge Subdivision.
5. Place of use lies within HES 91 and does not include federal public lands.
6. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide suitable control of the diversion.
7. The right holder shall install or construct a straight length of conduit or ditch suitable for installation of a device for measuring the entire flow of water being diverted in connection with this right. If the right holder uses conduit, the straight length of conduit shall be at least fifteen times the diameter of the conduit and shall be above ground or otherwise easily accessible.
8. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
9. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
10. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 75-14636

11. This right does not grant any right-of-way or easement across the land of another.
12. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
13. Failure of the right holder to comply with any condition of approval is cause for the Director to cancel this permit.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 16th day of June, 2011.


for GARY SPACKMAN, Interim Director

