

**STARTING
LEFT
SIDE OF
FILE**

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-8160 Priority February 26, 1982 Amount 0.10 cfs

THIS IS TO CERTIFY, that Patrick H. or Ilene Stanbury
of Post Falls, Idaho, has complied with the terms and conditions of Permit
No. 95-8160 issued pursuant to Application for Permit dated February 26, 1982,
and has submitted proof to the Department of Water Resources on February 26, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.10 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (2 Units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.08</u> cfs and	<u>2.4</u> acre feet
Stockwater	from <u>January 1</u> to <u>December 31</u>	at <u>0.02</u> cfs and	<u>0.4</u> acre feet
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.10 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2.8 acre feet per year, said waters to be diverted within the Gov. Lot 3 (SW $\frac{1}{4}$ NW $\frac{1}{4}$)
Section 8, Twp 50N, Rge 5W in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
50N	5W	8						GL3 X	X										

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 13TH day of

JANUARY, 1984.

Acting for the Director

Roscoe C. Young

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant PATRICK H. OR ILENE STANBURY Phone _____
Post office address S. 700 MADISON ROAD, POST FALLS, ID 83854
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is Gov Lot 3 $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 8 Township 50N
Range 5W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.08 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.10 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 200 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:
(1) Give the place of use of water: Gov Lot 3 & 8
SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 8 Township 50N
Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 20 HEAD OF STOCK

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

RECEIVED
MAY 1 1995

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion APPLICANT


b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks APPLICANT IS CURRENTLY RENTING OUT ONE HOME.

RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

Mrs. Gene Stansbury
(Applicant)

Proposed Priority 2/26/1982

Received by KK Date 2/26/82 Time 10:00 A

Preliminary check by JK Fee \$ 30.00 # 21152

Receipted by KK Date 2/26/82

Publication prepared by KK Date 3/4/82

Published in Col'A Press

Publication dates 3/11 - 3/18/82

Publication approved [initials] Date 3/22/82

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by [initials] [initials]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8160, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 13th day of April, 1982.

J. Glen Sayton
Chief, Operations Bureau

MICROFILMED

ON

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8157
WATSON, ROCKY
STAR ROUTE, COEUR D
ALENE, ID 83814
Source: ROCKFORD CREEK
tributary to COEUR D ALENE
LAKE
Date Filed: 03/02/1982
Amount: 8.00 CFS
Diversion Point: NWSW Sec 07 T
48N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15; POWER (8.00
CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 07 T 48N
R 04W FOR 5 ACRES.
Diversion Means: DAM & GEN-
ERATOR.

95-8158
WASHINGTON STATE UNIVER-
SITY
PULLMAN, WA 99164
Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER
Date Filed: 02/10/1982
Amount: 0.20 CFS
Diversion Point: LOT 05 Sec 04 T
47N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.08 CFS)
from 05/01 to 09/30; FIRE PRO-
TECTION (0.20 CFS) from 01/01
to 12/31
Place of Use: LOT 05 Sec 04 T 47N
R 04 W FOR 3 ACRES
Diversion Means: PUMP &
PIPELINE.

95-8159
HEBENER, GARY L.
P. O. BOX 1888, COEUR D
ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 02/28/1982
Amount: 0.87 CFS

Diversion Point: NWNW Sec 29 T
50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 10/15; STOCK-
WATER (0.01 CFS) from 01/01 to
12/31; DOMESTIC (0.67 CFS)
from 01/01 to 12/31
Place of Use: SWSW SESW Sec
20 T 50N R 04W NENW NWNW
Sec 29 T 50N R 04W FOR 12,
ACRES
Diversion Means: WELL &
PUMP.

95-8160
STANBURY, PATRICK H. &/or
ILENE
S. 700 MADISON ROAD, POST
FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 02/28/1982
Amount: 0.10 CFS
Diversion Point: LOT 03 Sec 08 T
50N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31; DOMESTIC
(0.08 CFS) from 01/01 to 12/31
Place of Use: SENW LOT 03 Sec
08 T 50N R 05W
Diversion means: WELL &
PUMP.

95-8161
HERBENER, GARY L.
STAR ROUTE, COEUR D
ALENE, ID 83814
Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER
Date Filed: 02/28/1982
Amount: 0.80 CFS
Diversion Point: SENE Sec 09 T
49N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.80 CFS)
from 04/01 to 11/15; STOCK-
WATER (0.01 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: NWNE SWNE Sec
09 T 49N R 04W FOR 40 ACRES
Diversion Means: PUMP &
PIPELINE.

95-8162
CAIRES, STEPHEN J.
1355 MEADOW BROOK ACRES
RD., COEUR D ALENE, ID 83814
Source: SPRING tributary to
SINKS
Date Filed: 03/04/1982
Amount: 0.20 CFS
Diversion Point: SWSW Sec 21 T
50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.18 CFS)
from 03/15 to 11/15; STOCK WA-
TER (0.02 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)

from 01/01 to 12/31
Place of Use: SWSW Sec 21 T 50N
R 04W FOR 9 ACRES
Diversion Means: DEVELOPED
SPRING WITH PUMP & PUMP-
LINE.

95-8038
THORNTON, DON N.
25692 E. LINCOLN, ORANGE
GROVE, CA.
Source: GROUNDWATER
Date Filed: 03/03/1982
Amount: 0.08 CFS
Diversion Point: SWNE Sec 10 T
53N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.08 CFS) from
01/01 to 12/31
Place of Use: SWNE SENE Sec
10 T 53N R 03W
Diversion Means: WELL &
PUMP.

95-8039
BANGERTER, ROBERT A.
1207 VALEWOOD CT.,
SPOKANE, WA 99218
Source: SPIRIT LAKE tributary
to SINKS
Date Filed: 02/28/1982
Amount: 0.02 CFS
Diversion Point: LOT 01 Sec 24 T
53N R 05W, KOOTENAI Co.
Use: DOMESTIC (0.20 CFS) from
04/01 to 10/15
Place of Use: LOT 01 Sec 24 T 53N
R 05W
Diversion Means: PUMP &
PIPELINE.

95-8040
SILVER WATER SYSTEM
BOX 25, BAYVIEW, ID 83803
Source: GROUNDWATER
Date Filed: 03/03/1982
Amount: 0.20 CFS
Diversion Point: NESW Sec 34 T
54N R 02W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15; DOMESTIC
(0.20 CFS) from 01/01 to 12/31;
Place of Use: NESW NWSW Sec
34 T 54N R 02W FOR 5 ACRES
Diversion Means: WELL &
PUMP.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4065 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before MARCH 29, 1982.

A. KENNETH DUNN
Director

Legal 239
March 11, 18, 1982

being first duly sworn

inafter mentioned was a citizen of the United
over the age of twenty-one years and not a

inafter mentioned was the printer (principal
newspaper printed and published daily except
county, Idaho, and having a general circulation

was published in the regular

consecutive
day of , 19, and
of , 19, and such
aid period as said

continuously and uninterruptedly published in
of more than seventy-eight consecutive weeks

ion of said notice

is this day of

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MICROFILMED

**STARTING
RIGHT
SIDE OF
FILE**

03/21/2001

IDAHO DEPARTMENT OF WATER RESOURCES
Water Right Report

WATER RIGHT NO. 95-8160

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	ILENE STANBURY
Current Owner	PATRICK H STANBURY
	S 700 MADISON ROAD
	POST FALLS, ID 83854

Priority Date: 02/26/1982
 Basis: License
 Status: Active

<u>Source</u>	<u>Tributary to</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>	<u>Subuse Code</u>
STOCKWATER	1/01	12/31	0.02 CFS	0.4 AFA	
DOMESTIC	1/01	12/31	0.08 CFS	2.4 AFA	
Total Diversion			0.1 CFS	2.8 AFA	

Location of Point(s) of Diversion

GROUND WATER SWNW Lt 3 Sec. 08 Township 50N Range 05W KOOTENAI County

Place(s) of use:

Place of Use Legal Description: STOCKWATER KOOTENAI County

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>
50N	05W	8	3	SWNW			SENW							

Place of Use Legal Description: DOMESTIC same as STOCKWATER

Dates:

Licensed Date: 02/27/1984
 Decreed Date:
 Permit Proof Due Date: 5/1/1983
 Permit Proof Made Date: 1/1/1900
 Permit Approved Date: 4/15/1982
 Permit Moratorium Expiration Date:
 Enlargement Use Priority Date:
 Enlargement Statute Priority Date:
 Application Received Date:
 Protest Deadline Date:
 Number of Protests: 0

Other Information:

Receipt Number(s):
 State or Federal:
 Owner Name Connector:
 Water District Number:
 Generic Max Rate per Acre:
 Generic Max Volume per Acre:

January 23, 1984

RE: Permit No. 95-8160

Patrick H. Or Ilene Stanbury
S. 700 Madison Rd.
Post Falls, ID 83854

Dear Mr. and Mrs. Stanbury:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED
SEP 7 1983
Department of Water Resources
95-8160
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 8/11/83 Accompanied by Ms. Standbury Total Q measured 0.10 est.
If source is surface water, estimate total flow of source Capacity
Methods of measurement Est Meets Permit requirements? yes

Measurement calculations:

2 homes & Stock (schd)

L & G

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
								<u>Submers</u>

System Description 6" X 200' well with submersible pump & pipeline

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = _____ AFA/Acre

USE

✓ Domestic
✓ Stock

Q (cfs)

0.08 ✓ok
0.02 ✓ok

V (afa)

2.4 ✓
0.4 OK

FROM

1-1 ✓ 12-31
1-1 ✓ 12-31

TO

Total

0.10 OK

2.8 ✓ok

Remarks

RECEIVED

MAP (Attach Aerial Photo)

[illegible]

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: GL 3 (NEW) SEC 8, T50N, R5W

Place(s) of Use

[illegible]

Recommended Amendments:

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature _____


Checked by

Approved by

Date _____

Date _____

Date _____



vok
kw

MICROFILMED

RECEIVED
DEC 5 1983

Department of Water Resources
Northern District Office

INTER-DEPARTMENT MEMO — 1

DATE 11/29/83

FROM

Kay *JK*

TO

Tom

SUBJECT

Exam for Permit 95-8160

Tom, In reviewing this exam I found
a discrepancy between the Gov. Lots & your
maps. Please advise which is correct.
(copy attached)

Thanks! Missed by 40 Acres
JK

(NE 1/4 NW 1/4 would be in)
Gov. Lot 2

Kay

SIGNATURE

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

June 21, 1982

Mr. Patrick Stanbury
5. 700 Madison Rd.
Post Falls, Id. 83854

RE: 95-8160

Dear Mr. Stanbury:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/fms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has developed development to the extent shown below of No. 95-8160

Name(s) of Permit Holder: PATRICK H. ORLENE STANBURY

Post Office Address: S. 700 MADISON RD

POST FALLS, ID 83854 Tel. No. _____

Source of Water: GROUNDWATER

Extent of Use: ☒ Domestic 2 (number of households)
☒ Stockwater 20 (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

2/26/82
Date

Mr. Orlene Stanbury
Signature of Permit Holder

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

STANBURY, PATRICK H. & ILENE
S. 700 MADISON ROAD
POST FALLS, ID 83854

APRIL 28, 1982

RE: PERMIT NO. 95-8160

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK APPLICATION NUMBER: 95-8160

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: 3/29/82 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/22/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
2/26/82 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: [Signature] Date: 4/1/82

STATE OFFICE REVIEW:

SK/cond 26

☐ See attached sheet for more information.
By: [Signature] Date: 4-9-82

RECEIVED
APR 05 1982

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

WATER RIGHT NUMBER 95-8160

OWNER LAST NAME - STANBURY FIRST NAME - PATRICK H. ORIG OWNER -
OWNER LAST NAME - STANBURY FIRST NAME - ILENE ORIG OWNER -
ADDRESS LINE 1 - S. 700 MADISON ROAD ADDRESS LINE 2 -
ADDRESS LINE 3 - CITY - POST FALLS STATE - ID ZIP CODE - 83854
SOURCE - GROUNDWATER TRIBUTARY OF -
STAGE - PERMIT STATUS - PRIORITY - 02-26-1982 COUNTY - KOOTENAI TOTAL DIV. RATE - .1000 -CFS
TOTAL DIV. VOLUME - 2.8 .00 AFA TRFR/AMEND - WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -
DIVERSION POINT - SWNW 08 50N 05W LOT 03 REDIV - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
FROM - 01-01 TO - 12-31 USE - STOCKWATER USE DIV. RATE - .0200 CFS USE DIV. VOLUME - .14 .00 AFA
FROM - 01-01 TO - 12-31 USE - DOMESTIC USE DIV. RATE - .0800 CFS USE DIV. VOLUME - 2.4 .00 AFA
USE - STOCKWATER X#1 PLACE OF USE - TWN 50N RNG 05W SEC 08 TRACT SENW LOT AC TRACT LOT 03 AC
DECREE NAME - See Lic. DATE - TOTAL ACRES 0
REMARKS -
NON IRRIG USE - 8/20 HEAD, D/2 HOMES.
OTHER RIGHTS FOR SAME USE -
PROOF DUE - 05-01-1983 PERMIT/DENIED - PROTESTED - HEARING - OLD NO. -
PROOF MADE - P FLD EXAM - COND. OF APPROVAL -
DIVERSION MEANS - WELL & PUMP.

IDENT. NO. 95-8160

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

<u>Initials</u>	<u>Date</u>	<u>Item</u>
KK	3/3/82	Original form entered
JMS	3/5/82	Edit Report Correct
		Date Protested
		Date of Hearing
		Date Approved/Denied (Proof due date, stage and/or status, conditions of approval, water district)
		Record Verified
		Amendment Approved
		Extension Approved
		Partial Proof
		Proof Complete
		Field Exam Received
		Field Exam Accepted and changes entered
		License Signed
		Transfer Approved
D.W.	2/23/84	Key punched by State Office <i>License update</i>

25-2161

STANBURY, PATRICK W. AKA: NENE

E. VAN MADISON ROAD, EAST FAIRF., ID 83854

Source: GROUNDWATER

Date Filed: 02/26/1992

Amount: 0.11 CFS

Division Point: LOT 03 Sec 08 T 50N R 05W. KOOTENAI Co.

Use: STOCKWATER	0.02 CFS	from 01/01 to 12/31
DOMESTIC	0.08 CFS	from 01/01 to 12/31

Place of Use: SEWED LOT 03 Sec 08 T 50N R 05W

Division Means: WELL & PUMP

RECEIVED