

RECEIVED

42-222 POD
03/2011

APR 20 2011

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR TRANSFER OF WATER RIGHT – POINT(S) OF DIVERSION

This form may be used to apply to change and/or add points of diversion for existing water rights and to report an ownership change for an entire water right(s) in connection with the proposed point of diversion change(s). Do not use this form to apply for changes to other elements of a water right or to report an ownership change for a portion of a water right. See the *Application for Transfer Instructions* for help completing this form and for mailing addresses of Department offices where your application can be submitted.

Check all that apply:

☐ Change diversion point(s)☒ Add diversion point(s)☐ Ownership change1. APPLICANT(S) Grand View Water & Sewer Association, Inc. Phone 208-834-2571 (Bob)2. MAILING ADDRESS PO Box 69 City Grand ViewState ID Zip 83624 Email cityofgrandview@speedyquick.net

- ☐ If the applicant is not an individual and not registered to do business in the State of Idaho, attach documentation identifying officers authorized to sign for the applicant.
- ☐ If the applicant is not the current water right(s) owner, attach documentation of authority to file the application.
- ☐ If the application includes a change in ownership of water right(s), attach a copy of the conveyance document, such as a warranty deed, court decree, contract of sale, etc. The conveyance document must include a legal description of the property conveyed or description of the water right if no land is conveyed.
- ☐ If the application is not signed by the applicant, attach a Power of Attorney or other documentation providing authority to sign for the applicant.

3. LIST WATER RIGHT NUMBER(S) 57-7059

- ☒ Attach a copy of the water right(s) as recorded, available at www.idwr.idaho.gov, *Water Right Transfers, Step 1*, or by contacting any Department office.

4. TOTAL AMOUNT OF WATER transferred is 0.5 cubic feet per second and/or 362 acre-feet per annum.
(diversion rate) (storage volume)5. POINT OF DIVERSION – Describe all the point(s) of diversion to be included on the water right(s) after the proposed change.

- ☐ Attach Eastern Snake Plain Aquifer (ESPA) analysis if this transfer proposes to change a point of diversion affecting the ESPA. ESPA analysis information is available at www.idwr.idaho.gov, *Water Right Transfers, Online Resources*.

TwP	Rge	Sec	Govt Lot	¼	¼	¼	County	Source	Local name or tag #
5S	3E	22		NW	NW	NW	OWYHEE	GROUNDWATER	Well #2
5S	3E	22		NE	NW	NW	OWYHEE	GROUNDWATER	Well #1
5S	3E	22		NW	NW	NW	OWYHEE	GROUNDWATER	Well #3

6. GENERAL INFORMATION

- a. Describe the complete diversion system, including how you will accommodate a measuring device and lockable controlling works should they be required now or in the future:

This is well #3, proposed to be added to the existing Grand View water system that includes wells #1 and well #2.

The new well will be equipped with a flow meter and be contained in a fenced yard in a well house.

- b. Who owns the property at the point(s) of diversion? Grand View Water & Sewer Association

If other than the applicant, describe the arrangement enabling the applicant to access the property for the diversion system:

- c. To your knowledge, has/is any portion of the water right(s) proposed to be changed:

Yes No

- ☐ ☒ undergone a period of five or more consecutive years of non-use,
☐ ☒ currently leased to the Water Supply Bank,
☐ ☒ currently used in a mitigation plan limiting the use of water under the right(s), or
☐ ☒ currently enrolled in a Federal set-aside program limiting the use of water under the right(s)?

If yes, describe _____

7. **MAP** - ☒ Attach a map of the diversion, measurement, control and distribution system. Clearly label the map with township, range, section and ¼ ¼ of section information. The *Map Tool*, available at <http://maps.idwr.idaho.gov/TransferApplicationLayouts/> provides a satisfactory template for creating the required map.

8. **SIGNATURE** - The information in this application is true to the best of my knowledge. I understand any willful misrepresentations in this application may result in rejection of the application or cancellation of an approval.

<u>Opal Ward</u> Signature of applicant or authorized agent	<u>Opal Ward president</u> Print name and title if applicable	<u>4-13-11</u> Date
<u>Paul R. Spang</u> Signature of applicant or authorized agent	<u>PAUL R. SPANG Mayor</u> Print name and title if applicable	<u>4-13-11</u> Date

9. **FEE** - ☒ The application filing fee provided in Section 42-221, Idaho Code, must be submitted with the application for transfer. The Application fee is based on the total amount of water proposed for transfer in Item 4: the larger fee for either cubic feet per second (diversion rate) or acre-feet per annum (storage volume). The *Fee Schedule* is available at www.idwr.idaho.gov, *Water Right Transfers, Step 4* and in the *Application for Transfer Instructions*.

FOR DEPARTMENT USE ONLY

Transfer includes 6 pages of attachments. Received by JB Date 4.20.2011
Fee paid \$250- Date 4-20-2011 Receipted by JB Receipt # W039151
Preliminary review completed by JB Date 4/25/2011

Page _____ of _____

**IDAHO DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT
PART 2A**

Current Water Right No.: 57-7059

Current Owner: GRAND VIEW WATER & SEWER ASSN

Priority Date: 2/15/1972

Origin: Water Right

Status: Active

Basis: Decreed

Source

GROUND WATER

Tributary

Beneficial Use

From To

Diversion Rate

Annual Volume

MUNICIPAL

1/01 to 12/31

0.5 CFS

Total Diversion

0.5 CFS

Location of Point(s) of Diversion

GROUND WATER

NW1/4NW1/4NW1/4

Sec. 22, Twp 05S, Rge 03E B.M.

OWYHEE County

GROUND WATER

NE1/4NW1/4NW1/4

Sec. 22, Twp 05S, Rge 03E B.M.

OWYHEE County

Place of Use

Place of Use: MUNICIPAL same as

Conditions of Approval:

1. TWO POINTS OF DIVERSION LOCATED IN NWNW, S22, T05S, R03E.
2. C05 RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE
PURSUANT TO SECTION 42-1425, IDAHO CODE.
3. PLACE OF USE IS WITHIN CITY LIMITS OF GRAND VIEW.
4. MUNICIPAL, HOUSEHOLDS, BUSINESS AND CIVIC ESTABLISHMENTS

Decreed Date: 12/15/1997




Legend


-  ESPA
-  GCDB Township/Range
-  GCDB Section
-  GCDB Quarter-Quarter
-  Counties

 Wells # 1,2,3

GPS Location Well #3
N 42° 58.889'
W 116° 05.703'

0 150 300 600 900 1,200 Feet





Legend

- ESPA
- GCDB Township/Range
- GCDB Section
- GCDB Quarter-Quarter
- Counties


● Well #3


GPS Location
N 42° 58.889'
W 116° 05.703'

T 5S R 3E Sec 22
NWNWNW

596 ft E of Section line

0 190 380 760 1,140 1,520 Feet






**HOLLADAY
ENGINEERING CO.**
 ENGINEERS • CONSULTANTS
 32 N Main • PO Box 235 • Payette, ID 83661
 (208) 642-3384 • hec@holladayengineering.com

WATER WELL LOCATIONS
GRAND VIEW WATER & SEWER
ASSOCIATION, INC.
CITY OF GRAND VIEW, OWYHEE COUNTY, IDAHO

DRAWN BY: D. MITCHELL DRAWING DATE: MARCH 2011 G:\CLIENTS\GVL\031405\Map\Site_2501.dwg (Ex. 5/14)

ORIGINAL STORED
 AT:
 HOLLADAY
 ENGINEERING
 32 N. MAIN,
 PAYETTE, IDAHO



IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

1. WELL TAG NO. D 0058939

Drilling Permit No. 910974-859621

Water right or injection well # _____

2. OWNER: Grandview Water and Sewer Association

Name _____

Address P.O. Box 69

City Grandview State ID Zip 83624

3. WELL LOCATION:

Twp. 5 North ☐ or South ☒ Rge. 3 East ☒ or West ☐

Sec. 22 NW 1/4 NW 1/4 NW 1/4

Gov't Lot _____ County Owyhee

Lat. 42 ° 58.889 (Deg. and Decimal minutes)

Long. 116 ° 05.703 (Deg. and Decimal minutes)

Address of Well Site 400 Burghardt Road

City Grandview

(Give at least name of road + distance to road or landmark)

Lot. _____ Blk. _____ Sub. Name _____

4. USE:

☐ Domestic ☐ Municipal ☒ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other _____

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
Bent. Chips	0'	40'	38 bags	Slow Pour
Bent. Chips	143'	153'	12 bags	Deep Seal - Pour

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Liner	Threaded	Welded
8"	+2	158	.250	Steel	☒	☐	☐	☒
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 158'

9. PERFORATIONS/SCREENS:

Perforations ☒ Y ☐ N Method Star Perforator

Manufactured screen ☐ Y ☒ N Type _____

Method of installation _____

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
102'	118'	1/8"	Many			8 Rows - Perf.

Length of Headpipe N/A Length of Tailpipe _____

Packer ☐ Y ☐ N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method
None				

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____

Describe control device _____

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 78' Static water level (ft) 78'

Water temp. (°F) 62 Bottom hole temp. (°F) 62

Describe access port Standard Well Seal

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)
22'	75-100	4 hours

Test method:

Pump	Bailer	Air	Flowing artesian
☐	☐	☒	☐
☐	☐	☐	☐

Water quality test or comments: No Test

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
12'	1'	4'	Sand w/some gravel		
12'	4'	20'	Fine Brown Sand		
12'	20'	40'	Fine Brown Sand		
8'	40'	78'	Fine Brown Sand		
8'	78'	105'	Fine Brown Sand	X	
8'	105'	120'	Sand & Gravel	X	
8'	120'	121'	Brown Clay		
8'	121'	143'	Hard Blue Gray Clay		
12'	143'	153'	Blue Clay		
8'	153'	450'	Blue Clay		
8'	450'	460'	Frac Blue Clay Caving	X	
8'	460'	750'	Hard Blue Clay		
8'	750'	760'	Frac Blue Clay Hard	X	
8'			Approx Temp 83D, 30 GPM		
8'	760'	983'	Hard Blue Clay		
8'	983'	988'	Hard Blue Clay Frac		
			Produced 150-200 GPM		
			No Sand, measured temp 106D		
			Static 64'		
8'	988'	1003'	Hard Blue Clay		
			This well was pressure grouted from the bottom to 158' with Portland cement 11 yards then perforated in the casing and blown with air. It produced fine sand.		

RECEIVED

OCT 13 2010

WATER RESOURCES
WESTERN REGION

Completed Depth (Measurable): 158'

Date Started: Jul 27, 2010

Date Completed: Oct 1, 2010

14. DRILLER'S CERTIFICATION:

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Adamson Pump & Drilling Co. No. 457

*Principal Driller David Adamson Date 10-12-10

*Driller _____ Date _____

*Operator II _____ Date _____


Operator I _____ Date _____


* Signature of Principal Driller and rig operator are required.

Oct 1, 2010
Well Tag# D0058939
Permit # 910974-859621

Grand View Water & Sewer Association
Monitoring Well #1 (Well #3)
(convert to Municipal Well or
permanent Monitoring Well ?)

T5S R3E Sec 22 NWNWNW
N 42° 58.889' W 116° 05.703'
Grand View, ID
Owyhee County





**HOLLADAY
ENGINEERING CO.**
ENGINEERS • CONSULTANTS

RECEIVED

MAY 09 2011

WATER RESOURCES
WESTERN REGION

May 6, 2011


Mr. Steve Lester
Water Rights Supervisor
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705-5082

RE: Grand View Water & Sewer Association – Water Rights 57-7059 and 57-11780

Dear Steve;

Enclosed is a check (\$125) to cover the drilling fee upgrade as it relates to the above mentioned water rights. I understand that this fee pertains to the eventual use of the well. It is presently permitted as a monitoring well, but will be converted to a municipal use well when the final well construction and pump installation has taken place. Thank you!

Best Regards



Tim Giles, PG
Holladay Engineering
PO Box 235
Payette, ID 83661
tgiles@holladayengineering.com
208-642-3304 (O)

cc:

Grand View Water & Sewer Association
Grand View file (TW – Test Well)


Lester, Steve

From: Whitney, Rob
Sent: Monday, April 25, 2011 10:43 AM
To: Tim Giles
Cc: Whitney, Rob; Lester, Steve; Borgeman, Sherry
Subject: New well at Grandview D0058939

Tim,

In order to process the pending water right transfer and amendment, we will need an additional \$125.00 to upgrade the drilling permit on the new well. Can you get us a check from the water and sewer association? THX, RW

5/4/11 - called Tim e Holladay Esq.
- no payment yet.
- will issue WR Appraisals ASAP once paid
- he will follow up



**HOLLADAY
ENGINEERING CO.**
ENGINEERS • CONSULTANTS

RECEIVED

APR 20 2011

WATER RESOURCES
WESTERN REGION

April 19, 2011

John Westra
Manager, Water Rights
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705-5082

RE: Grand View Water & Sewer Association – Water Rights 57-7059 and 57-11780

Dear John;

Enclosed are the transfer documents for the Grand View Water and Sewer Association. We have prepared a transfer of a water right (point of diversion) for 57-11780 and an amendment of a permit for water right 57-7059.

Also enclosed are two checks to cover the application costs for the transfer (\$250) and the amendment (\$50). Please let us know if all of the documents are in order and complete for filing. Thank you!

Best Regards,

Tim Giles, PG
Holladay Engineering
PO Box 235
Payette, ID 83661
tgiles@holladayengineering.com
208-642-3304 (O)

cc:

Grand View Water & Sewer Association
Grand View file (TW – Test Well)