

RECEIVED

MAR 23 2011

Department of Water Resources
Eastern RegionSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCESIdent. No. 13-7786

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) JAMES Beckhead Beckhead Jersey Farm INC Phone 208-747-3491
Name connector (check one): ☐ and ☐ or ☒ and/orMailing address: 6645 N. Westside Hwy City Clifton State Id. Zip 83228 Email: SHOBY SHERB@PLMW.COM2. Source of water supply SPRING which is a tributary of Beaver River. Sooks INTO GARDN
3. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
14S	38E	17		NE	NE		FRANKON	SPRING	

4. Water will be used for the following purposes:

Amount .02 CFS for Stock WATER purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)5. Total quantity to be appropriated is (a) .02 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. Spring Natural Flow

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11.

For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ Noe. If well is already drilled, when? _____; drilling firm _____;
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. 20 Dairy Cows

c. Municipal; show name of municipality or the applicant's qualifications as a municipal provider. _____

d. Domestic; show number of households _____

e. Other; describe fully. _____

13-7786

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
17S	38E	17		S															

Total number of acres to be irrigated: _____

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? STOCK WATER

10. a. Who owns the property at the point of diversion? D. MARCEL Beckstead Familie trust
- b. Who owns the land to be irrigated or place of use? D. Marcel Beckstead Familie trust
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: It is our Familie Farm

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. _____

12. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

[Signature]
Signature of Applicant
Dee Beckstead sec.
Print Name (and title, if applicable)

[Signature]
Signature of Applicant
JAMES Beckstead share holder
Print Name (and title, if applicable)

For Department Use:

Received by _____ Date 3/23/11 Time _____ Preliminary check by _____
Fee \$ 100- Received by ec Receipt No. E0316505 Date 3/23/11

Benchmark Map EQIP 2011

Date: 2/22/2011

Customer(s): BECKSTEAD JERSEY FARM INC

Field Office: PRESTON SERVICE CENTER
Agency: Natural Resources Conservation Service
Assisted By: JARED CAMPBELL

Legal Description: F#3327, T#75



Legend

X— <all other values>

□ EQIP 2011

● Spring



190 0 190 380 570 760 Feet



13- 7786


Location Map EQIP 2011

Date: 2/22/2011

Customer(s): BECKSTEAD JERSEY FARM INC

Field Office: PRESTON SERVICE CENTER
Agency: Natural Resources Conservation Service
Assisted By: JARED CAMPBELL

Legal Description: F#3327, T#75



Legend





EQIP 2011

1,100 0 1,100 2,200 3,300 4,400 Feet



13 - 7786

James Beckstead Permit Application 13-7786



Prepared by Denise Kidman
On April 18, 2011
2009 Aerial Photography

13 - 7786





State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region, 900 North Skyline Drive, Suite A • Idaho Falls, Idaho 83402-1718
Phone: (208) 525-7161 • Fax: (208) 525-7177 • Web Site: www.idwr.idaho.gov

May 11, 2011

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

CLAIR HATCH
Water District 13R
8985 N WESTSIDE HWY
CLIFTON, ID 83228

RE: Application for Permit No 13-7786

Dear Watermaster:

A copy of the above referenced application is enclosed. Please review the application, then complete the enclosed recommendation form and return it to this office within 21 days of the date of this letter.

IDWR's regional offices can finish reviewing an unprotested application as soon as the protest period has past. Your prompt response to this request will ensure that your recommendation can be considered during regional review. If IDWR has not received your written recommendation within 21 days from the date of this letter, IDWR will presume that you do not oppose approval of the application and that you have no comments for IDWR to consider.

Please contact this office if you have any questions regarding the application.

Sincerely,

Sharla Cox
Administrative Assistant

Enclosure(s)



State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region, 900 North Skyline Drive, Suite A • Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 • Fax: (208) 525-7177 • Web Site: www.idwr.idaho.gov

May 11, 2011

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

JAMES BECKSTEAD
6645 N WESTSIDE HWY
CLIFTON, ID 83228

Application For Permit No. 13-7786

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the PRESTON CITIZEN on May 18 and 25, 2011. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

Please contact this office if you have any questions regarding the application.

Sincerely,

Sharla Cox
Administrative Assistant

Cox, Sharla

From: Cox, Sharla
Sent: Wednesday, May 11, 2011 2:10 PM
To: 'copy@prestoncitizen.com'
Subject: Legal Ad for your paper
Attachments: Preston Citizen E-Mail.doc

Contacts: Preston Citizen

Sharla

Sharla Cox
Administrative Assistant
Idaho Department of Water Resources
900 N. Skyline Dr. Ste. A
Idaho Falls ID 83402
208-525-7161 - telephone
208-525-7177 - fax
sharla.cox@idwr.idaho.gov

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

13-7786

JAMES BECKSTEAD
6645 N WESTSIDE HWY
CLIFTON, ID 83228

Point of Diversion NENE S17 T14S R38E FRANKLIN County Source SPRING Tributary SINKS

Use: STOCKWATER 01/01 to 12/31 0.02 CFS

Total Diversion: 0.02 CFS

Date Filed: 4/1/2011

Place Of Use: STOCKWATER
T17S R38E S17 NWNE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Eastern Region, 900 N Skyline Dr Ste A, Idaho Falls ID 83402 together with a protest fee of \$25.00 for each application on or before June 6, 2011. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Interim Director

Published on May 18 and 25, 2011



Idaho Department of Water Resources

MEMORANDUM

Date: April 18, 2011

Subject: James Beckstead Permit Application 13-7786

After reviewing the application, it was apparent that additional information regarding the POD was required before data entering the applications. The applicant had written "spring natural flow" as the diverting works. I called the applicant to clarify the proposed diverting works for the stockwater. He plans on running a pipe line about 100 feet from the spring to a watering trough. When I processed the application, I entered the diversion description provided by the applicant and documented our conversation.

From the desk of Denise Kidman