



State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region, 900 North Skyline Drive, Suite A • Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 • Fax: (208) 525-7177 • Web Site: www.idwr.idaho.gov

April 22, 2011

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

TED L O NEAL
WATER DISTRICT #73
11 ONEAL LN
MAY, ID 83253

RE: Transfer No. 77037
Water Right No(s). 73-7121, 73-10112, 73-4098A, 73-10110A

Dear Watermaster:

A copy of the above referenced application is enclosed. Please review the application, then complete the enclosed recommendation form and return it to this office within 21 days of the date of this letter.

If the application is approved, IDWR will include appropriate standard conditions of approval for a water right located within a water district, such as regulation by the watermaster, lockable controlling works, and/or measuring devices. Any special conditions or other concerns you have related to this application should be specifically addressed in your recommendation.

IDWR's regional offices can finish reviewing an unprotested application as soon as the protest period has past. Your prompt response to this request will ensure that your recommendation can be considered. If IDWR has not received your written recommendation within 21 days from the date of this letter, IDWR will presume that you do not oppose approval of the application and that you have no comments for IDWR to consider.

Sincerely,

Sharla Cox
Administrative Assistant

Enclosure(s)