

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 29-08162

Priority: November 20, 1995

Maximum Diversion Rate: 2.55 CFS

This is to certify, that CRAIG LYON And
VICKIE LYON
273 NORTH 2400 WEST
BRIGHAM CITY UT 83402

has applied for a permit to appropriate water from:

Source: WASTE WATER

Tributary: PORTNEUF RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
FISH PROPAGATION STORAGE	01/01 to 12/31		0.5 AF
DIVERSION TO STORAGE	01/01 to 12/31	2.55 CFS	

LOCATION OF POINT(S) OF DIVERSION:

WASTE WATER L7 (NW¼SE¼) Sec. 21, Twp 09S, Rge 38E, B.M. BANNOCK County


PLACE OF USE: FISH PROPAGATION STORAGE

Twp	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
09S	38E	21									X								L 6

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **February 01, 2011**.
2. Subject to all prior water rights.
3. The permit holder or the Lava Hot Springs Foundation must establish and report to IDWR and to the protestants prior to diverting water under permit no. 29-8162 the quantity of water that must discharge from the bleeder valve to operate the Foundation's system. Diversion of waste water must be limited to the established waste flow from the bleeder valve.
4. This right authorizes one point of diversion at the bleeder valve located within Lot 7 (NWSE), Section 21, T09S, R38E.
5. The right holder shall not assign or sell the permit without first securing the written approval of the Department of Water Resources.
6. Use of water under this approval shall comply with applicable water quality standards.
7. The issuance of this right does not grant any right-of-way or easement across the land of another.
8. Use of water under this right shall be non-consumptive.
9. Use of water under this water right will be regulated by the watermaster of State Water District No. 29, Portneuf River.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 15th day of February, 20 11.


for GARY SPACKMAN, Interim Director