

State of Idaho
Department of Water Resources
Amendment of Permit

NO. 37-22545

Priority: August 11, 2010

Maximum Diversion Rate: 9.40 CFS

This is to certify, that BLAINE COUNTY SCHOOL DISTRICT #61
118 W BULLION ST
HAILEY ID 83333

US BANK NATIONAL ASSOCIATION
118 W BULLION ST
HAILEY ID 83333

has applied for an amendment of a permit and the amendment is APPROVED for development of water as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
HEATING	01/01 to 12/31	9.40 CFS
COOLING	01/01 to 12/31	9.40 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	NW1/4SE1/4	Sec. 10, Twp 02N, Rge 18E, B.M.
BLAINE County		
GROUND WATER	NW1/4SE1/4	Sec. 10, Twp 02N, Rge 18E, B.M.
BLAINE County		
GROUND WATER	NW1/4SE1/4	Sec. 10, Twp 02N, Rge 18E, B.M.
BLAINE County		
GROUND WATER	SW1/4SE1/4	Sec. 10, Twp 02N, Rge 18E, B.M.
BLAINE County		

PLACE OF USE: HEATING

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N 18E 10														X	X	X	

PLACE OF USE: COOLING

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N 18E 10														X	X	X	

State of Idaho
Department of Water Resources
Amendment of Permit

NO. 37-22545

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **October 01, 2013**.
2. Subject to all prior water rights.
3. Return flow discharged to a subsurface system must be authorized by a separate injection well permit.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
5. Use of water under this right shall be non-consumptive.
6. The right holder shall install or construct a straight length of conduit or ditch suitable for installation of a device for measuring the entire flow of water being diverted in connection with this right. If the right holder uses conduit, the straight length of conduit shall be at least fifteen times the diameter of the conduit and shall be above ground or otherwise easily accessible.
7. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
8. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
9. Prior to diversion under this right the right holder shall submit to the Department for review and approval a ground water level and water use monitoring plan which includes the following:
 - a plan for gathering baseline water level measurements near the diversion and injection sites.
 - a plan and schedule for recording and reporting water use and water levels once diversion and use has commenced.

Monitoring and recording shall occur for a sufficient period of time to demonstrate that the reinjection of ground water diverted under this right prevents injury to existing water rights.

On approval of the monitoring plan by the Department, the right holder shall install all necessary measuring and monitoring equipment specified by the approved plan.

The Department retains jurisdiction to adjust the monitoring plan (including but not limited to increasing or decreasing the period of monitoring). The Department also retains jurisdiction to require the right holder to reduce using water, ceasing using water, or provide mitigation to avoid injury to existing water rights.

The right holder assumes all risk of injury to existing water rights or property as a result of this use including injection of water back into the aquifer.

This amendment of permit is issued pursuant to the provisions of Section 42-211, Idaho Code. Witness the signature of the Director, affixed at Boise, this 8th day of March, 2011.

FOR



GARY SPACKMAN, Interim Director