

AFFIDAVIT of PUBLICATION

State of Idaho
County of Blaine

Pam Morris

RECEIVED
FEB 24 2011

DEPT. OF WATER RESOURCES
SOUTHERN REGION

COPY OF NOTICE

Notice of Amendment
To A Water Permit

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Idaho Dept. of Water Resources
BILL TO


, being the first duly sworn, deposes and says that she is the printer (publisher) of the Idaho Mountain Express, a newspaper published every week in Ketchum, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 16 day of Feb., 20 11, and the date of the last publication was on the 23 day of Feb., 20 11

Subscribed and sworn to before me this 23 day of Feb., 20 11.

Connie N. Johnson
NOTARY PUBLIC



RESIDING AT HAILEY, IDAHO
MY COMMISSION EXPIRES ON 7/10/2012

IDAHO MOUNTAIN EXPRESS
P.O. Box 1013
Ketchum, Idaho 83340

COST OF PUBLICATION

Number of Picas per Line 11.5
Number of Lines in Notice 50
Number of Insertions 2

Lines tabular at 9.0 cents/pica

50 Lines straight at 46.00 8.0 cents/pica

50 Subsequent lines at 40.25 7.0 cents/pica

TOTAL COST \$ 86.25

NOTICE OF AMENDMENT TO A WATER PERMIT

Notice is hereby given that **BLAINE COUNTY SCHOOL DISTRICT #61, 118 W BULLION ST; HAILEY ID 83333 and the US BANK NATIONAL ASSOCIATION, 118 W BULLION ST; HAILEY ID 83333** have applied to the Department of Water Resources to change the Points of Diversion for **Water Permit No. 37-22545** within Blaine County to be recorded as follows:

Source: Ground Water
(Three) Points of Diversion within NWSE and (One) Point of Diversion within SWSE, all S10, T02N, R18E.
Use: 01/01 To 12/31
Use: HEATING (9.4 CFS)
Use: COOLING (9.4 CFS)
Total Diversion: 9.4 CFS
Date Filed: 1/31/2011
Place Of Use: located at the Wood River High School, Community Campus Building and Silver Creek High School Building in Hailey Idaho.

Comment: four ground water wells are proposed to be drilled for non-consumptive use and re-injected into the same aquifer.****To see a full description of the water right, please see www.idwr.idaho.gov/apps/ExtSearch/WRFiling.asp****Permit will be subject to all prior water rights.****Protests may be submitted based on the criteria of Sec 42-211, Idaho Code.****Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Southern Region, 1341 Fillmore St, Suite 200, Twin Falls ID 83301 together with a protest fee of \$25.00 on or before March 7, 2011. The protestant must also send a copy of the protest to the applicant. Gary Spackman, Interim Director

PUBLISH:
IDAHO MOUNTAIN EXPRESS