

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 94-07689

Priority: August 24, 2010

Maximum Diversion Rate: 0.04 CFS

This is to certify, that CHARLES R CARLSON
31973 E DUDLEY RD
CATALDO ID 83810
(208) 682-2561

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS
IRRIGATION	03/15 to 10/31	0.03 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER, L3 (NW1/4NE1/4), Sec. 6, Twp 48N, Rge 01E, B.M., KOOTENAI County

PLACE OF USE: IRRIGATION. DOMESTIC, STOCKWATER


Twp Rge Sec	NE	NW	SW	SE	Totals
48N 01E 6	NE NW SW SE	NE NW SW SE	NE NW SW SE	NE NW SW SE	1.0
	1.0				
	L3				

Total Acres: 1

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **December 01, 2015**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
6. Domestic use is for 1 home. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.
7. Stockwater use is for 3 horses.
8. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Coeur d'Alene, this 14th day of December, 2010.


GARY SPACKMAN, Interim Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

December 17, 2010

CHARLES R CARLSON
31973 E DUDLEY RD
CATALDO ID 83810

RE: Permit No.94-7689

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.


The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.

CERTIFICATE OF SERVICE

I hereby certify that on December 17, 2010 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 94-7689

**CHARLES R CARLSON
31973 E DUDLEY RD
CATALDO ID 83810**



**Carolyn S. Monitz
Technical Records Specialist**

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-762-2800.

Sincerely,

A handwritten signature in black ink, appearing to read "Keith E. Franklin". The signature is fluid and cursive, with the first name "Keith" being more prominent.

Keith E. Franklin

Sr. Water Resource Agent

Enclosure(s)

Statement of Available Procedures and Applicable Time Limits

RESPONDING TO PRELIMINARY ORDERS ISSUED BY THE IDAHO DEPARTMENT OF WATER RESOURCES (To be used in connection with actions when a hearing was not held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

**IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET**

W.R. # 94-7689

APPLICATION ID # 76765

ENT. 10/28

BCA 10/28

OK to Publish 10/28/10

APPLICANT: Charles Carlson

INITIAL REVIEW

BY: KJ

DATE: 10/16/2010

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other water Rights
11. ☒ Ownership
12. ☒ Map
☒ Signature
☒ Fee (Amt, receipt, acknowledgement)

PROCESSING

(Yes)(No)

PRIORITY DATE: 8/24/2010

(Include Moratorium Remark)

Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN:

Newspaper: ceda Kootenai County

Dates scheduled for publication 11/4 + 11/10

Affidavit of Publication received: 4/15/10

Dates actually published: 11/4 + 11/10

Application published correctly. Yes ☒ No ☐

If not, action taken: _____

Final Date for Protest: 11/22/10

Protests Received: Yes _____ No ☒

LETTERS SENT REQUESTING:

☐ Dam Information ☐ Fish Information

☐ Power Information ☐ Other: _____

INFORMATION RECEIVED:

☐ Dam Information ☐ Fish Information

☐ Power Information ☐ Other: _____

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes)(No)

Shape File Created Date 10/16 By: KJ

Field check: by _____

Field report attached

Analysis Supp. attached(>5cfs/500af)

Water delivered by water master? Water District # _____

GROUNDWATER SECTION

WD Permit No.'s:

749936

Tag #

Type:

Fees

Receipt No.

Upgrade Needed?

Dom. _____ Non-Dom. _____ Paid \$ 165.00

Dom. _____ Non-Dom. _____ Paid \$ _____

Dom. _____ Non-Dom. _____ Paid \$ _____

NO25480

Y() N() Parc

Y() N()

Y() N()

- _____ Groundwater management area
- _____ Critical ground water area
- _____ Well Drilling Permit required
- _____ Well Drilling Application and Fees received
- _____ Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes)(No)

Notice of pending void order issued.

Final order response date: _____/_____/_____

Further information required from applicant _____

Measuring device required

Measuring port required

Special conditions: _____

Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by:

Keith S. Franklin

Date: 12/7/2010

Sr. Agent initial

KJ

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

94-7689

CHARLES R CARLSON

31973 E DUDLEY RD

CATALDO, ID 83810

Point of Diversion L3(NWNE) S6 T48N R01E KOOTENAI CO

Source GROUND WATER

Use: IRRIGATION 03/15 to 10/31 0.03 CFS

Use: STOCKWATER 01/01 to 12/31 0.02 CFS

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 8/24/2010

Place Of Use: DOMESTIC T48N R01E S6 L3(NWNE)

Place Of Use: IRRIGATION and STOCKWATER

Same as DOMESTIC

Total Acres: 1

Domestic use is for 1 home.

Stockwater use is for 3 horses.

94-7747

LARRY DONOHOE

31146 S HWY 3

MEDIMONT, ID 83842

Point of Diversion SENE S5 T47N R02W KOOTENAI CO

Source GROUND WATER

Use: IRRIGATION 03/15 to 11/15 0.09 CFS

Use: DOMESTIC 01/01 to 12/31 0.1 CFS

Total Diversion: 0.19 CFS

Date Filed: 9/20/2010

Place Of Use: DOMESTIC T47N R02W S5 SENE

Place Of Use: IRRIGATION same as DOMESTIC

Total Acres: 3

Domestic use is for 1 home and 10 RV sites.

94-7754

TODD GOODSON

102 E MARKET AVE

KELLOGG, ID 83837

Point of Diversion L2(NWNW) S34 T48N R02W KOOTENAI CO

Source MEDICINE LAKE tributary COEUR D'ALENE RIVER

Use: IRRIGATION 03/15 to 10/31 0.03 CFS

Total Diversion: 0.03 CFS

Date Filed: 10/1/2010

Place Of Use: IRRIGATION T48N R02W S34 L2(NWNW)

Total Acres: 1

94-7759

STEVE J THOMSON

23727 S HWY 3

CATALDO, ID 83810

Point of Diversion L3(SWNW) S13 T48N R02W KOOTENAI CO

Source COEUR D'ALENE RVR tributary COEUR D'ALENE LK

Use: IRRIGATION 03/15 to 10/31 0.15 CFS

Use: STOCKWATER 01/01 to 12/31 0.02 CFS

Total Diversion: 0.17 CFS

Date Filed: 10/1/2010

Place Of Use: IRRIGATION T48N R02W S13 L3(SWNW)

Place Of Use: STOCKWATER same as IRRIGATION

Total Acres: 5

Stockwater use is for 10 head of mixed stock.

94-7763

DONALD RENNER

DOROTHY RENNER

16912 E BLACK LAKE RD

ST MARIES, ID 83861

Point of Diversion SWSNW S6 T47N R02W KOOTENAI CO

Source SPRING Tributary SINKS

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 10/4/2010

Place Of Use: DOMESTIC T47N R02W S6 SENW

Domestic use is for 1 home.

94-7781

TINA K YOUNG

RUSTIN L YOUNG

541 ROUND LAKE RD

ST MARIES, ID 83861

Point of Diversion NWNESW S23 T47N R03W KOOTENAI CO

Source SPRING Tributary LAMB CREEK

Use: WILDLIFE STORAGE 01/01 to 12/31 1.1 AF

Use: FIRE PROTECTION STORAGE 01/01 to 12/31 1.1 AF

Use: DIVERSION TO STORAGE 01/01 to 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 10/5/2010

Place Of Use: FIRE PROTECTION STORAGE

T47N R03W S23NESW

Place Of Use: WILDLIFE STORAGE

Same as FIRE PROTECTION STORAGE

94-7790

TINA K YOUNG

RUSTIN L YOUNG

541 ROUND LAKE RD

ST MARIES, ID 83861

Point of Diversion SWNESW S22 T47N R03W KOOTENAI CO

Source SPRING tributary OGARA CREEK

Use: WILDLIFE STORAGE 01/01 to 12/31 1.1 AF

Use: FIRE PROTECTION STORAGE 01/01 to 12/31 1.1 AF

Total Diversion: 1.1 AF

Date Filed: 10/5/2010

Place Of Use: WILDLIFE STORAGE T47N R03W S22 NESW

Place Of Use: FIRE PROTECTION STORAGE

same as WILDLIFE STORAGE

94-7792

JACQUELINE ANDERSEN

R EARL ANDERSEN

13636 E ROSEWOOD RD

ST MARIES, ID 83861

Point of Diversion SWSENE S20 T47N R02W KOOTENAI CO

Source SPRING tributary BLACK CREEK

Use: IRRIGATION 03/15 to 10/31 0.03 CFS

Use: IRRIGATION STORAGE 01/01 to 12/31 4.5 AF

Use: IRRIGATION from STORAGE 03/15 to 10/31 3 AF

Use: FIRE PROTECTION STORAGE 01/01 to 12/31 1.5 AF

Use: DIVERSION TO STORAGE 01/01 to 12/31 0.03 CFS

Total Diversion: 0.03 CFS

Date Filed: 10/5/2010

Place Of Use: IRRIGATION T47N R02W S20 SENE NESE

Place Of Use: IRRIGATION STORAGE T47N R02W S20 SENE

Place Of Use: FIRE PROTECTION STORAGE

T47N R02W S20 SENE

Place Of Use: IRRIGATION FROM STORAGE

T47N R02W S20 SENE NESE

Total Acres: 1

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D'Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 11/22/2010. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Interim Director

Legal 1290

November 4, 11, 2010

RECEIVED
NOV 15 2010
IDWR / NORTH

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Eugene Farmer being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Ugler Notice


of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 4 day of November 2010, and ending on the 11 day of November 2010, and such publication was made as often during said period as said Daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

On this 11 day of November in the year of 2010, before me, a Notary Public, personally appeared Eugene Farmer, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Regina Mason

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.



MY COMMISSION EXPIRES 6/18/15

RECEIVED
NOV 15 2010
IDWR / NORTH

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

94-7689

CHARLES R CARLSON

31973 E DUDLEY RD

CATALDO, ID 83810

Point of Diversion L3(NWNE) S6 T48N R01E KOOTENI CO

Source GROUND WATER

Use: IRRIGATION 03/15 to 10/31 0.03 CFS

Use: STOCKWATER 01/01 to 12/31 0.02 CFS

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 8/24/2010

Place Of Use: DOMESTIC T48N R01E S6 L3(NWNE)

Place Of Use: IRRIGATION and STOCKWATER

Same as DOMESTIC

Total Acres: 1

Domestic use is for 1 home.

Stockwater use is for 3 horses.

94-7747

LARRY DONOHUE

31146 S HWY 3

MEDIMONT, ID 83842

Point of Diversion SENE S5 T47N R02W KOOTENAI CO

Source GROUND WATER

Use: IRRIGATION 03/15 to 11/15 0.09 CFS

Use: DOMESTIC 01/01 to 12/31 0.1 CFS

Total Diversion: 0.19 CFS

Date Filed: 9/20/2010

Place Of Use: DOMESTIC T47N R02W S5 SENE

Place Of Use: IRRIGATION same as DOMESTIC

Total Acres: 3

Domestic use is for 1 home and 10 RV sites.

94-7754

TODD GOODSON

102 E MARKET AVE

KELLOGG, ID 83837

Point of Diversion L2(NWNW) S34 T48N R02W KOOTENAI CO

Source MEDICINE LAKE tributary COEUR D'ALENE RIVER

Use: IRRIGATION 03/15 to 10/31 0.03 CFS

Total Diversion: 0.03 CFS

Date Filed: 10/1/2010

Place Of Use: IRRIGATION T48N R02W S34 L2(NWNW)

Total Acres: 1

94-7759

STEVE J THOMSON

23727 S HWY 3

CATALDO, ID 83810

Point of Diversion L3(SWNW) S13 T48N R02W KOOTENAI CO

Source COEUR D ALENE RVR tributary COEUR D ALENE LK

Use: IRRIGATION 03/15 to 10/31 0.15 CFS

Use: STOCKWATER 01/01 to 12/31 0.02 CFS

Total Diversion: 0.17 CFS

Date Filed: 10/1/2010

Place Of Use: IRRIGATION T48N R02W S13 L3(SWNW)

Place Of Use: STOCKWATER same as IRRIGATION

Total Acres: 5

Stockwater use is for 10 head of mixed stock.

94-7763

DONALD RENNER

DOROTHY RENNER

16912 E BLACK LAKE RD

ST MARIES, ID 83861

Point of Diversion SWSNW S6 T47N R02W KOOTENAI CO

Source SPRING Tributary SINKS

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 10/4/2010

Place Of Use: DOMESTIC T47N R02W S6 SENW

Domestic use is for 1 home.

94-7781

TINA K YOUNG

RUSTIN L YOUNG

541 ROUND LAKE RD

ST MARIES, ID 83861

Point of Diversion NWNE SW S23 T47N R03W KOOTENAI CO

Source SPRING Tributary LAMB CREEK

Use: WILDLIFE STORAGE 01/01 to 12/31 1.1 AF

Use: FIRE PROTECTION STORAGE 01/01 to 12/31 1.1 AF

Use: DIVERSION TO STORAGE 01/01 to 12/31 0.04 CFS

Total Diversion:

0.04 CFS

Date Filed: 10/5/2010

Place Of Use: FIRE PROTECTION STORAGE

T47N R03W S23 NESW

Place Of Use: WILDLIFE STORAGE

Same as FIRE PROTECTION STORAGE

94-7790

TINA K YOUNG

RUSTIN L YOUNG

541 ROUND LAKE RD

ST MARIES, ID 83861

Point of Diversion SWNE SW S22 T47N R03W KOOTENAI CO

Source SPRING tributary OGARA CREEK

Use: WILDLIFE STORAGE 01/01 to 12/31 1.1 AF

Use: FIRE PROTECTION STORAGE 01/01 to 12/31 1.1 AF

Total Diversion: 1.1 AF

Date Filed: 10/5/2010

Place Of Use: WILDLIFE STORAGE T47N R03W S22 NESW

Place Of Use: FIRE PROTECTION STORAGE

same as WILDLIFE STORAGE

94-7792

JACQUELINE ANDERSEN

R EARL ANDERSEN

13636 E ROSEWOOD RD

ST MARIES, ID 83861

Point of Diversion SWSENE S20 T47N R02W KOOTENAI CO

Source SPRING tributary BLACK CREEK

Use: IRRIGATION 03/15 to 10/31 0.03 CFS

Use: IRRIGATION STORAGE 01/01 to 12/31 4.5 AF

Use: IRRIGATION from STORAGE 03/15 to 10/31 3 AF

Use: FIRE PROTECTION STORAGE 01/01 to 12/31 1.5 AF

Use: DIVERSION TO STORAGE 01/01 to 12/31 0.03 CFS

Total Diversion: 0.03

CFS

Date Filed: 10/5/2010

Place Of Use: IRRIGATION T47N R02W S20 SENE NESE

Place Of Use: IRRIGATION STORAGE T47N R02W S20 SENE

Place Of Use: FIRE PROTECTION STORAGE

T47N R02W S20 SENE

Place Of Use: IRRIGATION FROM STORAGE

T47N R02W S20 SENE NESE

Total Acres: 1

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D'Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 11/22/2010. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Interim Director

Legal #

Published on 11/4/2010 and 11/11/2010

Ball, Dianne

From: Ball, Dianne
Sent: Friday, October 29, 2010 4:25 PM
To: Legal Notices-CdA Press; Legal Notices-CdAPress - Jaylene Farmer
Subject: Application for Permit No. 94-7689, 94-7747, 94-7754, 94-7759, 94-7763, 94-7781, 94-7790, 94-7792

Hi, Jaylene,

Getting in under the wire, here.

Please publish the attached legal notice on the dates indicated, November 4 and 11, 2010, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send me a proof/preview copy for my review before it goes to press.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 11/22/2010. Your cooperation is very greatly appreciated.



LegalNotice
0-29-10 CDA e-mai.

Thanks for all your super help, and have a marvelous weekend (in spite of the weather).

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

October 29, 2010

CHARLES R CARLSON
31973 E DUDLEY RD
CATALDO, ID 83810

Application For Permit No. 94-7689

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the COEUR D ALENE PRESS on 11/4/2010 and 11/11/2010. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Keith Franklin
Sr. Water Resource Agent

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES

AUG 07 1996

WELL DRILLER'S REPORT

Use Typewriter or Ballpoint Pen

096629

Office Use Only			
Inspected by			
Twp	Rge	Sec	
1/4	1/4	1/4	
Lat	:	:	Long
:	:	:	:

1. DRILLING PERMIT NO. 94-96-N-016-000

Other IDWR No. _____

2. OWNERName CARLSON, CHARLESWell Number: 414Address PO BOX 604City PINEHURST State ID Zip 83850**3. LOCATION OF WELL by legal description**

sketch map location must agree with written location

W	N	E	S	Twp. <u>49</u>	☒ North or ☐ South
				Rge. <u>01</u>	☒ East or ☐ West
				Sec. <u>31</u>	<u>1/4 SW 1/4 SE 1/4</u>
Gov't Lot _____ County <u>SHOSHONE</u>				Lat: _____ Long: _____	
Address of Well Site <u>LATOUR CRK RD TO</u> City <u>CATALDO</u>					

(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. USE:
☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____
5. TYPE OF WORK check all that apply (Replacement, etc.)☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____**6. DRILL METHOD**☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____**7. SEALING PROCEDURES**

SEAL/FILTER PACK		AMOUNT		METHOD
Material	From	To	Sacks or Pounds	
BENTONITE	0	30	18 BAGS	OVERBORE

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 195Was drive shoe seal tested? ☒ Y ☐ N How? Drove into rock**8. CASING/LINER:**

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6	+2	195	.250	STEEL	☒	☐	☒	☐
4	184	264	.200	PVC	☐	☒	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS☒ Perforations Method SKILLSAW☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
224	264	1/8X4	140	4	PVC	☐	☒

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:100 ft. below ground Artesian pressure _____ lb.

Depth flow encountered _____ ft. Describe access port or control devices: _____

11. WELL TESTS:☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
15 GPM			

Water Temp. _____ Bottom Hole Temp _____

Water Quality test or comments: _____

Depth first Water encountered _____

12. LITHOLOGIC LOG:(Describe repairs or abandonment)

Bore Diam	From	To	Remarks: Lithology, Water Quality, Temperature	Water	
				Y	N
10	0	6	Topsoil W/Cobble	☐	☒
10	6	18	Shale Gray Hard	☐	☒
8	18	32	Shale Gray Hard	☐	☒
8	32	38	Shale Fractured Gray & Brown	☐	☒
8	38	57	Shale Gray & Green	☐	☒
8	57	78	Shale Badly Fractured broken Gray &	☐	☒
8	78	130	Shale Gray & Green Hard	☐	☒
8	130	151	Shale Broken W/Clay Gray & Brown 2	☒	☐
8	151	163	Shale Gray Hard	☐	☒
8	163	178	Shale Badly Fractured	☐	☒
8	178	195	Shale Grayish Green	☐	☒
6	195	248	Shale Grayish Green	☐	☒
6	248	254	Shale Fractured W/Water apx. 15 gpm	☒	☐
6	254	264	Shale Gray Hard	☐	☒
	0	0	Note: 1 Weld on Cap	☐	☐
	0	0	Granite/Shale	☐	☐

Completed Depth 264' (Measurable)Date: Started 06/25/96 Completed 06/27/96**13. DRILLER'S CERTIFICATION**

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name H2O WellService, Inc. Firm No. 448Firm Official [Signature] Date 7-31-96and Supervisor or Operator [Signature] Date 7-30-96

(Sign Once if Firm Official and Operator)

COPY

SWSE 31 49N 1E

Permit 749936

Well ID 277159



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

August 26, 2010

Charles R Carlson
31973 E Dudley Rd
Cataldo, ID 83810

Re: Application For Permit to Appropriate the Public Waters of the State of Idaho
No. 94-7689

Dear Mr. Carlson:

Upon initial review of your application, the department found the need for additional information before processing can begin.

In line Item #9, of the application, the location of the 13 acres to be irrigated is defined as being in the NW¼ of the NE¼ of Sections 6 and in the SW¼ of the SE¼ of Section 31 respectively. However, the location in which quarter sections your domestic and stockwater uses are to be located is missing. Please indicate in the appropriate quarter section box where the domestic and stockwater uses are to occur.

Also, the well log indicates a measured output of 15 gallons per minute when the well was constructed. The application is requesting a total diversion of 90 gallons per minute with a 10 gallon per minute pump currently installed. Are you planning to enlarge the well and pump to gain additional capacity? If not, 10-15 gallons per minute is not sufficient to irrigate 13 acres of land and supply domestic and stockwater.

Please supply the requested information, along with the corrected application, within the next 30 days so as not to delay processing and if you have any questions, feel free to contact me at this office.

Thank you.

Sincerely,

Keith E. Franklin
Senior Water Resources Agent
Enclosure

COPY



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

September 27, 2010

Charles R Carlson
31973 E Dudley Rd
Cataldo, ID 83810

Re: Application For Permit To appropriate the Public Waters of the State of Idaho
No. 94-7689

Dear Mr. Carlson:

As per our telephone conversation, I have developed an electronic version of your application that contain the changes we discussed. The main change was the number of acres to be irrigated from 13 acres down to 1 acre.

Please review the application and if it meets with your approval, sign and return the document to me within the next 30 days so as not to delay processing. If you have any questions, feel free to contact me at this office.

Thank you.

Sincerely,

Keith E Franklin
Senior Water Resources Agent
Enclosure(s)

COPY