

State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 72-16837

Priority: September 23, 2010

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 3.6 AF

This is to certify, that ROBERT D BRADLEY
PO BOX 241
CHALLIS ID 83226

SHARON SKROH BRADLEY
PO BOX 241
CHALLIS ID 83226

has applied for a permit to appropriate water from:

Source: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.04 CFS	3.6 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUNDWATER NE1/4SW1/4NW1/4 Sec. 10, Twp 14N, Rge 19E, B.M.
CUSTER County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE	NW	SW	SE	Totals
14N 19E 10	NE NW SW SE	NE NW SW SE	NE NW SW SE	NE NW SW SE	1.2

Total Acres: 1.2

CONDITIONS OF APPROVAL


1. Proof of application of water to beneficial use shall be submitted on or before **December 15, 2011**.
2. Subject to all prior water rights.
3. Place of use is located within Lot 2 of Rocky Mountain Meadows Subdivision.
4. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District 72A & 170.
5. The right holder shall install or construct a straight length of conduit or ditch suitable for installation of a device for measuring the entire flow of water being diverted in connection with this right. If the right holder uses conduit, the straight length of conduit shall be at least fifteen times the diameter of the conduit and shall be above ground or otherwise easily accessible.

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 72-16837

6. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
7. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
8. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 6th day of December, 2010.



F02 GARY SPACKMAN, Interim Director

State of Idaho
Department of Water Resources
Permit to Appropriate Water
72-16837
Water Service Area Boundary for Robert D Bradley



Legend

-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters

0 0.03 0.06 0.12 Miles

