

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 25-14274

Priority: June 25, 2010

Maximum Diversion Rate: 0.02 CFS

This is to certify, that CORPORATION OF THE PRESIDING BISHOP OF THE CHURCH OF
JESUS CHRIST OF LATTER DAY SAINTS
50 E NORTH TEMPLE ST
SALT LAKE CITY UT 84150

has applied for a permit to appropriate water from:

Source: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUNDWATER	NE $\frac{1}{4}$ SE $\frac{1}{4}$	Sec. 11	Twp 01N	Rge 38E, B.M.	BONNEVILLE County
GROUNDWATER	NW $\frac{1}{4}$ SW $\frac{1}{4}$	Sec. 12	Twp 01N	Rge 38E, B.M.	BONNEVILLE County

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE					
01N	38E	12							X										

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **October 01, 2011**.
2. Subject to all prior water rights.
3. Point(s) of diversion are located within Lot 2, Blk. 2 and Lot 3 Blk. 2, Black Hawk Subdivision.
4. Place of use is located within Lot 2, Blk. 13; Black Hawk Subdivision.
5. Domestic use is for 1 church building / meeting house and does not include lawn, garden, landscape, or other types of irrigation.
6. The domestic use authorized under this right shall not exceed 13,000 gallons per day.
7. This right does not grant any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 30th day of September, 2010.


for GARY SPACKMAN, Interim Director