

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 71-10928

Priority: July 09, 2009

Maximum Diversion Rate: 0.02 CFS

This is to certify, that ROBERT B HAYES
1418 WARM SPRINGS AVE
BOISE ID 83712

And/Or

DONNA-MARIE HAYES
1418 WARM SPRINGS AVE
BOISE ID 83712

has applied for a permit to appropriate water from:

Source: FISHER CREEK**Tributary:** SALMON RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	05/01 to 10/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION:

FISHER CREEK NW1/4SW1/4 Sec. 3, Twp 08N, Rge 14E, B.M.
CUSTER County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
08N 14E 3										X							

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **September 01, 2011**.
2. Subject to all prior water rights.
3. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
4. Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion.
5. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 71.

State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 71-10928

6. The irrigation occurring under this domestic use shall not exceed 1/2 acre. This right when combined with right 71-10146 from ground water is limited to a total of 1/2 acre of irrigation.
7. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home. This right when combined with right 71-10146 from ground water shall not exceed 13,000 gallons per day.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 4th day of August, 20 10.



For

GARY SPACKMAN, Interim Director

State of Idaho
Department of Water Resources
Permit to Appropriate Water
71-10928

This map depicts the Domestic (Irrigation) place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

R14E

T08N



Legend

- Point of Diversion
- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Taxlots

0.00501 0.02 Miles
+++++

