

RECEIVED

JUN 02 2010

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. 61-12258

1. Name of applicant(s) Community Council of Idaho, Inc. Phone 208-454-1652
Name connector (check one): ☐ and ☐ or ☐ and/or

Mailing address: 317 Happy Day Boulevard, Suite 250 City Caldwell

State Idaho Zip 83607 Email: fsosa@ccimail.org

2. Source of water supply Ground Water which is a tributary of NA

3. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
5S	8E	36			SE	NW	Elmore	Ground Water	Well No. 1
5S	8E	36			SE	NW	Elmore	Ground Water	Well No. 2

4. Water will be used for the following purposes:

Amount 0.09 cfs for domestic purposes from 11/16 to 3/14 (both dates inclusive)
(cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) _____ cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. New 6-inch diameter well will be used as primary source. Existing 12-inch well will be retained as back-up source.

b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total reservoir capacity NA acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11.

For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☒ No

c. Proposed well diameter is 6 (Well 2) inches; proposed depth of well is 150-180 (Well 2) feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No

e. If well is already drilled, when? 1968 (Well 1); drilling firm Bill Gailey

Well was drilled for (well owner) Labor Camp #2; Drilling Permit No. not listed on log

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. NA

b. Stockwatering; list number and kind of livestock. NA

c. Municipal; show name of municipality or the applicant's qualifications as a municipal provider. NA

d. Domestic; show number of households 33 apartments, office, and laundry facilities

e. Other; describe fully. NA

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5S	8E	36								D									

Total number of acres to be irrigated: NA

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? 61-7702 authorizes domestic use from 3/15 to 11/15. 61-7701 authorizes commercial use in seasonal Head Start school from 5/1 to 10/1. Landscaping is irrigated using water provided by King Hill Irrigation District.
10. a. Who owns the property at the point of diversion? Community Council of Idaho, Inc.
- b. Who owns the land to be irrigated or place of use? Community Council of Idaho, Inc.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: NA
11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. The Applicant plans to open the apartment complex for year-round residency. Additional appropriation of ground water is requested for domestic water use between 11/16 and 3/14. Water right 61-7702 authorizes domestic water use between 3/15 and 11/15.
12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Irma A. Morin

Signature of Applicant

Irma A. Morin, Executive Director

Print Name (and title, if applicable)


Signature of Applicant

Print Name (and title, if applicable)

For Department Use:

Received by SB Date 6-2-10 Time 1:56pm Preliminary check by SR

Fee \$ 100- Received by DB Receipt No. W038427 Date 6-2-2010



61-12258

WorkCentre 7345 Transmission Report

G3 ID

Date/Time: 08/11/2010; 01:28PM
Page: 1 (Last Page)

Local Name
Logo

Document has been sent.
Document Size 8.5X11"SEF

FAX Transmittal Cover Sheet

State of Idaho
Department of Water Resources
Western Region
Boise, ID
PH. (208) 334-2190
FAX NO. (208) 334-2348
Number of total pages: 3

Date: August 11, 2010
To: Mountain Home News, Attn: Stacy Swenson
From: Denise Buffington
Fax: 208-587-9205

Attached please find (1) legal notice being submitted for publication. If you have any questions about the attached information, or if you are not able to run the notice on the dates requested, please contact me immediately.

Thank you in advance,

Denise
Denise Buffington
Administrative Assistant I

Total Pages Scanned: 3 Total Pages Sent : 3

No.	Doc.	Remote Station	Start Time	Duration	Pages	Mode	Contents	Status
1	6329	2085879205	8-11; 1:26PM	1m39s	3 / 3	ECM		CP

Note:
RE: Resend MB: Send to Mailbox BC: Broadcast MP: Multi Polling RV: Remote Service
PG: Polling RB: Relay Broadcast RS: Relay Send BF: Box Fax Forward CP: Completed
SA: Send Again EN: Engaged AS: Auto Send TM: Terminated

FAX Transmittal Cover Sheet

State of Idaho
Department of Water Resources
Western Region
Boise, ID

PH. (208) 334-2190
FAX NO. (208) 334-2348

*Number of **total** pages: 3*

Date: August 11, 2010

To: Mountain Home News, *Attn: Stacy Swenson*

From: Denise Buffington

Fax: 208-587-9205

Attached please find (1) legal notice being submitted for publication. If you have any questions about the attached information; or if you are not able to run the notice on the dates requested, please contact me immediately.

Thank you in advance,



Denise Buffington
Administrative Assistant I

August 11, 2010

LEGAL NOTICE DEPARTMENT

MOUNTAIN HOME NEWS
PO BOX 1330
MOUNTAIN HOME, ID 83647-1330

RE: Transfer No. 76596
Water Right No(s). 61-7701, 61-7702

RE: Application For Permit No(s): 61-12258

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 9/7/2010. Your cooperation is appreciated.

Sincerely,

Denise Buffington
Administrative Assistant

Enclosure(s)

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

61-12258

COMMUNITY COUNCIL OF IDAHO INC
317 HAPPY DAY BLVD, STE 250
CALDWELL, ID 83607

Point of Diversion SENW S36 T05S R08E ELMORE County Source GROUND WATER Tributary

Point of Diversion SENW S36 T05S R08E ELMORE County Source GROUND WATER Tributary

Use: DOMESTIC 11/16 to 03/14 0.09 CFS

Total Diversion: 0.09 CFS

Date Filed: 6/2/2010

Place Of Use: DOMESTIC

T05S R08E S36 SENW

One existing well and one proposed well for Casimiro Dimas Housing Project in Hammett. Same wells involved with Community Council application 76596 that addresses two older rights for this site.

PROPOSED CHANGE OF WATER RIGHTS

Community Council of Idaho Inc., 317 Happy Day Blvd, Ste. 250, Caldwell ID 83607 filed Application No. 76596 to transfer 2 water rights with 1994 priority dates from ground water totaling 0.09 cfs. The purpose of the transfer is to add a new well to the current single-well system. Water will be used for domestic and commercial uses at the Head Start School and adjacent housing/office facility in Hammett. The same wells are involved with Community Council application 61-12258.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Idaho Code § 42-211 / § 42-222. For specific details regarding the application, please contact the Idaho Department of Water Resources (IDWR) Western Region at 208-334-2190 or visit www.idwr.idaho.gov with details provided under "new water right applications." Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before September 7, 2010. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Interim Director
Published on August 18th & 25th, 2010



SPF WATER
ENGINEERING

RECEIVED

JUN 02 2010

June 1, 2010

WATER RESOURCES
WESTERN REGION

Steve Lester
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705-5082

Subject: *Application for Transfer of Water Rights 61-7701 and 61-7702 and
Application for Permit, Community Council of Idaho, Inc.*

Dear Steve:

Enclosed please find an application for transfer of water rights 61-7701 and 61-7702, and an application for permit. These applications are submitted on behalf of the Community Council of Idaho, Inc. (Applicant), a non-profit organization that provides education, housing, and other services to farmworkers and other low-income families and individuals. The enclosed applications are associated with proposed improvements to the public water system serving the Casimiro Dimas Housing Project and the Migrant and Seasonal Head Start school. These facilities are located in Hammett, Idaho.

The Applicant plans to construct a new well to provide better quality water for these facilities. The existing shallow well has issues with elevated nitrate concentrations and coliform bacteria. As part of the permitting process, the Idaho Department of Environmental Quality is requiring that the Applicant either retain the existing well as an emergency back-up well, or construct a second new well to meet current requirements for source of supply redundancy. Water use at these facilities is currently authorized by water rights 61-7701 and 61-7702, which share a single point of diversion. The enclosed transfer application requests addition of a second point of diversion for redundancy.

The Applicant also plans to open the apartments for year-round residency. Water right 61-7702 currently limits water use to the period between March 15 and November 15. The application for permit requests authorization to divert up to 0.09 cfs for domestic use between November 16 and March 14.

On behalf of the Applicant, we request that processing of these applications be expedited. The Applicant currently has funding from the National Head Start Association to construct a new well this summer and would like to provide better quality water for this system as soon as possible. The Applicant would also like to open the apartments for

year-round use beginning in January 2011. The availability of year-round rental housing is expected to benefit the local economy in the Hammett area.

This is my last week at SPF Water Engineering. Please list Terry Scanlan as the contact for these applications and contact him with any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Jennifer Sukow". The signature is fluid and cursive, with the first name "Jennifer" written in a larger, more prominent script than the last name "Sukow".

Jennifer S. Sukow, P.E., P.G.
Senior Project Engineer

cc: Fernando Sosa, Community Council of Idaho, Inc.
SPF File 857.0010