

State of Idaho
Department of Water Resources
Amendment of Permit

NO. 63-11773

Priority: April 16, 1992

Maximum Diversion Rate: 1.18 CFS

This is to certify, that SUSAN TRACY
And/Or
MARK S TRACY
2422 12TH AVE RD BOX 377
NAMPA ID 83686

has applied for an amendment of a permit and the amendment is APPROVED for development of water as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS
IRRIGATION	03/01 to 11/15	1.14 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SW 1/4 NW 1/4	Sec. 10, Twp 02N, Rge 03W, B.M., CANYON County
GROUND WATER	SW 1/4 NW 1/4	Sec. 10, Twp 02N, Rge 03W, B.M., CANYON County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N 03W 10								X									

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N 03W 10							37.0	40.0	10.0	10.0							97.0

Total Acres: 97

CONDITIONS OF APPROVAL


1. Proof of application of water to beneficial use shall be submitted on or before **May 01, 2015**.
2. Subject to all prior water rights.

State of Idaho
Department of Water Resources
Amendment of Permit

NO. 63-11773

3. Rights 63-11773 and 63-3597B when combined shall not exceed a total diversion rate of 1.94 cfs, a total annual maximum diversion volume of 436.5 af at the field headgate, and the irrigation of 97 acres.
4. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
7. Domestic use is for 1 home.
8. Water bearing zone to be appropriated is from 170 to 480 feet.
9. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.

This amendment of permit is issued pursuant to the provisions of Section 42-211, Idaho Code. Witness the signature of the Director, affixed at Boise, this 2nd day of August 2010.


JOHN WESTRA, Western Regional Manager