

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-11431

Priority: October 29, 2009

Maximum Diversion Rate: 0.20 CFS

This is to certify, that PINE RIDGE DEVELOPMENT LLC
PO BOX 572
ATHOL ID 83801
(208) 661-2262

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
FIRE PROTECTION	01/01 to 12/31	0.20 CFS
DOMESTIC	01/01 to 12/31	0.19 CFS
IRRIGATION	03/15 to 11/15	0.16 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER, SE1/4NE1/4, Sec. 31, Twp 53N, Rge 04W, B.M., KOOTENAI County

PLACE OF USE: DOMESTIC same as FIRE PROTECTION

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
53N 04W 31	X			X													

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
53N 04W 31	4.0			4.0													8.0


Total Acres: 8

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 95-11431

CONDITIONS OF APPROVAL:

1. Proof of application of water to beneficial use shall be submitted on or before **April 01, 2015**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
6. Domestic use is for 16 homes. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.
7. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
9. This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of the management plan approved by the director for the RPGWMA.
10. When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Coeur d'Alene, this 29th day of March, 2010.


GARY SPACKMAN, Interim Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

March 31, 2010

PINE RIDGE DEVELOPMENT LLC
PO BOX 572
ATHOL ID 83801

RE: Permit No.95-11431

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at (208) 762-2800.

Sincerely,



Keith E. Franklin

Sr. Water Resources Agent

Enclosure(s)


CERTIFICATE OF SERVICE

I hereby certify that on April 1, 2010 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO.

95-11431

**PINE RIDGE DEVELOPMENT LLC
PO BOX 572
ATHOL ID 83801**



Carolyn S. Monitz
Technical Records Clerk

Statement of Available Procedures and Applicable Time Limits

RESPONDING TO PRELIMINARY ORDERS ISSUED BY THE IDAHO DEPARTMENT OF WATER RESOURCES (To be used in connection with actions when a hearing was not held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

**IDaho DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET**

W.R. # 95-11431

APPLICATION ID # 76078

ENT. 10/30 BCA 2/3/10 OK to Publish 2/3/10

APPLICANT: Line Bridge Development, LLC INITIAL REVIEW BY: KJ DATE: 10/30/2009

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other water Rights
11. ☒ Ownership
12. ☒ Map
☒ Signature
☒ Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes)(No)
☒ Shape File Created Date 10/30 By: KJ
☐ Field check: by _____
☐ Field report attached
☐ Analysis Supp. attached (>5cfs/500af)
☐ Water delivered by water master? Water District # _____

PROCESSING

(Yes)(No) PRIORITY DATE: 10/29/2009

☒ (Include Moratorium Remark)
☒ Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: Kootenai County

Newspaper: dea

Dates scheduled for publication 2/18 & 25/10

Affidavit of Publication received: 2/26/10

Dates actually published: 2/18 & 25/10

Application published correctly. Yes ☒ No ☐

If not, action taken: _____

Final Date for Protest: 3/8

Protests Received: Yes _____ No ☒

LETTERS SENT REQUESTING:

() Dam Information () Fish Information
 () Power Information () Other: _____

INFORMATION RECEIVED:

() Dam Information () Fish Information
 () Power Information () Other: _____

GROUNDWATER SECTION

WD Permit No.'s:	Tag #	Type:	Fees	Receipt No.	Upgrade Needed?
<u>771168</u>	<u>00017826</u>	Dom. ☒ Non-Dom. ☒	Paid \$ _____	_____	Y() N(☒)
_____	_____	Dom. ☐ Non-Dom. ☐	Paid \$ _____	_____	Y() N()
_____	_____	Dom. ☐ Non-Dom. ☐	Paid \$ _____	_____	Y() N()

- ☐ Groundwater management area
☐ Critical ground water area
☐ Well Drilling Permit required
☐ Well Drilling Application and Fees received
☐ Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes)(No)
☒ Notice of pending void order issued. Final order response date: ____/____/____
☐ Further information required from applicant

☒ Measuring device required
☒ Measuring port required
☒ Special conditions: Bathymetry Profile GLOMA
☒ Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by: Keith L. Smith Date: 3/11/2010 Sr. Agent initial KJ

RECEIVED

FEB 26 2010

IDWR / NORTH

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, } ss.

Kelli Buley being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.


3. The Legal Notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 18 day of February 20 10, and ending on the 25 day of February 20 10, and such publication was made as often during said period as said Daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice Kelli Buley. On this 25 day of February in the year of 2010, before me, a Notary Public, personally appeared Kelli Buley, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Regina Mason
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MY COMMISSION EXPIRES 6/18/15



The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-11422

DUANE JACKLIN
SUSAN JACKLIN
4752 W RIVERBEND AVE
POST FALLS, ID 83854

Point of Diversion L5(NENW) S11 T50N R05W KOOTENAI CO
Source SPOKANE RIVER Tributary COLUMBIA RIVER
Use: IRRIGATION
03/15 to 11/11 0.04 CFS
Total Diversion: 0.04 CFS

Date Filed: 10/26/2009

Place Of Use: IRRIGATION T50N R05W S11 L5(NENW)

Total Acres: 2

95-11428

ROBERT W ROBIDEAUX
#J-101 639 N RIVERPOINT BLVD
SPOKANE, WA 99202-1672

Point of Diversion L2(SENE) S15 T51N R03W KOOTENAI CO
Source HAYDEN LAKE Tributary SINKS
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: FIRE PROTECTION 01/01 to 12/31 0.2 CFS
Total Diversion: 0.2 CFS

Date Filed: 10/27/2009

Place Of Use: DOMESTIC

T51N R03W S15 L3(SWNE) L2(SENE) NESE L3(NWSE)
Place Of Use: FIRE PROTECTION same as DOMESTIC
Domestic use is for 1 home.

95-11429

ROBERT W ROBIDEAUX
#J-101 639 N RIVERPOINT BLVD
SPOKANE, WA 99202-1672

Point of Diversion L3(SWNE) S15 T51N R03W KOOTENAI CO
Source HAYDEN LAKE Tributary SINKS
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Total Diversion: 0.04 CFS

Date Filed: 10/27/2009

Place Of Use: DOMESTIC T51N R03W S15 L3(SWNE) L3(NWSE)
Domestic use is for 1 home.

95-11431

PINE RIDGE DEVELOPMENT LLC
PO BOX 572
ATHOL, ID 83801

Point of Diversion SENE S31 T53N R04W KOOTENAI CO
Source GROUND WATER
Use: IRRIGATION 03/15 to 11/15 0.16 CFS
Use: DOMESTIC 01/01 to 12/31 0.19 CFS
Use: FIRE PROTECTION 01/01 to 12/31 0.2 CFS
Total Diversion: 0.2 CFS

Date Filed: 10/29/2009

Place Of Use: DOMESTIC T53N R04W S31 NENE SENE
Place Of Use: FIRE PROTECTION & IRRIGATION
Same as DOMESTIC

Total Acres: 8

Domestic use for 16 homes.

95-11432

HEIDAR FAMILY TRUST
PO BOX 1206
CHEHALIS, WA 98532

Point of Diversion L2(NWNW) S14 T51N R03W KOOTENAI CO
Source HAYDEN LAKE Tributary SINKS
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Total Diversion: 0.04 CFS

Date Filed: 10/29/2009

Place Of Use: DOMESTIC T51N R03W S11 L7(SWSW)
and T51N R03W S14L2(NWNW)
Domestic use is for 1 home.

RECEIVED

FEB 26 2010

IDWR/NORTHERN

95-11446

KEITH & VALERIE PEILA REVOCABLE TRUST
3537 HIGHLAND DR
COEUR D'ALENE, ID 83815

Point of Diversion L4(SWSE) S13 T49N R04W KOOTENAI CO
Source COEUR D'ALENE LAKE Tributary SPOKANE RIVER
Use: DOMESTIC 04/01 to 10/31 0.04 CFS
Total Diversion: 0.04 CFS

Date Filed: 11/3/2009

Place Of Use: DOMESTIC T49N R04W S13 L4(SWSE)
Domestic use is for irrigation of lot.

95-11447

GORDON GOODBAN
2239 CASTRO WAY
SACRAMENTO, CA 95818

Point of Diversion L3(NESW) S29 T50N R03W KOOTENAI CO
Source COEUR D'ALENE LAKE Tributary SPOKANE RIVER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Total Diversion: 0.04 CFS

Date Filed: 11/2/2009

Place Of Use: DOMESTIC T50N R03W S29 L3(NESW)
Domestic use is for 1 home.

95-11452

DONALD R EMEHISER
SYDNEY EMEHISER
PO BOX 1384

POST FALLS, ID 83877
Point of Diversion NWSW S36 T51N R05W KOOTENAI CO
Source GROUND WATER
Use: IRRIGATION 04/01 to 11/15 0.04 CFS
Use: STOCKWATER 01/01 to 12/31 0.02 CFS
Total Diversion: 0.06 CFS

Date Filed: 6/10/2009

Place Of Use: IRRIGATION T51N R05W S36 NWSW
Place Of Use: STOCKWATER same as IRRIGATION
Total Acres: 1.3

Stockwater use is for 2 sheep.
Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D'Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 3/8/2010. The protestant must also send a copy of the protest to the applicant.
GARY SPACKMAN, Interim Director
Legal 9041

February 18, 25, 2010

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-11422

DUANE JACKLIN

SUSAN JACKLIN

4752 W RIVERBEND AVE

POST FALLS, ID 83854

Point of Diversion L5(NENW) S11 T50N R05W KOOTENAI CO

Source SPOKANE RIVER Tributary COLUMBIA RIVER

Use: IRRIGATION 03/15 to 11/11 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 10/26/2009

Place Of Use: IRRIGATION T50N R05W S11 L5(NENW)

Total Acres: 2

95-11428

ROBERT W ROBIDEAUX

#J-101 639 N RIVERPOINT BLVD

SPOKANE, WA 99202-1672

Point of Diversion L2(SENE) S15 T51N R03W KOOTENAI CO

Source HAYDEN LAKE Tributary SINKS

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: FIRE PROTECTION 01/01 to 12/31 0.2 CFS

Total Diversion: 0.2 CFS

Date Filed: 10/27/2009

Place Of Use: DOMESTIC

T51N R03W S15 L3(SWNE) L2(SENE) NESE L3(NWSE)

Place Of Use: FIRE PROTECTION same as DOMESTIC

Domestic use is for 1 home.

95-11429

ROBERT W ROBIDEAUX

#J-101 639 N RIVERPOINT BLVD

SPOKANE, WA 99202-1672

Point of Diversion L3(SWNE) S15 T51N R03W KOOTENAI CO

Source HAYDEN LAKE Tributary SINKS

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 10/27/2009

Place Of Use: DOMESTIC-T51N R03W S15 L3(SWNE)

L3(NWSE)

Domestic use is for 1 home.

95-11431

PINE RIDGE DEVELOPMENT LLC

PO BOX 572

ATHOL, ID 83801

Point of Diversion SENE S31 T53N R04W KOOTENAI CO

Source GROUND WATER

Use: IRRIGATION 03/15 to 11/15 0.16 CFS

Use: DOMESTIC 01/01 to 12/31 0.19 CFS

Use: FIRE PROTECTION 01/01 to 12/31 0.2 CFS

Total Diversion: 0.2 CFS

Date Filed: 10/29/2009

Place Of Use: DOMESTIC T53N R04W S31 NENE SENE

Place Of Use: FIRE PROTECTION & IRRIGATION

Same as DOMESTIC

Total Acres: 8

Domestic use for 16 homes.

95-11432

HEIDAR FAMILY TRUST

PO BOX 1206

CHEHALIS, WA 98532

Point of Diversion L2(NWNW) S14 T51N R03W KOOTENAI CO

Source HAYDEN LAKE Tributary SINKS

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 10/29/2009

Place Of Use: DOMESTIC T51N R03W S11 L7(SWSW)

and T51N R03W S14 L2(NWNW)

Domestic use is for 1 home.

95-11446

KEITH & VALERIE PEILA REVOCABLE TRUST

3537 HIGHLAND DR

COEUR D'ALENE, ID 83815

Point of Diversion L4(SWSE) S13 T49N R04W KOOTENAI CO

Source COEUR D ALENE LAKE Tributary SPOKANE RIVER

Use: DOMESTIC 04/01 to 10/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 11/3/2009

Place Of Use: DOMESTIC T49N R04W S13 L4(SWSE)

Domestic use is for irrigation of lot.

95-11447

GORDON GOODBAN

2239 CASTRO WAY

SACRAMENTO, CA 95818

Point of Diversion L3(NESW) S29 T50N R03W KOOTENAI CO

Source COEUR D ALENE LAKE Tributary SPOKANE RIVER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 11/2/2009

Place Of Use: DOMESTIC T50N R03W S29 L3(NESW)

Domestic use is for 1 home.

95-11452

DONALD R EMEHISER

SYDNEY EMEHISER

PO BOX 1384

POST FALLS, ID 83877

Point of Diversion NWSW S36 T51N R05W KOOTENAI CO

Source GROUND WATER

Use: IRRIGATION 04/01 to 11/15 0.04 CFS

Use: STOCKWATER 01/01 to 12/31 0.02 CFS

Total Diversion: 0.06 CFS

Date Filed: 6/10/2009

Place Of Use: IRRIGATION T51N R05W S36 NWSW

Place Of Use: STOCKWATER same as IRRIGATION

Total Acres: 1.3

Stockwater use is for 2 sheep.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D' Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 3/8/2010.

The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Interim Director

Legal #

Published on 2/18/2010 and 2/25/2010

Ball, Dianne

From: Ball, Dianne
Sent: Monday, February 08, 2010 10:46 AM
To: Legal Notices-CdA Press; Legal Notices-CdAPress - Kelli Buley
Subject: Application for Permit No. 95-11422, 95-11428, 95-11429, 95-11431, 95-11432, 95-11446, 95-11447, 95-11452

Attachments: LegalNotice 02-08-10 CDA e-mail 95-11422,28,29,31,32,46,47,52.doc

Good morning, Kelli,

Please publish the enclosed legal notice on the dates indicated, February 18 and 25, 2009, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send me a proof/preview copy for my review to double check layout. I'm trying to match your column widths, but am not always successful, so sometimes need minor adjustments.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 3/8/2010. Your cooperation is very greatly appreciated.



LegalNotice
2-08-10 CDA e-mai.

Thanks for all you wonderful help. It's great to work with you.

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

February 8, 2010

PINE RIDGE DEVELOPMENT LLC
PO BOX 572
ATHOL, ID 83801

Application For Permit No. 95-11431

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the COEUR D ALENE PRESS on 2/18/2010 and 2/25/2010. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Keith Franklin
Sr. Water Resource Agent

Receipt No. N022665 for your records

FOT 05 2001

IDWR/North

IDAHO DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

Office Use Only			
Inspected by _____			
Twp _____	Rge _____	Sec _____	
1/4 _____		1/4 _____	
Lat: _____		Long: _____	
☒ Air ☐ Flowing Artesian			

1. WELL TAG NO. D 0017826

DRILLING PERMIT NO. _____

Other IDWR No. 771108

2. OWNER:

Name Pine Ridge Development LLC

Address P.O. Box 572

City Athol State ID Zip 83801

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

N			
	X		
S			

Twp. 53 North ☒ or South ☐
Rge. 4 East ☐ or West ☒
Sec. 31 1/4 SE 1/4 NW 1/4
Gov't Lot _____ County Kootenai
Lat: _____ Long: _____

Address of Well Site Wendler Loop Rd.

City Twin Lakes

(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. USE:

☐ Domestic ☒ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply

(Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT Sacks or Pounds	METHOD
Material	From	To		
Bentonite	0	32	650#	Overbore

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) ring bitWas drive shoe seal tested? ☐ Y ☐ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	+2	423	280	Steel	☒	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

Perforations

Method _____

Screens

Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

373 ft. below ground Artesian pressure _____ lb.

Depth flow encountered _____ ft. Describe access port or control devices: _____

11. WELL TESTS:

☒ Pump ☐ Bailor

Yield gal./min.	Drawdown	Pumping Level	Time
50+	Air		4 hrs
37.5	Pump	373'	8 hrs

Water Temp. _____

Bottom hole temp. _____

Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment) Depth first Water Encounter 415'

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water
12	0	2	Silt, brown, gravel, coarse	X
	2	9	Gravel, cobbles, silt	X
	9	18	Gravel, cobbles	X
8	18	19	Gravel, boulders, silt	X
	19	20	Boulder	X
	20	38	Silt, sand, gravel	X
	38	64	Silt, sand	X
	64	89	Gravel, sand	X
	89	116	Silt, sand, gravel	X
	116	143	Gravel, sand, silt	X
	143	180	Sand, silt	X
	180	216	Gravel, cobbles	X
	216	218	Boulder	X
	218	265	Gravel, sand	X
	265	291	Sand, gravel	X
	291	315	Cobbles, gravel	X
	315	326	Silt, gravel, sand	X
	326	345	Sand, gravel	X
	345	348	Silt, brown	X
	348	365	Gravel, medium	X
	365	367	Silt, orange	X
	367	369	Gravel, silt	X
	369	380	Gravel, sand	X
	380	383	Gravel, fine	X
	383	390	Gravel, fine, sand, coarse	X
	390	395	Sand, coarse	X
	395	403	Sand, medium, 30 slot	X
	403	405	Sand, medium, gravel, fine	X
	405	415	Gravel, sand	X
	415	418	Gravel, clean	X
	418	420	Gravel, angular, medium, clear	X
	420	423	Gravel, angular, medium, clear	X
			developed w/air 1 hour	

Completed Depth 423'

Date: Started 09/26/01 Completed 09/28/01 (Measurable)

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name McCarty Drilling & Pump Inc. Firm No. 586

Firm Official _____ Date 10/3/01

Driller or Operator _____ Date _____

(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO _____

75-11431

No. W 10566	Due no later than December 31, 2008 Annual Report Form		2: Registered Agent and Office NO PO BOX												
Return to: SECRETARY OF STATE 450 NORTH FOURTH STREET PO BOX 83720 BOISE, ID 83720-0080 NO FILING FEE IF RECEIVED BY DUE DATE	1: Mailing Address - Correct in this box, if applicable PINE RIDGE DEVELOPMENT, L.L.C. GEORGE WHITMIRE PO BOX 572 ATHOL, ID 83801		STEVEN C WETZEL 1322 W KATHLEEN AVE COEUR D'ALENE, ID 83815 3: New Registered Agent Signature												
4. Limited Liability Companies: Enter Names and Addresses of Members. <table border="1"> <thead> <tr> <th><u>Office held</u></th> <th><u>Name</u></th> <th><u>Street or P.O. Address</u></th> <th><u>City</u></th> <th><u>State</u></th> <th><u>Zip</u></th> </tr> </thead> <tbody> <tr> <td></td> <td><i>George Whitmire</i> <i>managing member</i></td> <td><i>PO Box 572</i></td> <td><i>Athol Id</i></td> <td><i>83801</i></td> <td></td> </tr> </tbody> </table>				<u>Office held</u>	<u>Name</u>	<u>Street or P.O. Address</u>	<u>City</u>	<u>State</u>	<u>Zip</u>		<i>George Whitmire</i> <i>managing member</i>	<i>PO Box 572</i>	<i>Athol Id</i>	<i>83801</i>	
<u>Office held</u>	<u>Name</u>	<u>Street or P.O. Address</u>	<u>City</u>	<u>State</u>	<u>Zip</u>										
	<i>George Whitmire</i> <i>managing member</i>	<i>PO Box 572</i>	<i>Athol Id</i>	<i>83801</i>											
5. Organized Under the Laws of: IDAHO W 10566	6. Signature <i>George Whitmire</i> Name <i>George Whitmire</i> (Typed or Printed)			Date <i>10/20/08</i> Title <i>managing member</i>											

Issued 10/01/2008

Do Not Tape or Staple

200812005973