

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12342

Priority: June 19, 1996

Maximum Diversion Rate: 0.26 CFS
Maximum Diversion Volume: 125.0 AF

It is hereby certified that PARKLANE CO
817 W FRANKLIN AVE
BOISE ID 83702 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated June 19, 1996; and has
submitted Proof of Beneficial Use on August 29, 1997. An examination indicates that the works have a
diversion capacity of 0.41 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
COOLING	03/15 to 11/15	0.26 CFS	125.0 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NW1/4NE1/4 Sec. 10, Twp.03N, Rge 02E, B.M. ADA County

PLACE OF USE: COOLING

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	02E	10				X													

CONDITIONS OF APPROVAL

1. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
2. Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.
3. Use of water under this right shall be non-consumptive.
4. Return flow discharged to a subsurface system must be authorized by a separate injection well permit.
5. Water bearing zone to be appropriated is from 79 to 195 feet. All flows to be reinjected to same zone.
6. Cooling is for Union Block Building.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 7th day of July, 2010.

For 
GARY SPACKMAN
Interim Director