

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESIdent. No. 76529
WR# 37-22514

APR 14 2010

APPLICATION FOR PERMIT

DEPT. OF WATER RESOURCES To appropriate the public waters of the State of Idaho
SOUTHERN REGION1. Name of applicant(s) Blaine County School District #61 Phone 208-578-5000
Name connector (check one): ☐ and ☐ or ☐ and/orMailing address: 118 West Bullion Street City HaileyState ID Zip 83333 Email: mchatterton@blaineschools.org2. Source of water supply Ground water which is a tributary of _____

3. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
T2N	R18E	9			SE	SE	Blaine	Ground Water	Hailey Prod.#1
T2N	R18E	9			SE	SE	Blaine	Ground Water	Hailey Prod.#2
T2N	R18E	9			SE	SE	Blaine	Ground Water	Hailey Prod. #3

4. Water will be used for the following purposes:

Amount 3.0 cfs for heating and cooling purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)5. Total quantity to be appropriated is (a) 3.0 cfs cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. Pumped from ground water resources.b. Height of storage dam n/a feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11.For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ Noc. Proposed well diameter is 12 inches; proposed depth of well is 160 feet.d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ Noe. If well is already drilled, when? n/a; drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality or the applicant's qualifications as a municipal provider. _____

d. Domestic; show number of households _____

e. Other; describe fully. Ground water heat pump for heating and cooling. Ground water will be pumped from high capacity wells.

8. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
T2N	R18E	9																G/L	3.0 csf

Total number of acres to be irrigated: n/a

- Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? No other water rights are used for heating and cooling.
- Who owns the property at the point of diversion? Blaine County School District #61
 - Who owns the land to be irrigated or place of use? Blaine County School District #61
 - If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: n/a
- Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. The ground water is to be used for heating and cooling of the Hailey Elementary School. The water will be withdrawn from the aquifer near the school and be re-injected into the same aquifer at approximately 10 degrees F delta-T with no chemical change.
Culinary domestic water from Hailey City supply.
Irrigation water from Hailey City Supply.
- Time required for completion of works and application of water to proposed beneficial use is 3 years (minimum 1 year).
- MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Lonnie Barber
Signature of Applicant

Signature of Applicant

Lonnie Barber Superintendent
Print Name (and title, if applicable)

Print Name (and title, if applicable)


For Department Use:

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ 320.00 Received by Cuba Receipt No. 5031411 Date _____

670.00

5031410



Hailey Elementary
520 South 1st Ave.
T2N R18E 9 SE SE

Topographic Map of Hailey Area



Memo

April 29, 2010


RE: Blaine County School District - Geothermal Well Water Calculations
Hailey Elementary

As requested, this memo provides the calculations used to establish the flow rates for geothermal projects for the Blaine County School District.

Building	Bldg Area (SF)	Est'd BTUh/SF	Htg Load (MBH)	Water dT	Calc'd Flow	Safety Factor	Flow rate (GPM)
Hailey Elem	84,000	50	4,200	8	1,050	30%	1,350

If you have any questions, please contact me.

Signed,



David B. Moore, P.E.
McKinstry Co.