



WATER RIGHT LICENSE

License No. 15-7004 Priority 3/2/1970 Amount 1.3 CFS 471.9 AF

THIS IS TO CERTIFY, that MRS. RALPH W. HARDING

of Malad City, Idaho , has complied with the terms and conditions of

Permit No. 15-7004 issued pursuant to Application for Permit dated 3/2/1970 , and has

submitted proof to the Department of Water Resources on 8/6/1971 , that he has applied water to a

beneficial use; and examination by the Department indicates that the works have a capacity for the

diversion of 1.3 CFS of water from a groundwater source

tributary to , and that the permit holder has

applied to a beneficial use and established a right to use water as follows:

RATE OF DIVERSION	VOLUME	BENEFICIAL USE	PERIOD OF USE
1.3 CFS	471.9 AF	Irrigation	4/15 to 10/15

Location of point of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, Twp. 14S, Rge. 36E, B.M., Oneida County

Location of place of use:

TWP.	RGE.	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
14S	36E	29															38	26	64
		32	24	38	39	24													125


Total number of acres irrigated 189

NOTE: Modifications to or variance from the use of water as shown on this license must be made in accordance with Section 42-222, Idaho Code, or the applicable Idaho law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho this 31 day of March, 1981.

MICROFILMED


Director

Identification No. 15-7004

Application No. _____
#3000

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Mrs. Ralph W. Harding
post office address Rt. 1 Box 13 Malad City, Idaho 83252
2. Source of water supply Drilled Well which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 32 Township 14 South
Range 35 East B.M. Oneida County; additional points of diversion if any: 36 E
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
a. 1300 G.P.M. ~~cubic feet per second~~ and/or 2.88 cfs ~~per~~
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
Irrigation of farmland purpose from April 15th to Oct. 15th (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well - dam

b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet; materials used in storage dam: _____
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
5 months ~~is~~
b. Estimated construction cost is \$ 15,000.00
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

15-7004

1

[illegible]

less rounds

Total number of acres to be irrigated 172

c. Describe any other water rights used for the same purposes.

9. a. Who owns the property at the point of diversion.

Mrs. Ralph W. Harding


b. Who owns the land to be irrigated or place of use.

Mrs. Ralph W. Harding

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mrs. Ralph W. Harding
(Applicant)
by Ralph L. Harding
15-7004

Received by Date 3-2-70 Time 2:30 pm
Preliminary check by Fee \$ 30.00
Received by Date 3-4-70
Publication prepared by Date 3-4-70
Published in Idaho Enterprise
Publication dates 3-12-19-70
Publication approved Date
Priority reduced to Reason

Protests filed by:

Copies of protests forwarded by
Hearing held by Date
Recommended for approval denial by

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 15-7004, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 75.
 - c. Other: The permit holder shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons:

Witness my hand this 10th day of April 19 70.

L. Keith Higgs
State Reclamation Engineer

RECEIVED

MAR 18 1970

STATE OF IDAHO
OFFICE OF STATE RECLAMATION ENGINEER
POWER OF ATTORNEY

Department of Reclamation

The undersigned owner (s) of Permit (Application) No. 15-7004
of the State Reclamation Engineer of the State of Idaho hereby nominates
and appoints RALPH R. HARDING, whose address is
Rt. 1 Box 13 MALAD 83252 as attorney-in-fact, with full author-
ity to act for and on behalf of the undersigned in all matters pertaining
to Application or Permit. Such acts shall include, but not be limited
to the filing of applications, receiving of all notices, the signing and
filing of applications for extension of time and for amendment of said
Permit, and the submission of proofs of completion of works and beneficial
use of water.

Dated this 10th day of MARCH, 1970.

Mrs Ralph W. Harding

STATE OF IDAHO)
County BINGHAM) ss

On this 10th day of MARCH 1970, personally
appeared before me the signer (s) of the above instrument, who duly
acknowledged to me that he (she) executed the same.

James M. Hodkins
Notary Public

My Commission expires:

4-27-71

15-7004

RECEIVED

MAR 27 1970

Department of Reclamation

**NOTICE OF APPLICATION
FOR PERMIT TO
APPROPRIATE THE PUBLIC
WATERS OF THE
STATE OF IDAHO**

Notice is hereby given that Mrs. Ralph W. Harding, Route 1, Box 13, Malad City, Idaho, has on March 2, 1970, submitted Application No. 15-7004 to appropriate the public waters of a groundwater source.

The application proposes a maximum diversion and appropriation of 2.88 cubic feet per second of water to be diverted by well within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 32, T. 14S, R. 36E, B.M., Oneida County, and is to be used within the S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 29; NE $\frac{1}{4}$, Sec. 32, T. 14S, R. 36E, B.M. for irrigation of 192 acres from April 15 to October 15.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before March 30, 1970.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Idaho Enterprise, Malad City, Idaho, on Mar. 12 and Mar. 19, 1970.

Affidavit of Publication

State of Idaho
County of Oneida, ss.

Norma Champney being first duly sworn on her oath, states: That she is *Clerk*

of the Idaho Enterprise, a newspaper of general circulation in Oneida County, Idaho published weekly at Malad, in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That said Idaho Enterprise was at all of the times of publication of said notice a newspaper of general circulation made up of at least four pages of at least five columns each, printed from type matter or stereotyped forms of at least seventeen and three fourths inches depth, and said newspaper during all of the times of publication aforesaid had more than 200 bonafide subscribers thereto living within the county of Oneida in which said newspaper was published at regular intervals not less frequently than once a week.

That the annexed notice was published per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for 2 successive weekly issues thereof the date of the first publication being the 12 day of March 1970 the date of the last publication being the 19 day of March 1970

1970

Norma Champney

Subscribed and sworn to before me this 27th day of

March, 1970

H. D. Naylor

Notary Public, residing at Malad, Idaho

My Commission expires the 10 day of Oct., 1973

Costs: 37 lines at 13c per line first insertion \$4.81

lines tabulated at 20c per line \$

10c per line each subsequent insertion \$3.70

TOTAL \$8.51

(Rates for legal notices are fixed by Idaho law)

MICROFILMED

15-7004

RECEIVED

MAR 24 1970

Department of Reclamation

**NOTICE OF APPLICATION
FOR PERMIT TO
APPROPRIATE THE PUBLIC
WATERS OF THE
STATE OF IDAHO**

Notice is hereby given that Mrs. Ralph W. Harding, Route 1, Box 13, Malad City, Idaho, has on March 2, 1970, submitted Application No. 15-7004 to appropriate the public waters of a groundwater source.

The application proposes a maximum diversion and appropriation of 2.88 cubic feet per second of water to be diverted by well within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 32, T. 14S, R. 35E, B.M., Oneida County, and is to be used within the S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 29; NE $\frac{1}{4}$, Sec. 32, T. 14S, R. 35E, B.M. for irrigation of 192 acres from April 15 to October 15.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before March 30, 1970.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Idaho Enterprise, Malad City, Idaho, on Mar. 12 and Mar. 19, 1970.

Affidavit of Publication

State of Idaho
County of Oneida, ss.

Norma Champney being first duly sworn on her oath, states: That s/he is *a clerk*

of the Idaho Enterprise, a newspaper of general circulation in Oneida County, Idaho published weekly at Malad, in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That said Idaho Enterprise was at all of the times of publication of said notice a newspaper of general circulation made up of at least four pages of at least five columns each, printed from type matter or stereotyped forms of at least seventeen and three fourths inches depth, and said newspaper during all of the times of publication aforesaid had more than 200 bonafide subscribers thereto living within the county of Oneida in which said newspaper was published at regular intervals not less frequently than once a week.

That the annexed notice was published per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for *2* successive weekly issues thereof the date of the first publication being the *12* day of *March*, 19*70* the date of the last publication being the *19* day of *March*, 19*70*.

Norma Champney

Subscribed and sworn to before me this *20th* day of

March, 19*70*
H. G. Naylor

Notary Public, residing at Malad, Idaho

My Commission expires the *10* day of *Oct*, 19*73*

Costs: *37* lines at 13c per line first insertion \$ *4.81*

..... lines tabulated at 20c per line \$.....

10c per line each subsequent insertion \$ *3.70*

TOTAL \$ *8.51*

(Rates for legal notices are fixed by Idaho law)

15-7004

TWP. 14 S RANGE 6 E COUNTY Oreida SCALE: 1" = 1 MILE

36 31 32 33 34 35 36 31

1 6 5 4 3 2 1 6

12 7 8 9 10 11 12 7

13 18 17 16 15 14 13 18

24 19 20 21 22 23 24 19

25 30 29 28 27 26 25 30

36 31 32 33 34 35 36 31

1 6 5 4 3 2 1 6

15-7004



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

April 6, 1981

Mrs. Ralph W. Harding
Rt. 1, Box 13
Malad City, Idaho 83252

Dear Mrs. Harding,

RE: License No. 15-7004

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON

Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 9, 1981

Mrs. Ralph W. Harding
Rt. 1, Box 13
Malad City, Idaho 83252

Dear Mrs. Harding,

A representative of this Department has made an examination of the works covered by your Permit No. 15-7004, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.3 cfs Source: groundwater

The maximum quantity diverted shall not exceed 471.9 acre feet per year.

Point(s) of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, Twp. 14S, Rge. 36E, B.M.

Beneficial use: Irrigation of 64 acres within the S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 29; 125 acres
within the NE $\frac{1}{4}$, Sec. 32, Twp. 14S, Rge. 36E.

Priority date established: March 2, 1970

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

MICROFILMED

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

System not on-
7/14/76 *all*

1. Name of permit holder Mrs. Ralph W. Harding *died* No measuring
Post office address Route 1, Box 13, Malad City, Idaho 83252 Phone device - 7/22/76
Person to contact *Leased to: Jerry Forester* Grant Jones Phone 766-4038 *Joyce Freedenburg*
2. Source of water supply: Groundwater ☒ Surface water ☐ Joyce Freedenburg *by 8/15/76*
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 1300 gpm ~~at~~ for Irrigation of farmland
AF/Annum (nature of use)

Mr Don Harding 766-2201
137 E 50 South
Malad, ID 83252

Period of Use: from April 15 to October 15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

4. Total amount to be appropriated:

(2.83 c.f.s.)

Max Rate of Diversion 1300 gpm public use per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 14 ~~N/S~~, Range 36 ~~E/W~~, B.M., Section 32, Subdivision NW $\frac{1}{4}$ NE $\frac{1}{4}$, Oneida
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____ County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____
County _____
County _____

Other Points of Diversions: _____

Description of diverting works: 14" diameter casing, 295' deep, 1600 gpm, 22' drawdown, static water level - 11'.

Measuring device required: yes ☒ no ☐ Inline flow meter

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**

210

A 36E

Page 36E

29





Diagram of System



DATE OF EXAM 6/10/79

ACREAGE

Found 189Ac
Recommended 189Ac ✓

Irrigation Requirement 3.5 Ac Ft/Ac

USE

Irrigation Q = 1.3 c.f.s. V = 471.9 AF/Ann. from April 15 to Oct 15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no X

Name source exchanged with: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 1.3 cfs Method of measurement Flow Meter

Total Q recommended 1.3 cfs Meter No. M0644699 Type Badger Mfg Condition Std

Total V recommended 471.9 AF/Ann.

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None

MEASUREMENT CALCULATION:

1000 gal in in 103 sec. = 582.5 gpm = 1.3 cfs capacity

$V = 189Ac \times 3.5 AF/Ac = 661.5 AF$
 $> 1.3 cfs \times 1.9835 cfs AF/dy \times 183 dys = 471.9 AF/Ann.$ ✓

SYSTEM DESCRIPTION:

30 hp electric motor - Holloschult S.N. R2024416
Western Pump Co Vertical turbine s/n #14BF110C
3/4" id of 6" mainline with 4 hard lines pasture and grain

REMARKS:

System shown and described by Joyce Freedenburg owner
No. conflicting gov. rights

Examiner's Signature John D. Carlson Date 3/10/80


Checked by Anthony R. Kozlowski Date 4-8-80

Approved by Ralph Date 3/9/81

No Overlapping rights

15-7004

THIS PHOTO COPY IS NOT TO SCALE
1970 FLIGHT



111

Identification No. 15-7004

Permit No. _____

RECEIVED

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

AUG 6 1971

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Administration

1. a) Name of Permit Holder Mrs. Ralph W. Harding
b) Post Office Address Rt 1, Box 13, Malad City, Idaho 83252
2. Permit Number 15-7004
3. Date of Priority that you are prepared to establish March 2, 1970
4. a) Source from which water was appropriated ground water
b) Location of the point of diversion: NW 1/4 NE 1/4, Section 32
Township 14S, Range 36E Boise Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
amount 2.83 cfs for irrigation purposes from April 15 to Oct. 15 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 2.83 cfs ~~and/or acre feet per annum~~
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Test pumping of well by Gardner Well Drillers of Malad City, Idaho.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: not applicable
b) Describe the agreement or understanding by which you take water from the works: not applicable
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 14 inch dia. casing, 295 ft. deep, 1600 gpm, 22 ft. drawdown, static water level 11 ft.
b) Describe the type and size of measuring device which you have installed at your point of diversion: In line flow meter
c) Give well drillers name and address and date the well was completed Gardner Well Drilling, Malad City, Idaho 83221

exam typed 9-29-71
mjf

MICROFILMED

15 SEP 1971

August 12, 1971

Re: Permit No. 15-7004 - Mrs. Ralph W. Harding

Mr. Ralph R. Harding
Route 1, Box 13
Malad City, Idaho 83252

Dear Mr. Harding:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

cc: Eastern District Office
Dept. of Water Admin.

MICROFILMED

15 7004

CONVERSATION MEMORANDUM

FILE 15 7004

NAME OF PARTY

Ralph Harding7/28/71

EMPLOYEE

CH

RE:

Called regarding permit 15-7004Ralph W. Harding est. (Mrs. Ralph W Harding)& wants to obtain license.

I explained what was required
& informed him he could obtain
help at I. F. office. Wants
information sent to I. F. office

Copy file & send to norm.

MICROFILMED

15 7004

April 16, 1970

Re: Permit No. 15-7004

Mrs. Ralph W. Harding
Rte. 1, Box 13
Malad City, Idaho 83252

Dear Mrs. Harding:

We enclose a copy of your approved application for permit 15-7004 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, ~~XXXXXXXXXX~~ Deputy
State Reclamation Engineer

CSA:kh

Enclosures: Copy of permit
Receipt No. 4274 for \$30
2 informational letters

P.S. Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed on your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

MICROFILMED

15-7004

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

RECEIVED

MAR 13 1970

Department of Reclamation

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

March 6, 1970

Re: Application for Permit No. 15-7004

Mrs. Ralph W. Harding
Rte. 1, Box 13
Malad City, Idaho 83252

Dear Mrs. Harding:

We are in receipt of your application for permit. Upon reviewing it, we find that you list the point of diversion as being in Township 14 South, Range 35 East, B.M. Our topographical maps show this location as being on a hill. Could it be possible that the point of diversion is in Township 14 South, Range 36 East, B.M.? Please advise us so we can make any necessary corrections.

Very truly yours,

A handwritten signature in cursive script, reading "Donald W. McEldowney".

Donald W. McEldowney
Appropriation Examiner

384-7215

DWM:kh

yes the correct legal description
is Township 14 South, Range 36
East, B.M.

MICROFILMED

Thanks,

Ralph Harding

15-7004

**NOTICE OF APPLICATION
FOR PERMIT TO
APPROPRIATE THE PUBLIC
WATERS OF THE
STATE OF IDAHO**

Notice is hereby given that Mrs. Ralph W. Harding, Route 1, Box 13, Malad City, Idaho, has on March 2, 1970, submitted Application No. 15-7004 to appropriate the public waters of a groundwater source.

The application proposes a maximum diversion and appropriation of 2.88 cubic feet per second of water to be diverted by well within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 32, T. 14S, R. (35E) B.M., Oneida County, and is to be used within the S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 29; NE $\frac{1}{4}$, Sec. 32, T. 14S, R. (35E) B.M. for irrigation of 192 acres from April 15 to October 15.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before March 30, 1970.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Idaho Enterprise, Malad City, Idaho, on Mar. 12 and Mar. 19, 1970.

*changed
per phone
call*

MICROFILMED

15-7004

March 6, 1970

Re: Application for Permit No. 15-7004

C
O
P
Y

Mrs. Ralph W. Harding
Rte. 1, Box 13
Malad City, Idaho 83252

Dear Mrs. Harding:

We are in receipt of your application for permit. Upon reviewing it, we find that you list the point of diversion as being in Township 14 South, Range 35 East, B.M. Our topographical maps show this location as being on a hill. Could it be possible that the point of diversion is in Township 14 South, Range 36 East, B.M. ? Please advise us so we can make any necessary corrections.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:kh

MICROFILMED

15-7004

March 4, 1970

Re: Application for Permit No. 15-7004

C
O
P
Y

Mrs. Ralph W. Harding
Route 1, Box 13
Malad City, Idaho 83252

Dear Mrs. Harding:

We have received and began processing procedures on your application for permit as referenced above.

However, as Ralph R. Harding has signed the application for you, we will require that you complete the enclosed Power of Attorney form which authorizes Mr. Harding to act in your behalf.

Your immediate attention to this matter will be appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR

Enc: Power of Attorney form

MICROFILMED

15-7004

March 4, 1970

Re: Application for Permit No. 15-7004 - Mrs. Ralph W. Harding

Idaho Enterprise
P.O. Box 205
Malad City, Idaho 83252

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR
Enc: Legal notice

APPROPRIATION

*Bill submitted
3-27-70
dw*

15-7004

NOTICE OF APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Mrs. Ralph W. Harding, Route 1, Box 13,

Malad City, Idaho, has on March 2, 1970,

submitted Application No. 15-7004 to appropriate the public waters of

a groundwater source

The/PPPPPPPP/PPPP/PP/

The application proposes a maximum diversion and appropriation of 2.88

cubic feet per second PPPP/PPPP of water to be diverted by well

within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 32,

T. 14S, (R. 35E), B.M., Oneida County,

and is to be used within the S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 29; NE $\frac{1}{4}$, Sec. 32, T. 14S, (R. 35E), B.M.

for irrigation of 192 acres from April 15 to October 15

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Reclamation on
or before March 30, 1970.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Idaho Enterprise, 7/01/1970 Malad City, Idaho,

on March 12 and March 19, 1970.

*Corrected range
to 36E 3-11-70
KJ*

MICROFILMED

15-7004