

Cox, Sharla

From: Van Dyke, Nick
Sent: Friday, January 15, 2010 9:28 AM
To: Carlson, Dave
Cc: Cox, Sharla
Subject: RE: 76104 Lezamiz - FIRST LOOK

Dave,

Everything looked pretty good. I did add x27 (acre limit of 155 acres) to 34-230 in workflow. Only question I had was the usage of R42 on the surface rights. Comes up as inactive, should it be R43? On the approval doc there's a YES for a pod change on 34-2275. Data entry has it right, must be a glitch in the system.

Nick

From: Skaggs, Pam
Sent: Tuesday, December 08, 2009 10:46 AM
To: Van Dyke, Nick
Cc: Cox, Sharla
Subject: FW: 76104 Lezamiz - FIRST LOOK

Nick,

Here is a transfer for parallel review. Looks like there might be some concern with the overlap & combined limits. Let Dave know if you have any concerns or suggestions.

Pam

From: Cox, Sharla
Sent: Tuesday, December 08, 2009 9:16 AM
To: Skaggs, Pam
Cc: Carlson, Dave
Subject: 76104 Lezamiz - FIRST LOOK-

Pam, this transfer is a NO-ADVERTISING transfer, but Dave requested that it be parallel processed with the State Office, Please let us know.

Thank you,

<< File: 76104.RTF >>
Sharla

Sharla Cox
Administrative Assistant
Idaho Department of Water Resources
900 N. Skyline Dr. Ste. A
Idaho Falls ID 83402
208-525-7161 - telephone
208-525-7177 - fax
sharla.cox@idwr.idaho.gov