

Jordan, Blake

From: Roxanne Brown [RBrown@spfwater.com]
Sent: Monday, February 08, 2010 9:59 AM
To: Jordan, Blake
Subject: RE: Application for transfer 76234 (Holmes)

Blake,

Please move forward with advertising the application.

Thank you.

Roxanne

From: Jordan, Blake [mailto:Blake.Jordan@idwr.idaho.gov]
Sent: Wednesday, January 20, 2010 8:23 AM
To: Roxanne Brown
Subject: RE: Application for transfer 76234 (Holmes)

Roxanne:

For this transfer we can process it without a signature. We just need the OK from you.

Blake

From: Roxanne Brown [mailto:RBrown@spfwater.com]
Sent: Wednesday, January 20, 2010 8:13 AM
To: Jordan, Blake
Subject: RE: Application for transfer 76234 (Holmes)

Blake,

Does IDWR require a signed, amended transfer application in this case? Or can you process what you have without amendment?

Please let me know.

Roxanne Brown

SPF Water Engineering LLC
300 E. Mallard Dr., Suite 350
Boise ID 83706
(208) 383-4140
rbrown@spfwater.com

From: Jordan, Blake [mailto:Blake.Jordan@idwr.idaho.gov]
Sent: Wednesday, January 13, 2010 8:39 AM

To: Roxanne Brown

Subject: Application for transfer 76234 (Holmes)

Roxanne:

Attached is a draft of the Holmes transfer which proposes to modify water right 34-7113. The Easter Region and the State office have reviewed this transfer and agree that we can process this transfer without any mitigation requirements. We are proposing to drop 34-4017 from the transfer.

Part of the Holmes transfer was to add points of diversion to water right 34-4017. Because rights 34-7113 and 34-4017 nature of uses are different we are unable to accomplish the proposed changes to right 34-4017 within this transfer. A separate transfer would have to be filed to add the points of diversion.

Please review the attached transfer draft and let us know if it is acceptable.

Thanks,
Blake