

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

RECEIVED

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

<p>1. WELL OWNER</p> <p>Name <u>Paul Bushman</u></p> <p>Address <u>Eagle, Idaho</u></p> <p>Owner's Permit No. <u>041339</u></p>	<p>7. WATER LEVEL Department of Water Resources</p> <p>Static water level <u>144</u> feet below land surface</p> <p>Flowing? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No G.P.M. flow _____</p> <p>Temperature _____ ° F. Quality _____</p> <p>Artesian closed-in pressure _____ p.s.i.</p> <p>Controlled by <input type="checkbox"/> Valve <input type="checkbox"/> Cap <input type="checkbox"/> Plug</p>																																																																
<p>2. NATURE OF WORK</p> <p><input checked="" type="checkbox"/> New well <input type="checkbox"/> Deepened <input type="checkbox"/> Replacement</p> <p><input type="checkbox"/> Abandoned (describe method of abandoning)</p>	<p>8. WELL TEST DATA</p> <p><input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Other</p> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Hours Pumped</th> </tr> <tr> <td style="text-align: center;"><u>20</u></td> <td style="text-align: center;"><u>40'</u></td> <td style="text-align: center;"><u>3</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	Discharge G.P.M.	Draw Down	Hours Pumped	<u>20</u>	<u>40'</u>	<u>3</u>																																																										
Discharge G.P.M.	Draw Down	Hours Pumped																																																															
<u>20</u>	<u>40'</u>	<u>3</u>																																																															
<p>3. PROPOSED USE</p> <p><input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Irrigation <input type="checkbox"/> Test <input type="checkbox"/> Other (specify type)</p> <p><input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Stock <input type="checkbox"/> Waste Disposal or Injection</p>	<p style="text-align: right;">041339</p> <p>9. LITHOLOGIC LOG</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>9"</td> <td>0</td> <td>1</td> <td>Brown topsoil</td> <td></td> <td>X</td> </tr> <tr> <td>9"</td> <td>1</td> <td>10</td> <td>Brown clay</td> <td></td> <td>X</td> </tr> <tr> <td>9"</td> <td>10</td> <td>15</td> <td>Brown sand/clay</td> <td></td> <td>X</td> </tr> <tr> <td>9"</td> <td>15</td> <td>20</td> <td>Brown clay</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>20</td> <td>125</td> <td>" "</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>125</td> <td>200</td> <td>Blue clay</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>200</td> <td>205</td> <td>Blue sand</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>205</td> <td>235</td> <td>Blue clay</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>235</td> <td>240</td> <td>Blue & black sand</td> <td></td> <td>X</td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	9"	0	1	Brown topsoil		X	9"	1	10	Brown clay		X	9"	10	15	Brown sand/clay		X	9"	15	20	Brown clay		X	6"	20	125	" "		X	6"	125	200	Blue clay		X	6"	200	205	Blue sand		X	6"	205	235	Blue clay		X	6"	235	240	Blue & black sand		X
Hole Diam.	Depth		Material	Water																																																													
	From	To		Yes	No																																																												
9"	0	1	Brown topsoil		X																																																												
9"	1	10	Brown clay		X																																																												
9"	10	15	Brown sand/clay		X																																																												
9"	15	20	Brown clay		X																																																												
6"	20	125	" "		X																																																												
6"	125	200	Blue clay		X																																																												
6"	200	205	Blue sand		X																																																												
6"	205	235	Blue clay		X																																																												
6"	235	240	Blue & black sand		X																																																												
<p>4. METHOD DRILLED</p> <p><input type="checkbox"/> Cable <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Dug <input type="checkbox"/> Other</p>	<p>10. Work started <u>8/12/74</u> finished <u>8/13/74</u></p>																																																																
<p>5. WELL CONSTRUCTION</p> <p>Diameter of hole <u>6</u> inches Total depth <u>240</u> feet</p> <p>Casing schedule: <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Concrete</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>1</u> feet</td> <td><u>211</u> feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> <p><u>40'</u> plastic liner <u>20'</u> perforated</p> <p>Was a packer or seal used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Perforated? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>How perforated? <input type="checkbox"/> Factory <input type="checkbox"/> Knife <input type="checkbox"/> Torch</p> <p>Size of perforation _____ inches by _____ inches</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> <p>Well screen installed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Manufacturer's name _____</p> <p>Type _____ Model No. _____</p> <p>Slot size _____ Set from _____ feet to _____ feet</p> <p>Slot size _____ Set from _____ feet to _____ feet</p> <p>Gravel packed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size of gravel _____</p> <p>from _____ feet to _____ feet</p> <p>Seal depth <u>20</u> Material used in seal <input type="checkbox"/> Cement grout <input type="checkbox"/> Puddling clay <input checked="" type="checkbox"/> Well cuttings</p> <p>Sealing procedure used <input type="checkbox"/> Slurry pit <input type="checkbox"/> Temporary surface casing <input checked="" type="checkbox"/> Overbore to seal depth</p>	Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>211</u> feet																	Number	From	To										<p>11. DRILLERS CERTIFICATION</p> <p>Firm Name <u>20 of Well Drilling</u> Firm No. <u>212</u></p> <p>Address <u>2305 Camino Dr. O</u> Date <u>10/28/74</u></p> <p>Signed by (Firm Official) <u>Frank Skinner</u></p> <p>and Operator <u>Frank Skinner</u></p>																												
Thickness	Diameter	From	To																																																														
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>211</u> feet																																																														
Number	From	To																																																															
<p>6. LOCATION OF WELL</p> <p>Sketch map location must agree with written location.</p> <div style="display: flex; align-items: center;"> <div style="border: 1px dashed black; padding: 5px; margin-right: 10px;"> <p style="text-align: center;">N</p> <p style="text-align: center;">W E</p> <p style="text-align: center;">S</p> </div> <div> <p>Subdivision Name _____</p> <p>Lot No. _____ Block No. _____</p> <p>County <u>Ada</u></p> <p>1/4 Sec. <u>11</u> T. <u>4</u> N. R. <u>1</u> E. 1/4</p> </div> </div>	<p>USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT</p>																																																																

048442

RECEIVED
OCT 1 1960

**WELL LOG AND REPORT OF THE
STATE RECLAMATION ENGINEER OF IDAHO**

Department of Reclamation

Permit No. _____ Well No. _____ County Ada

Owner Mr & Mrs John O. Carter

Address Rt 1, Eagle, Idaho


Driller Chester D. Kinsey

Address Rt 1, Eagle, Idaho

Well location S. 1/4 of S. 1/4 Sec. 30, T. 5 N. 1/4, R. 1 E. 1/4

Size of drilled hole 6"

Locate well in section



Total depth of well 361'

Give depth to standing water from the ground 233' Water temp. _____ °Fahr.

On "Pumping Test" delivery was 2500 g.p.m. or _____ c.f.s. Drawdown was 10' feet.

Size of pump and motor used to make test Test was made with 20 Gal baler

Length of time of test 45 min hours _____ minutes.

If flowing well, give flow _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, described control works _____ (TYPE AND SIZE OF VALVE, ETC.)

Water will be used for Domestic Weight of casing per lineal foot 12.89 lbs

Thickness of casing 188 Ga Casing material Steel (STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing 6" 361' Top of ground to 361'
CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER;
CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
6"	0	361'	361'	8' of 5" screen below casing, 3/16 slot

Number and size of perforations 5 rows of slots located 8' feet to below casing feet from ground

Date of commencement of well Feb 26-60 Date of completion of well March 29-60

well

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.


<p>1. WELL OWNER</p> <p>Name <u>James P. Grosso</u></p> <p>Address <u>Prairie Rd Boise</u></p> <p>Owner's Permit No. _____</p>	<p>7. WATER LEVEL</p> <p>Static water level <u>200</u> feet below land surface.</p> <p>Flowing? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No G.P.M. flow _____</p> <p>Artesian closed-in pressure _____ p.s.i.</p> <p>Controlled by: <input type="checkbox"/> Valve <input checked="" type="checkbox"/> Cap <input type="checkbox"/> Plug</p> <p>Temperature _____ °F. Quality _____</p>																																																										
<p>2. NATURE OF WORK</p> <p><input checked="" type="checkbox"/> New well <input type="checkbox"/> Deepened <input checked="" type="checkbox"/> Replacement</p> <p><input type="checkbox"/> Abandoned (describe method of abandoning) _____</p>	<p>8. WELL TEST DATA</p> <p><input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Air <input type="checkbox"/> Other _____</p> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td style="text-align: center;">35</td> <td></td> <td style="text-align: center;">3 hrs.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	35		3 hrs.																																																				
Discharge G.P.M.	Pumping Level	Hours Pumped																																																									
35		3 hrs.																																																									
<p>3. PROPOSED USE</p> <p><input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Irrigation <input type="checkbox"/> Test <input type="checkbox"/> Municipal</p> <p><input type="checkbox"/> Industrial <input type="checkbox"/> Stock <input type="checkbox"/> Waste Disposal or Injection</p> <p><input type="checkbox"/> Other _____ (specify type)</p>	<p>9. LITHOLOGIC LOG</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>6"</td> <td>0</td> <td>183</td> <td>SANDY CLAY</td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td></td> <td>183</td> <td>211</td> <td>CLAY</td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td></td> <td>211</td> <td>254</td> <td>FINE DIRTY SAND</td> <td><input checked="" type="checkbox"/></td> <td></td> </tr> <tr> <td></td> <td>254</td> <td>287</td> <td>CLAY</td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td></td> <td>287</td> <td>302</td> <td>SAND (FINE)</td> <td><input checked="" type="checkbox"/></td> <td></td> </tr> <tr> <td></td> <td>302</td> <td>317</td> <td>BROWN CLAY</td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td></td> <td>317</td> <td>340</td> <td>BLUE SHALE</td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td></td> <td>340</td> <td></td> <td>AQUIFER FINE BLACK SAND</td> <td><input checked="" type="checkbox"/></td> <td></td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	6"	0	183	SANDY CLAY		<input checked="" type="checkbox"/>		183	211	CLAY		<input checked="" type="checkbox"/>		211	254	FINE DIRTY SAND	<input checked="" type="checkbox"/>			254	287	CLAY		<input checked="" type="checkbox"/>		287	302	SAND (FINE)	<input checked="" type="checkbox"/>			302	317	BROWN CLAY		<input checked="" type="checkbox"/>		317	340	BLUE SHALE		<input checked="" type="checkbox"/>		340		AQUIFER FINE BLACK SAND	<input checked="" type="checkbox"/>	
Hole Diam.	Depth		Material	Water																																																							
	From	To		Yes	No																																																						
6"	0	183	SANDY CLAY		<input checked="" type="checkbox"/>																																																						
	183	211	CLAY		<input checked="" type="checkbox"/>																																																						
	211	254	FINE DIRTY SAND	<input checked="" type="checkbox"/>																																																							
	254	287	CLAY		<input checked="" type="checkbox"/>																																																						
	287	302	SAND (FINE)	<input checked="" type="checkbox"/>																																																							
	302	317	BROWN CLAY		<input checked="" type="checkbox"/>																																																						
	317	340	BLUE SHALE		<input checked="" type="checkbox"/>																																																						
	340		AQUIFER FINE BLACK SAND	<input checked="" type="checkbox"/>																																																							
<p>4. METHOD DRILLED</p> <p><input checked="" type="checkbox"/> Rotary <input checked="" type="checkbox"/> Air <input type="checkbox"/> Hydraulic <input type="checkbox"/> Reverse rotary</p> <p><input type="checkbox"/> Cable <input type="checkbox"/> Dug <input type="checkbox"/> Other _____</p>																																																											
<p>5. WELL CONSTRUCTION</p> <p>Casing schedule: <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Concrete <input type="checkbox"/> Other _____</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>1</u> feet</td> <td><u>320</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> <p>Was casing drive shoe used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Was a packer or seal used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Perforated? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>How perforated? <input type="checkbox"/> Factory <input type="checkbox"/> Knife <input type="checkbox"/> Torch</p> <p>Size of perforation _____ inches by _____ inches</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> <p>Well screen installed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Manufacturer's name _____</p> <p>Type _____ Model No. _____</p> <p>Diameter _____ Slot size _____ Set from _____ feet to _____ feet</p> <p>Diameter _____ Slot size _____ Set from _____ feet to _____ feet</p> <p>Gravel packed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Size of gravel _____</p> <p>Placed from _____ feet to _____ feet</p> <p>Surface seal depth <u>20'</u> Material used in seal: <input type="checkbox"/> Cement grout</p> <p><input checked="" type="checkbox"/> Puddling clay <input checked="" type="checkbox"/> Well cuttings</p> <p>Sealing procedure used: <input type="checkbox"/> Slurry pit <input type="checkbox"/> Temp. surface casing</p> <p><input checked="" type="checkbox"/> Overbore to seal depth</p> <p>Method of joining casing: <input type="checkbox"/> Threaded <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Solvent Weld</p> <p><input type="checkbox"/> Cemented between strata</p> <p>Describe access port _____</p>	Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>320</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																											
Thickness	Diameter	From	To																																																								
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>320</u> feet																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																								
Number	From	To																																																									
_____ perforations	_____ feet	_____ feet																																																									
_____ perforations	_____ feet	_____ feet																																																									
_____ perforations	_____ feet	_____ feet																																																									
<p>6. LOCATION OF WELL</p> <p>Sketch map location must agree with written location. 63</p> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">N</td> <td style="text-align: center;">X</td> <td style="text-align: center;">E</td> </tr> <tr> <td style="text-align: center;">W</td> <td style="text-align: center;"> </td> <td style="text-align: center;">E</td> </tr> <tr> <td style="text-align: center;">S</td> <td style="text-align: center;"> </td> <td style="text-align: center;">E</td> </tr> </table> <p>Subdivision Name _____</p> <p>Lot No. _____ Block No. _____</p> <p>County <u>ADA</u></p> <p><u>NE</u> $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. <u>11</u>, T. <u>4</u> S., R. <u>1</u> E., W.</p>	N	X	E	W		E	S		E	<p>10. Work started <u>9/16/79</u> finished <u>9/21/79</u></p>																																																	
N	X	E																																																									
W		E																																																									
S		E																																																									
<p>11. DRILLERS CERTIFICATION</p> <p>I/We certify that all minimum well construction standards were complied with at the time the rig was removed.</p> <p>Firm Name <u>H2O Well Drilling</u> Firm No. <u>303</u></p> <p>Address <u>11917 Highlander</u> Date <u>10/16/79</u></p> <p>Signed by (Firm Official) <u>Bruce Connolly</u></p> <p>and (Operator) <u>Bruce A. Connolly</u></p>																																																											

USE TYPEWRITER OR BALL POINT PEN

RECEIVED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well. 5 1977

<p>1. WELL OWNER</p> <p>Name <u>Ron Hexon</u></p> <p>Address <u>Coyuse Ln.</u></p> <p>Owner's Permit No. _____</p>	<p>7. WATER LEVEL Department of Water Resources</p> <p>Static water level <u>210</u> feet below land surface</p> <p>Flowing? <input type="checkbox"/> Yes <input type="checkbox"/> No G.P.M. flow _____</p> <p>Temperature _____ ° F. Quality _____</p> <p>Artesian closed-in pressure _____ p.s.i.</p> <p>Controlled by <input type="checkbox"/> Valve <input type="checkbox"/> Cap <input type="checkbox"/> Plug</p>																																																																																																				
<p>2. NATURE OF WORK</p> <p><input checked="" type="checkbox"/> New well <input type="checkbox"/> Deepened <input type="checkbox"/> Replacement</p> <p><input type="checkbox"/> Abandoned (describe method of abandoning) _____</p>	<p>8. WELL TEST DATA</p> <p><input type="checkbox"/> Pump <input checked="" type="checkbox"/> Bailor <input type="checkbox"/> Other</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																	
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																			
<p>3. PROPOSED USE</p> <p><input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Irrigation <input type="checkbox"/> Test <input type="checkbox"/> Other (specify type) _____</p> <p><input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Stock <input type="checkbox"/> Waste Disposal or Injection</p>	<p>9. LITHOLOGIC LOG 041337</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>6</td><td>0</td><td>2</td><td>Top Soil</td><td></td><td>X</td></tr> <tr><td></td><td>2</td><td>190</td><td>Dry Sand</td><td></td><td>X</td></tr> <tr><td></td><td>190</td><td>200</td><td>Sandy clay</td><td></td><td>X</td></tr> <tr><td></td><td>200</td><td>210</td><td>Blue shale</td><td></td><td>X</td></tr> <tr><td></td><td>210</td><td>211</td><td>Sand</td><td></td><td>X</td></tr> <tr><td></td><td>211</td><td>225</td><td>Sandy clay</td><td></td><td>X</td></tr> <tr><td></td><td>225</td><td>226</td><td>Sand</td><td></td><td>X</td></tr> <tr><td></td><td>226</td><td>235</td><td>Blue shale</td><td></td><td>X</td></tr> <tr><td></td><td>235</td><td>236</td><td>Fine Sand</td><td></td><td>X</td></tr> <tr><td></td><td>236</td><td>255</td><td>Heavy Sandy clay</td><td></td><td>X</td></tr> <tr><td></td><td>255</td><td>270</td><td>Clay</td><td></td><td>X</td></tr> <tr><td></td><td>270</td><td>303</td><td>Sandy Blue shale</td><td></td><td>X</td></tr> <tr><td></td><td>303</td><td>304</td><td>Hard Sand</td><td></td><td>X</td></tr> <tr><td></td><td>304</td><td>460</td><td>Blue shale</td><td></td><td>X</td></tr> <tr><td></td><td>460</td><td> </td><td>Coarse Sand</td><td></td><td>X</td></tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	6	0	2	Top Soil		X		2	190	Dry Sand		X		190	200	Sandy clay		X		200	210	Blue shale		X		210	211	Sand		X		211	225	Sandy clay		X		225	226	Sand		X		226	235	Blue shale		X		235	236	Fine Sand		X		236	255	Heavy Sandy clay		X		255	270	Clay		X		270	303	Sandy Blue shale		X		303	304	Hard Sand		X		304	460	Blue shale		X		460		Coarse Sand		X
Hole Diam.	Depth		Material	Water																																																																																																	
	From	To		Yes	No																																																																																																
6	0	2	Top Soil		X																																																																																																
	2	190	Dry Sand		X																																																																																																
	190	200	Sandy clay		X																																																																																																
	200	210	Blue shale		X																																																																																																
	210	211	Sand		X																																																																																																
	211	225	Sandy clay		X																																																																																																
	225	226	Sand		X																																																																																																
	226	235	Blue shale		X																																																																																																
	235	236	Fine Sand		X																																																																																																
	236	255	Heavy Sandy clay		X																																																																																																
	255	270	Clay		X																																																																																																
	270	303	Sandy Blue shale		X																																																																																																
	303	304	Hard Sand		X																																																																																																
	304	460	Blue shale		X																																																																																																
	460		Coarse Sand		X																																																																																																
<p>4. METHOD DRILLED</p> <p><input checked="" type="checkbox"/> Cable <input type="checkbox"/> Rotary <input type="checkbox"/> Dug <input type="checkbox"/> Other</p>	<p>10. Work started <u>28 Mar 77</u> finished <u>6 April 77</u></p>																																																																																																				
<p>5. WELL CONSTRUCTION</p> <p>Diameter of hole <u>6</u> inches Total depth <u>460</u> feet</p> <p>Casing schedule: <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Concrete</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>18</u> feet</td> <td><u>322</u> feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> <p>Was casing drive shoe used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Was a packer or seal used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Perforated? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>How perforated? <input type="checkbox"/> Factory <input type="checkbox"/> Knife <input type="checkbox"/> Torch</p> <p>Size of perforation _____ inches by _____ inches</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> <p>Well screen installed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Manufacturer's name _____</p> <p>Type _____ Model No. _____</p> <p>Diameter _____ Slot size _____ Set from _____ feet to _____ feet</p> <p>Diameter _____ Slot size _____ Set from _____ feet to _____ feet</p> <p>Gravel packed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size of gravel _____</p> <p>Placed from _____ feet to _____ feet</p> <p>Surface seal depth: <u>18'</u> Material used in seal <input type="checkbox"/> Cement grout <input type="checkbox"/> Puddling clay <input checked="" type="checkbox"/> Well cuttings</p> <p>Sealing procedure used <input type="checkbox"/> Slurry pit <input type="checkbox"/> Temporary surface casing <input checked="" type="checkbox"/> Overbars to seal depth</p>	Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>18</u> feet	<u>322</u> feet																					Number	From	To										<p>11. DRILLERS CERTIFICATION</p> <p>Firm Name <u>Phiggins Drilling</u> Firm No. <u>98</u></p> <p>Address _____ Date _____</p> <p>Signed by (Firm Official) <u>Dennis L. Phiggins</u></p> <p>and (Operator) <u>Dennis L. Phiggins</u></p>																																																												
Thickness	Diameter	From	To																																																																																																		
<u>250</u> inches	<u>6</u> inches	<u>18</u> feet	<u>322</u> feet																																																																																																		
Number	From	To																																																																																																			
<p>6. LOCATION OF WELL</p> <p>Sketch map location must agree with written location. <u>602</u></p>  <p>Subdivision Name <u>Sage Acres</u></p> <p>Lot No. _____ Block No. _____</p> <p>County <u>Ada</u></p> <p><u>NW 1/4 NE 1/4 Sec. 11, T. 4 N1/2, R. 1 EAW</u></p>	<p>10. Work started <u>28 Mar 77</u> finished <u>6 April 77</u></p>																																																																																																				

RECEIVED
MAY 3 1967

Department of Reclamation

REPORT OF WELL DRILLER
State of Idaho

RECEIVED
APR 25 1968

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER: Mike Irving
Name Mike Irving
Address Sage acres

Owner's Permit No. _____
NATURE OF WORK (check): Replacement well
New well Deepened Abandoned

Water is to be used for: Domestic

METHOD OF CONSTRUCTION: Rotary Cable
Dug Other _____

(explain)
CASING SCHEDULE: Threaded _____ Welded
6" Diam. from 0 ft. to 329 1/2 ft.
"Diam. from _____ ft. to _____ ft.
"Diam. from _____ ft. to _____ ft.
"Diam. from _____ ft. to _____ ft.
Thickness of casing: 1/4" Material: _____
Steel concrete wood other

(explain)
PERFORATED? Yes No Type of perforator used: _____

Size of perforations: _____ " by _____ "
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

WAS SCREEN INSTALLED? Yes No
Manufacturer's name _____


Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

CONSTRUCTION: Well gravel packed? Yes
No size of gravel _____ Gravel placed from _____ ft. to _____ ft. Surface seal provided? Yes No To what depth? _____ ft. Material used in seal: Clay

Did any strata contain unusable water? Yes
No Type of water: _____
Depth of strata _____ ft. Method of sealing strata off: _____

Surface casing used? Yes No
Cemented in place? Yes Nailed clay

Locate well in section



LOCATION OF WELL: County ada
N 6 1/4 NW 1/4 Sec. 11 T. 4 N. R. 1 E. W.

Size of drilled hole: 6" Total depth of well: 350 ft Standing water level below ground: 216 ft Temp. _____ Fahr. _____ Test delivery: 90 gpm or _____ cfs Pump? Bail Size of pump and motor used to make test: _____

Length of time of test: _____ Hrs. _____ Min.
Drawdown: _____ ft. Artesian pressure: _____ ft. above land surface Give flow _____ cfs or _____ gpm. Shutoff pressure: _____ Controlled by: Valve Cap Plug No control Does well leak around casing? Yes No

DEPTH MATERIAL 0731 WATER FROM TO YES OR NO

FEET	FEET		
0	1	top soil	
1	42	dry sandy clay	
42	194	layers sand layers clay	
194	204	blue shale	
204	259	sand clay	no
259	267	hard dry shale	no
267	289	layers fine sand & shale	yes
289	302	fine sand clay	yes
302	313	shale	no
313	350	fine sand 2 or 3 thin layers shale	yes

Work started: _____
Work finished: Feb 6-67
Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.
Name: F. J. Clayville
Address: 13817 Greenbrier dr
Signed by: _____
License No. 49 Date: 4/30/67

Use other side for additional remarks

USE TYPEWRITER BALL POINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

Received 8-11-72 D. WA

1. WELL OWNER
 Name Walter Lowe Prairie Road
 Address Lot #9 Plat #2 Twp 42S R. 1E
 Owner's Permit No. NE 44

7. WATER LEVEL
 Static water level 160 feet below land surface
 Flowing? Yes No G.P.M. flow _____
 Temperature _____ ° F. Quality _____
 Artesian closed-in pressure _____ p.s.i.
 Controlled by Valve Cap Plug

2. NATURE OF WORK
 New well Deepened Replacement
 Abandoned (describe method of abandoning)

8. WELL TEST DATA
 Pump Bailor Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>17 gal/min</u>		<u>36 hours</u>

3. PROPOSED USE
 Domestic Irrigation Test
 Municipal Industrial Stock

9. LITHOLOGIC LOG 041338

4. METHOD DRILLED
 Cable Rotary Dug Other


Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
6	0	170	sand & clay		<input checked="" type="checkbox"/>
	170	180	clay		<input checked="" type="checkbox"/>
	180	310	muddy sand		<input checked="" type="checkbox"/>
	310	340	clay		<input checked="" type="checkbox"/>
	340	343	fine sand		<input checked="" type="checkbox"/>
	343	410	clay		<input checked="" type="checkbox"/>
	410		fine sand		<input checked="" type="checkbox"/>

*300 ft to top of San
 5 ft sand San
 100 ft of San thru well.
 10 ft of stainless
 screen*

5. WELL CONSTRUCTION
 Diameter of hole 6 inches Total depth 410 feet
 Casing schedule: Steel Concrete

Thickness	Diameter	From	To
<u>250</u> inches	<u>6</u> inches	<u>±1</u> feet	<u>315</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

 Was a packer or seal used? Yes No
 Perforated? Yes No
 How perforated? Factory Knife Torch
 Size of perforation _____ inches by _____ inches
 Number _____ From _____ To _____
 _____ perforations _____ feet _____ feet
 _____ perforations _____ feet _____ feet
 _____ perforations _____ feet _____ feet
 Well screen installed? Yes No
 Manufacturer's name Johansen
 Type S steel Model No. _____
 Diameter 5 Slot size 0.10 Set from 340 feet to 345 feet
 Diameter 5 Slot size 0.10 Set from 340 feet to 345 feet
 Gravel packed? Yes No Size of gravel _____
 Placed from _____ feet to _____ feet
 Surface seal? Yes No To what depth 18 feet
 Material used in seal Cement grout Puddling clay

6. LOCATION OF WELL
 Sketch map location must agree with written location.

 County Ada
NE 4 NE 4 Sec. 11 T. 4 N. R. 1 E. 1/4

10. Work started _____ finished 30 June 71

11. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and this report is true to the best of my knowledge.
 Driller's or Firm's Name Randall Dullery III Number _____
 Address Marble in part 2
 Signed By Randall J. Randall Date _____

USE TYPEWRITER BALL POINT PEN

1978

State of Idaho Department of Water Administration

RECORDED NOV 20 1978

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name: WALTER H Meyer Jr
Address: RT 1 Skyline Dr Eagle ID 83611

7. WATER LEVEL
Static water level 15.8 feet below land surface
Flowing? [] Yes [X] No G.P.M. flow
Temperature ___ F. Quality ___
Artesian closed-in pressure ___ p.s.i.
Controlled by [] Valve [] Cap [] Plug

2. NATURE OF WORK
[] New well [X] Deepened [] Replacement
[] Abandoned (describe method of abandoning)

8. WELL TEST DATA
[X] Pump [] Bailor [] Other
Discharge G.P.M. 25 Draw Down 28' Hours Pumped 18

3. PROPOSED USE
[X] Domestic [] Irrigation [] Test [] Other (specify type)
[] Municipal [] Industrial [] Stock [] Waste Disposal or Injection

9. LITHOLOGIC LOG
042961
Hole Diam. Depth From To Material Water Yes No
6 245 258 Brown Blue shale /
6 252 256 Brown clay /
24 258 white sand /

4. METHOD DRILLED
[X] Cable [] Rotary [] Dug [] Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 258 feet
Casing schedule: [] Steel [] Concrete
Thickness Diameter From To
2.52 inches 6 inches 14 feet 258 feet
Was a packer or seal used? [] Yes [X] No
Perforated? [] Yes [X] No
How perforated? [] Factory [] Knife [] Torch
Size of perforation ___ inches by ___ inches
Number From To
perforations ___ feet ___ feet
perforations ___ feet ___ feet
perforations ___ feet ___ feet
Well screen installed? [] Yes [X] No
Manufacturer's name
Type Model No.
Diameter Slot size Set from ___ feet to ___ feet
Diameter Slot size Set from ___ feet to ___ feet
Gravel packed? [] Yes [X] No Size of gravel
Placed from ___ feet to ___ feet
Surface seal depth ? Material used in seal [] Cement grout
[] Pudding clay [] Well cuttings
Sealing procedure used [] Sherry pit [] Temporary surface casing
[] Overbars to seal depth

6. LOCATION OF WELL
Sketch map location must agree with written location.
Subdivision Name Skyline SUB
Lot No. 7 Block No. 7
County ADA
S 4 1/4 Sec. 30, T. 5 N, R. 1 E

10. Work started 8/1/75 finished 8/2/75

11. DRILLERS CERTIFICATION
Firm Name Jerry O Leary Firm No. 280
Address RT 1 Skyline Dr Eagle ID 83611 Date 8/4/75
Signed by (Firm Official) Jerry O Leary
and (Operator)

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

<p>1. WELL OWNER</p> <p>Name <u>Charles Orem</u></p> <p>Address <u>Star Id</u></p> <p>Owner's Permit No. _____</p>	<p>7. WATER LEVEL</p> <p>Static water level <u>180</u> feet below land surface.</p> <p>Flowing? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No G.P.M. flow _____</p> <p>Artesian closed-in pressure _____ p.s.i.</p> <p>Controlled by: <input type="checkbox"/> Valve <input type="checkbox"/> Cap <input type="checkbox"/> Plug</p> <p>Temperature _____ °F. Quality _____</p>																																																																																																				
<p>2. NATURE OF WORK</p> <p><input checked="" type="checkbox"/> New well <input type="checkbox"/> Deepened <input type="checkbox"/> Replacement</p> <p><input type="checkbox"/> Abandoned (describe method of abandoning) _____</p>	<p>8. WELL TEST DATA</p> <p><input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Air <input type="checkbox"/> Other _____</p> <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th style="width:33%;">Discharge G.P.M.</th> <th style="width:33%;">Pumping Level</th> <th style="width:33%;">Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																	
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																			
<p>3. PROPOSED USE</p> <p><input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Irrigation <input type="checkbox"/> Test <input type="checkbox"/> Municipal</p> <p><input type="checkbox"/> Industrial <input type="checkbox"/> Stock <input type="checkbox"/> Waste Disposal or Injection</p> <p><input type="checkbox"/> Other _____ (specify type)</p>	<p>9. LITHOLOGIC LOG</p> <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>6"</td><td>0</td><td>2</td><td>Top Soil</td><td></td><td>X</td></tr> <tr><td></td><td>2</td><td>10</td><td>Hardpan</td><td></td><td>X</td></tr> <tr><td></td><td>10</td><td>40</td><td>Sand</td><td></td><td>X</td></tr> <tr><td></td><td>40</td><td>60</td><td>Sandy clay</td><td></td><td>X</td></tr> <tr><td></td><td>60</td><td>90</td><td>Sand</td><td></td><td>X</td></tr> <tr><td></td><td>90</td><td>112</td><td>Gravel</td><td></td><td>X</td></tr> <tr><td></td><td>112</td><td>162</td><td>Sand</td><td></td><td>X</td></tr> <tr><td></td><td>162</td><td>185</td><td>Sandy clay</td><td></td><td>X</td></tr> <tr><td></td><td>185</td><td>190</td><td>Sand</td><td>X</td><td></td></tr> <tr><td></td><td>190</td><td>205</td><td>Sandy clay</td><td></td><td>X</td></tr> <tr><td></td><td>205</td><td>218</td><td>Red Sand</td><td>X</td><td></td></tr> <tr><td></td><td>218</td><td>240</td><td>Sandy clay</td><td></td><td>X</td></tr> <tr><td></td><td>240</td><td>245</td><td>Sand</td><td>X</td><td></td></tr> <tr><td></td><td>245</td><td>284</td><td>Sandy clay</td><td></td><td>X</td></tr> <tr><td></td><td>284</td><td>298</td><td>cone sand</td><td>X</td><td></td></tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	6"	0	2	Top Soil		X		2	10	Hardpan		X		10	40	Sand		X		40	60	Sandy clay		X		60	90	Sand		X		90	112	Gravel		X		112	162	Sand		X		162	185	Sandy clay		X		185	190	Sand	X			190	205	Sandy clay		X		205	218	Red Sand	X			218	240	Sandy clay		X		240	245	Sand	X			245	284	Sandy clay		X		284	298	cone sand	X	
Hole Diam.	Depth		Material	Water																																																																																																	
	From	To		Yes	No																																																																																																
6"	0	2	Top Soil		X																																																																																																
	2	10	Hardpan		X																																																																																																
	10	40	Sand		X																																																																																																
	40	60	Sandy clay		X																																																																																																
	60	90	Sand		X																																																																																																
	90	112	Gravel		X																																																																																																
	112	162	Sand		X																																																																																																
	162	185	Sandy clay		X																																																																																																
	185	190	Sand	X																																																																																																	
	190	205	Sandy clay		X																																																																																																
	205	218	Red Sand	X																																																																																																	
	218	240	Sandy clay		X																																																																																																
	240	245	Sand	X																																																																																																	
	245	284	Sandy clay		X																																																																																																
	284	298	cone sand	X																																																																																																	
<p>4. METHOD DRILLED</p> <p><input type="checkbox"/> Rotary <input type="checkbox"/> Air <input type="checkbox"/> Hydraulic <input type="checkbox"/> Reverse rotary</p> <p><input checked="" type="checkbox"/> Cable <input type="checkbox"/> Dug <input type="checkbox"/> Other _____</p>	<p>10.</p> <p>Work started <u>29 June 78</u> finished <u>10 July 78</u></p>																																																																																																				
<p>5. WELL CONSTRUCTION</p> <p>Casing schedule: <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Concrete <input type="checkbox"/> Other _____</p> <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6"</u> inches</td> <td><u>18"</u> feet</td> <td><u>294</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> <p>Was casing drive shoe used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Was a packer or seal used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Perforated? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>How perforated? <input type="checkbox"/> Factory <input type="checkbox"/> Knife <input type="checkbox"/> Torch</p> <p>Size of perforation _____ inches by _____ inches</p> <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> <p>Well screen installed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Manufacturer's name <u>Johnson's</u></p> <p>Type _____ Model No. _____</p> <p>Diameter <u>5"</u> Slot size <u>025</u> Set from <u>293</u> feet to <u>298</u> feet</p> <p>Diameter _____ Slot size _____ Set from _____ feet to _____ feet</p> <p>Gravel packed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size of gravel _____</p> <p>Placed from _____ feet to _____ feet</p> <p>Surface seal depth <u>18'</u> Material used in seal: <input type="checkbox"/> Cement grout <input type="checkbox"/> Puddling clay <input checked="" type="checkbox"/> Well cuttings</p> <p>Sealing procedure used: <input type="checkbox"/> Slurry pit <input type="checkbox"/> Temp. surface casing <input checked="" type="checkbox"/> Overbore to seal depth</p> <p>Method of joining casing: <input type="checkbox"/> Threaded <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Solvent Weld</p> <p><input type="checkbox"/> Cemented between strata</p> <p>Describe access port _____</p>	Thickness	Diameter	From	To	<u>250</u> inches	<u>6"</u> inches	<u>18"</u> feet	<u>294</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	<p>11. DRILLERS CERTIFICATION</p> <p>I/We certify that all minimum well construction standards were complied with at the time the rig was removed.</p> <p>Firm Name <u>Jerom's Phipps</u> Firm No. <u>332</u></p> <p>Address <u>2068 Bentley</u> Date <u>15 Aug 78</u></p> <p>Signed by (Firm Official) <u>Jerom Phipps</u></p> <p>and _____</p> <p>(Operator) <u>Jerom Phipps</u></p>																																																																				
Thickness	Diameter	From	To																																																																																																		
<u>250</u> inches	<u>6"</u> inches	<u>18"</u> feet	<u>294</u> feet																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																		
Number	From	To																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																			
<p>6. LOCATION OF WELL</p> <p>Sketch map location must agree with written location.</p> <div style="display: flex; align-items: center;"> <div style="margin-right: 20px;"> </div> <div> <p>Subdivision Name _____</p> <p>Lot No. _____ Block No. _____</p> </div> </div> <p>County <u>Ada</u></p> <p><u>NW</u> ¼ <u>SW</u> ¼ Sec. <u>31</u>, T. <u>5</u> N., R. <u>1</u> E.</p>	<p>10.</p> <p>Work started <u>29 June 78</u> finished <u>10 July 78</u></p>																																																																																																				

USE TYPEWRITER BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

*Received
6-28-72
B-D*

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

<p>1. WELL OWNER</p> <p>Name <u>Georphy Smith</u></p> <p>Address <u>2417 Bogus Basin Rd.</u> <u>BOISE</u></p> <p>Owner's Permit No. _____</p>	<p>7. WATER LEVEL</p> <p>Static water level <u>150</u> feet below land surface</p> <p>Flowing? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No G.P.M. flow _____</p> <p>Temperature _____ ° F. Quality _____</p> <p>Artesian closed-in pressure _____ p.s.i.</p> <p>Controlled by <input type="checkbox"/> Valve <input type="checkbox"/> Cap <input type="checkbox"/> Plug</p>																																																																																								
<p>2. NATURE OF WORK</p> <p><input checked="" type="checkbox"/> New well <input type="checkbox"/> Deepened <input type="checkbox"/> Replacement</p> <p><input type="checkbox"/> Abandoned (describe method of abandoning) _____</p>	<p>8. WELL TEST DATA</p> <p><input type="checkbox"/> Pump <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Other</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Draw Down	Hours Pumped																																																																																					
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																							
<p>3. PROPOSED USE</p> <p><input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Irrigation <input type="checkbox"/> Test</p> <p><input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Stock</p>	<p style="text-align: right; font-size: 1.2em;">039022</p> <p>9. LITHOLOGIC LOG</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>6</td><td>0</td><td>15</td><td>Top Soil / clay</td><td> </td><td> </td></tr> <tr><td> </td><td>15</td><td>133</td><td>Sandy clay</td><td> </td><td> </td></tr> <tr><td> </td><td>133</td><td>149</td><td>clay</td><td> </td><td> </td></tr> <tr><td> </td><td>149</td><td>148</td><td>Dry sand</td><td> </td><td> </td></tr> <tr><td> </td><td>148</td><td>160</td><td>Sandy clay</td><td> </td><td> </td></tr> <tr><td> </td><td>160</td><td>163</td><td>Dry sand</td><td> </td><td> </td></tr> <tr><td> </td><td>163</td><td>183</td><td>Sandy clay</td><td> </td><td> </td></tr> <tr><td> </td><td>183</td><td>184</td><td>sand</td><td> </td><td> </td></tr> <tr><td> </td><td>184</td><td>195</td><td>Blue shale</td><td> </td><td> </td></tr> <tr><td> </td><td>195</td><td>203</td><td>Sandy clay</td><td> </td><td> </td></tr> <tr><td> </td><td>203</td><td>205</td><td>Fine sand</td><td> </td><td> </td></tr> <tr><td> </td><td>205</td><td>247</td><td>Blue shale</td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td>sand</td><td> </td><td> </td></tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	6	0	15	Top Soil / clay				15	133	Sandy clay				133	149	clay				149	148	Dry sand				148	160	Sandy clay				160	163	Dry sand				163	183	Sandy clay				183	184	sand				184	195	Blue shale				195	203	Sandy clay				203	205	Fine sand				205	247	Blue shale						sand		
Hole Diam.	Depth		Material	Water																																																																																					
	From	To		Yes	No																																																																																				
6	0	15	Top Soil / clay																																																																																						
	15	133	Sandy clay																																																																																						
	133	149	clay																																																																																						
	149	148	Dry sand																																																																																						
	148	160	Sandy clay																																																																																						
	160	163	Dry sand																																																																																						
	163	183	Sandy clay																																																																																						
	183	184	sand																																																																																						
	184	195	Blue shale																																																																																						
	195	203	Sandy clay																																																																																						
	203	205	Fine sand																																																																																						
	205	247	Blue shale																																																																																						
			sand																																																																																						
<p>4. METHOD DRILLED</p> <p><input checked="" type="checkbox"/> Cable <input type="checkbox"/> Rotary <input type="checkbox"/> Dug <input type="checkbox"/> Other</p>	<p>5. WELL CONSTRUCTION</p> <p>Diameter of hole <u>6</u> inches Total depth <u>247</u> feet</p> <p>Casing schedule: <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Concrete</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>0</u> feet</td> <td><u>247</u> feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> <p>Was a packer or seal used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Perforated? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>How perforated? <input type="checkbox"/> Factory <input type="checkbox"/> Knife <input type="checkbox"/> Torch</p> <p>Size of perforation _____ inches by _____ inches</p> <p>Number _____ From _____ To _____</p> <p>_____ perforations _____ feet _____ feet</p> <p>_____ perforations _____ feet _____ feet</p> <p>_____ perforations _____ feet _____ feet</p> <p>Well screen installed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Manufacturer's name _____</p> <p>Type _____ Model No. _____</p> <p>Diameter _____ Slot size _____ Set from _____ feet to _____ feet</p> <p>Diameter _____ Slot size _____ Set from _____ feet to _____ feet</p> <p>Gravel packed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size of gravel _____</p> <p>Placed from _____ feet to _____ feet</p> <p>Surface seal? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No To what depth <u>18</u> feet</p> <p>Material used in seal <input type="checkbox"/> Cement grout <input checked="" type="checkbox"/> Pudding clay</p>	Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>0</u> feet	<u>247</u> feet																																																																																
Thickness	Diameter	From	To																																																																																						
<u>250</u> inches	<u>6</u> inches	<u>0</u> feet	<u>247</u> feet																																																																																						
<p>6. LOCATION OF WELL</p> <p>Sketch map location must agree with written location.</p> <p style="text-align: center;"><u>PRARIE RD.</u></p> <div style="text-align: center;"> </div> <p>County _____</p> <p><u>NE 1/4 NE 1/4 Sec. 11, T. 4 N, R. 1 E</u></p>	<p>10. Work started <u>7 June 72</u> finished <u>13 June 72</u></p> <p>11. DRILLER'S CERTIFICATION</p> <p>This well was drilled under my supervision and this report is true to the best of my knowledge.</p> <p><u>PHippis & Son</u> 98</p> <p>Driller's or Firm's Name Number</p> <p><u>2209 Dorothy Ave</u> Boise</p> <p>Address Signed By</p> <p><u>Darin Phipps</u> 15 June 72</p> <p>Signed By Date</p>																																																																																								

1734

REPORT OF WELL DRILLER
State of Idaho

*Received
Aug 8, 1967
Plat of Buhlman*

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name Le Roy Sprague
Address Engle Idaho

Owner's Permit No. 633493

NATURE OF WORK (check): Replacement well
New well Despended Abandoned

Water is to be used for: Domestic

METHOD OF CONSTRUCTION: Rotary Cable
Dug Other

CASING SCHEDULE: Threaded Welded

12"Diam. from 1 ft. to 235 ft.

"Diam. from _____ ft. to _____ ft.

"Diam. from _____ ft. to _____ ft.

"Diam. from _____ ft. to _____ ft.

Thickness of casing: 3/16 Material:

Steel concrete wood other

(explain)
PERFORATED? Yes No Type of perforator used: shop

Size of perforations: 1/8" by 3"

perforations from 210 ft. to 230 ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

WAS SCREEN INSTALLED? Yes No

Manufacturer's name _____

Type _____ Model No. _____

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

CONSTRUCTION: Well gravel packed? Yes

No. size of gravel _____ Gravel placed from 30 ft. to 235 ft. Surface seal provided? Yes No To what depth? _____ ft. Material used in seal: _____


Did any strata contain unusable water? Yes

No. Type of water: _____

Depth of strata _____ ft. Method of sealing strata off: _____

Surface casing used? Yes No

Cemented in place? Yes No



LOCATION OF WELL: County ADA
NE 1/4 NE 1/4 Sec. 32 T. 5 N. R. 1 E

Size of drilled hole: 12" Total depth of well: 235 Standing water level below ground: 145 Temp. test Fahr. _____ ° Test delivery: _____ gpm or _____ cfs Pump? Bail Size of pump and motor used to make test: _____

Length of time of test: _____ Hrs. _____ Min. Drawdown: _____ ft. Artesian pressure: _____ ft. above land surface _____ Give flow _____ cfs or _____ gpm. Shutoff pressure: _____ Controlled by: Valve Cap Plug No control Does well leak around casing? Yes No

DEPTH MATERIAL 043016 WATER FROM TO YES OR NO

DEPTH	MATERIAL	WATER
1	5	soil
5	135	cemented sand
135	194	cemented sand some water
194	213	clay - hard some gravel
213	231	coarse sand & water
231	235	clay

This well gravel packed with 2 yds gravel and will be cemented to 30 ft around casing

Work started: July 15, 67

Work finished: Aug 4, 67

Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.

Name: Bruce Cook

Address: Boise

Signed by: _____

License No. 65 Date: Aug 1, 67

Use other side for additional remarks

W.E.G.S.

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

RECEIVED

JUN 2 1976

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name C. H. Tartar
Address Pearly Route Eagle, Idaho 83646
Owner's Permit No. _____

7. WATER LEVEL
Static water level 150 feet below land surface *W*
Flowing? Yes No G.P.M. flow _____
Temperature _____ °F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by Valve Cap Plug

2. NATURE OF WORK
 New well Deepened Replacement
 Abandoned (describe method of abandoning)

8. WELL TEST DATA
 Pump Bailor Other
Discharge G.P.M. 60 Draw Down 30' Hours Pumped 2

3. PROPOSED USE
 Domestic Irrigation Test Other (specify type)
 Municipal Industrial Stock Waste Disposal or Injection

9. LITHOLOGIC LOG 033333

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
11"	0	2	Brown topsoil		X
11"	2	18	" clay		X
8"	18	26	" "		X
8"	26	144	Brown sandy clay		X
8"	144	195	Brown cemented gravel		X
8"	195	204	Brown sand (clay)	X	
8"	204	268	Brown sandy clay		X
8"	268	285	Blue clay		X
8"	285	288	Brown with fine sand & small gravel		X

4. METHOD DRILLED
 Cable Rotary Dug Other

5. WELL CONSTRUCTION
Diameter of hole 8 inches Total depth 288 feet
Casing schedule: Steel Concrete
Thickness 250 inches Diameter 8 inches From 1 feet To 278 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was a packer or seal used? Yes No
Perforated? Yes No
How perforated? Factory Knife Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? Yes No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? Yes No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 18' Material used in seal Cement grout
 Pudding clay Well cuttings
Sealing procedure used Slurry pit Temporary surface casing
 Overbore to seal depth

6. LOCATION OF WELL
Sketch map location must agree with written location. (3)

Subdivision Name _____
Lot No. _____ Block No. _____
County Ada
SW 1/4 NE 1/4 Sec. 17, T. 5 N 1/2 R. 1 E/W

10. Work started 8/15/75 finished 8/20/75

11. DRILLER'S CERTIFICATION
Firm Name S. Well Drilling Firm No. 212
Address 2305 Cayne Dr. Marsden, Ida Date 9/15/75
Signed by (Firm Official) Frank Shuman
and
(Operator) Frank Shuman

RECEIVED

9-23537 JUL 6 1967 REPORT OF WELL DRILLER State of Idaho

Department of Reclamation

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER: Name Fred Venable Address Eagle, Idaho

Owner's Permit No. 633537 NATURE OF WORK (check): Replacement well [] New well [x] Deepened [] Abandoned []

Water is to be used for: Domestic & Irrigation

METHOD OF CONSTRUCTION: Rotary [] Cable [] Dug [] Other []

CASING SCHEDULE: Threaded [] Welded [] 1-6" Diam. from 0 ft. to 267' 8" ft. Thickness of casing: 250" Material: Steel [x] concrete [] wood [] other []

PERFORATED? Yes [] No [x] Type of perforator used:

Size of perforations: " by " perforations from ft. to ft.


WAS SCREEN INSTALLED? Yes [] No []

Type Model No. Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes [] No [] size of gravel Gravel placed from ft. to ft. Surface seal provided? Yes [] No [] To what depth? ft. Material used in seal:

Did any strata contain unusable water? Yes [] No [] Type of water: Depth of strata ft. Method of sealing strata off:

Surface casing used? Yes [] No [] Cemented in place? Yes [] No []



LOCATION OF WELL: County Ada NW 1/4 NE 1/4 Sec. 32 T. 5 N. R. 1 E

Size of drilled hole: 16" Total depth of well: 302' Standing water level below ground: 123' Temp. Fahr. Test delivery: gpm or cfs Pump? [] Bail [x] Size of pump and motor used to make test:

Length of time of test: Hrs. Min. Drawdown: ft. Artesian pressure: ft. above land surface Give flow cfs or gpm. Shutoff pressure: Controlled by: Valve [] Cap [] Plug [] No control [] Does well leak around casing? Yes [] No []

DEPTH MATERIAL 46567 WATER FROM TO YES OR NO FEET FEET

Table with 4 columns: DEPTH (FEET), MATERIAL, WATER, YES OR NO. Rows include: 0-10 Topsoil and gravelly subsoil No, 10-35 Sandy Clay, 35-115 Sand with trace of clay Yes, 115-128 Gravel, sand, trace of clay Yes, 128-136 Fine sand - Water at 128', 136-140 Sandy clay No Dry, 140-143 Sand & gravel Yes, 143-150 Sand & gravel Yes, 150-167 Sand, clay, very fine sand Yes, 167-168 Blue Clay Dry No, 168-203 Mostly dirty fine sand Yes, 203-205 Dirty coarse sand & gravel Yes, 205-215 Dirty fine sand Yes, 215-220 Sand and clay Yes, 220-257 Dirty fine sand Yes, 257-266 Drilled like sand and gravel Yes, 266-282 Streaks sand, gravel, and clay Yes, 282-302 Streaks sand, gravel, and clay Yes

This well was not completed due to owner's representative terminating the work until owner return in the winter of 1967

Work started: April 20, 1967 Work finished: May 25, 1967 Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge. Name: Orval Hadden Address: P. O. 597, Burns Lake, B. C. Canada Signed by: Orval Hadden License No. 1 Date: July 3, 1967

Use other side for additional remarks


USGS

USE TYPEWRITER OR BALL POINT PEN

WELL DRILLER'S REPORT

RECEIVED
MAY 31 1977

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

<p>1. WELL OWNER</p> <p>Name <u>Willowbrook Property Owners Assoc.</u></p> <p>Address <u>Pearl Rt. Eagle ID. 83616</u></p> <p>Owner's Permit No. _____</p>	<p>7. WATER LEVEL</p> <p>Static water level <u>167</u> feet <small>Department of Water Resources Water Regulatory Office</small></p> <p>Flowing? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No G.P.M. flow _____</p> <p>Temperature _____ ° F. Quality _____</p> <p>Artesian closed-in pressure _____ p.s.i.</p> <p>Controlled by <input type="checkbox"/> Valve <input type="checkbox"/> Cap <input type="checkbox"/> Plug</p>																																																																																																																																		
<p>2. NATURE OF WORK</p> <p><input checked="" type="checkbox"/> New well <input type="checkbox"/> Deepened <input type="checkbox"/> Replacement</p> <p><input type="checkbox"/> Abandoned (describe method of abandoning) _____</p>	<p>8. WELL TEST DATA</p> <p><input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Other</p> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Hours Pumped</th> </tr> <tr> <td style="text-align: center;">60</td> <td style="text-align: center;">50 ft</td> <td style="text-align: center;">6</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table> <p style="text-align: right; font-size: 1.2em;">033331</p>	Discharge G.P.M.	Draw Down	Hours Pumped	60	50 ft	6																																																																																																																												
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																																	
60	50 ft	6																																																																																																																																	
<p>3. PROPOSED USE</p> <p><input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Test <input type="checkbox"/> Other (specify type) _____</p> <p><input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Stock <input type="checkbox"/> Waste Disposal or Injection</p>	<p>9. LITHOLOGIC LOG</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>16</td> <td>0</td> <td>1</td> <td>topsoil</td> <td></td> <td>X</td> </tr> <tr> <td>16</td> <td>1</td> <td>41</td> <td>brown clay</td> <td></td> <td>X</td> </tr> <tr> <td>16</td> <td>41</td> <td>49</td> <td>sandy brown clay</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>49</td> <td>74</td> <td>yellow clay</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>74</td> <td>96</td> <td>sandy yellow clay</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>96</td> <td>106</td> <td>sand</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>106</td> <td>130</td> <td>sandy clay</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>130</td> <td>175</td> <td>yellow sandy clay</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>175</td> <td>191</td> <td>Brown sandy clay</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>191</td> <td>205</td> <td>sand</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>205</td> <td>218</td> <td>Coarse sand /clay</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>218</td> <td>224</td> <td>muddy sand</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>224</td> <td>243</td> <td>sand</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>243</td> <td>252</td> <td>muddy sand</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>252</td> <td>259</td> <td>sand</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>259</td> <td>261</td> <td>muddy sand</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>261</td> <td>266</td> <td>sand</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>266</td> <td>267</td> <td>clay</td> <td></td> <td>X</td> </tr> <tr> <td>12</td> <td>267</td> <td>270</td> <td>sand</td> <td></td> <td>X</td> </tr> <tr> <td>270</td> <td></td> <td></td> <td>muddy sand</td> <td></td> <td>X</td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	16	0	1	topsoil		X	16	1	41	brown clay		X	16	41	49	sandy brown clay		X	12	49	74	yellow clay		X	12	74	96	sandy yellow clay		X	12	96	106	sand		X	12	106	130	sandy clay		X	12	130	175	yellow sandy clay		X	12	175	191	Brown sandy clay		X	12	191	205	sand		X	12	205	218	Coarse sand /clay		X	12	218	224	muddy sand		X	12	224	243	sand		X	12	243	252	muddy sand		X	12	252	259	sand		X	12	259	261	muddy sand		X	12	261	266	sand		X	12	266	267	clay		X	12	267	270	sand		X	270			muddy sand		X
Hole Diam.	Depth		Material	Water																																																																																																																															
	From	To		Yes	No																																																																																																																														
16	0	1	topsoil		X																																																																																																																														
16	1	41	brown clay		X																																																																																																																														
16	41	49	sandy brown clay		X																																																																																																																														
12	49	74	yellow clay		X																																																																																																																														
12	74	96	sandy yellow clay		X																																																																																																																														
12	96	106	sand		X																																																																																																																														
12	106	130	sandy clay		X																																																																																																																														
12	130	175	yellow sandy clay		X																																																																																																																														
12	175	191	Brown sandy clay		X																																																																																																																														
12	191	205	sand		X																																																																																																																														
12	205	218	Coarse sand /clay		X																																																																																																																														
12	218	224	muddy sand		X																																																																																																																														
12	224	243	sand		X																																																																																																																														
12	243	252	muddy sand		X																																																																																																																														
12	252	259	sand		X																																																																																																																														
12	259	261	muddy sand		X																																																																																																																														
12	261	266	sand		X																																																																																																																														
12	266	267	clay		X																																																																																																																														
12	267	270	sand		X																																																																																																																														
270			muddy sand		X																																																																																																																														
<p>4. METHOD DRILLED</p> <p><input checked="" type="checkbox"/> Cable <input type="checkbox"/> Rotary <input type="checkbox"/> Dug <input type="checkbox"/> Other</p>																																																																																																																																			
<p>5. WELL CONSTRUCTION</p> <p>Diameter of hole <u>12</u> inches Total depth <u>279</u> feet</p> <p>Casing schedule: <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Concrete</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.250</u> inches</td> <td><u>12</u> inches</td> <td><u>1 1/2</u> feet</td> <td><u>202</u> feet</td> </tr> <tr> <td><u>.365</u> inches</td> <td><u>10</u> inches</td> <td><u>195</u> feet</td> <td><u>205</u> feet</td> </tr> <tr> <td><u>.365</u> inches</td> <td><u>10</u> inches</td> <td><u>215</u> feet</td> <td><u>230</u> feet</td> </tr> <tr> <td><u>.365</u> inches</td> <td><u>10</u> inches</td> <td><u>235</u> feet</td> <td><u>255</u> feet</td> </tr> <tr> <td><u>.365</u> inches</td> <td><u>10</u> inches</td> <td><u>258</u> feet</td> <td><u>262</u> feet</td> </tr> </tbody> </table> <p>Was casing drive shoe used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Was a packer or seal used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Perforated? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>How perforated? <input type="checkbox"/> Factory <input type="checkbox"/> Knife <input type="checkbox"/> Torch</p> <p>Size of perforation _____ inches by _____ inches</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> <p>Well screen installed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Manufacturer's name <u>Johnson</u></p> <p>Type <u>Stainless</u> Model No. _____</p> <p>Diameter <u>10</u> Slot size <u>30</u> Set from <u>205</u> feet to <u>215</u> feet</p> <p>Diameter <u>10</u> Slot size <u>30</u> Set from <u>230</u> feet to <u>235</u> feet</p> <p>Gravel packed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size of gravel _____</p> <p>Placed from _____ feet to _____ feet</p> <p>Surface seal depth <u>60</u> Material used in seal <input type="checkbox"/> Cement grout <input checked="" type="checkbox"/> Pudding clay <input checked="" type="checkbox"/> Well cuttings</p> <p>Sealing procedure used <input type="checkbox"/> Shurry pit <input type="checkbox"/> Temporary surface casing <input checked="" type="checkbox"/> Overbars to seal depth</p>	Thickness	Diameter	From	To	<u>.250</u> inches	<u>12</u> inches	<u>1 1/2</u> feet	<u>202</u> feet	<u>.365</u> inches	<u>10</u> inches	<u>195</u> feet	<u>205</u> feet	<u>.365</u> inches	<u>10</u> inches	<u>215</u> feet	<u>230</u> feet	<u>.365</u> inches	<u>10</u> inches	<u>235</u> feet	<u>255</u> feet	<u>.365</u> inches	<u>10</u> inches	<u>258</u> feet	<u>262</u> feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																																																																															
Thickness	Diameter	From	To																																																																																																																																
<u>.250</u> inches	<u>12</u> inches	<u>1 1/2</u> feet	<u>202</u> feet																																																																																																																																
<u>.365</u> inches	<u>10</u> inches	<u>195</u> feet	<u>205</u> feet																																																																																																																																
<u>.365</u> inches	<u>10</u> inches	<u>215</u> feet	<u>230</u> feet																																																																																																																																
<u>.365</u> inches	<u>10</u> inches	<u>235</u> feet	<u>255</u> feet																																																																																																																																
<u>.365</u> inches	<u>10</u> inches	<u>258</u> feet	<u>262</u> feet																																																																																																																																
Number	From	To																																																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																																																	
<p>6. LOCATION OF WELL</p> <p>Sketch map location must agree with written location. <u>63</u></p>  <p>Subdivision Name _____</p> <p>Lot No. _____ Block No. _____</p> <p>County <u>Ada</u></p> <p>N/W <u>1/4</u> N/E <u>1/4</u> Sec. <u>17</u>, T. <u>21</u> S. R. <u>1W</u> E <u>10</u></p>	<p>10. Work started <u>12/9/76</u> finished <u>3/7/77</u></p>																																																																																																																																		
	<p>11. DRILLERS CERTIFICATION</p> <p>Firm Name <u>Engleman Drilling</u> Firm No. <u>47</u></p> <p>Address <u>1309 Rand Boise, ID</u> Date <u>3/22/77</u></p> <p>Signed by (Firm Official) <u>[Signature]</u></p> <p>and (Operator) <u>[Signature]</u></p>																																																																																																																																		

