


F. Madsen

10-1975

425

I. STINAR
4-08



48'

72'

75'

211'



85

63

Form 238-7 IDAHO DEPARTMENT OF WATER RESOURCES 6/02 WELL DRILLER'S REPORT

Shallow Dry

Office Use Only Well ID No. 420922 Inspected by Twp. Rge. Sec. Lat. Long.

1. WELL TAG NO. D D0052768 DRILLING PERMIT NO.

Water Right or Injection Well No. 2. OWNER Name Ilene Stinar

Address 1100 W. Beacon Light Rd. City Eagle State Id Zip 83616

3. LOCATION OF WELL by legal description: You must provide address or Lot, Blk, Sub. or Directions to well.

Twp. 5 North or South Rge. 1 East or West Sec. 32 SW 1/4 SE 1/4 SW 1/4

Gov't Lot County Ada Let: 43:43:322'N Long: 116:22:151'W Address of Well Site Same

City Eagle Lt. 8 Blk. 2 Sub. Name Eagle Pines AND Plat

4. USE: Domestic Municipal Monitor Irrigation Thermal Injection Other

5. TYPE OF WORK check all that apply (Replacement etc.) New Well Modify Abandonment Other 6" Well

6. DRILL METHOD: Air Rotary Cable Mud Rotary Other

7. SEALING PROCEDURES Table with columns: Seal Material, From, To, Weight / Volume, Seal Placement Method

Was drive shoe used? Y N Shoe Depth(s) 197' Was drive shoe seal tested? Y N How?

8. CASING/LINER: Table with columns: Diameter, From, To, Gauge, Material, Casing, Liner, Welded, Threaded

Length of Headpipe 6.0 Length of Tailpipe 2.0 Packer Y N Type Rubber K-Packer

9. PERFORATIONS/SCREENS PACKER TYPE Perforation Method Screen Type & Method of Installation Johnson / Pullback

Table with columns: From, To, Slot Size, Number, Diameter, Material, Casing, Liner

10. FILTER PACK Table with columns: Filter Material, From, To, Weight/Volume, Placement Method

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE: 75 ft. below ground Artesian pressure lb. Depth flow encountered ft. Describe access port or control devices:

12. WELL TESTS: Table with columns: Yield gal/min, Drawdown, Pumping Level, Time

Water Temp. Bottom hole temp. Water Quality test or comments: Depth first Water Encounter

13. LITHOLOGIC LOG: (Describe repairs or abandonment) Water Bore Dia. From To Remarks: Lithology, Water Quality & Temperature Y N

RECEIVED MAY 02 2008 WATER RESOURCES WESTERN REGION

14. DRILLER'S CERTIFICATION We certify that all minimum well construction standards were complied with at the time the rig was removed. Company Name Dennis Phipps Well Drilling Inc. Firm No. 332

USE TYPEWRITER OR BALL POINT PEN

State of Idaho Department of Water Resources

RECEIVED

OCT

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name: FLOYD MADSEN
Address: 3603 NORTH ST. BOISE IDAHO 83703
Owner's Permit No.:

7. WATER LEVEL
Static water level: 148 feet below land surface
Flowing? [] Yes [] No G.P.M. flow:
Temperature: ° F. Quality:
Artesian closed-in pressure: p.s.i.
Controlled by [] Valve [] Cap [] Plug

2. NATURE OF WORK
[] New well [] Deepened [] Replacement
[] Abandoned (describe method of abandoning)

8. WELL TEST DATA
[] Pump [] Bailer [] Other
Discharge G.P.M.: 160
Draw Down: 13
Hours Pumped: 6

3. PROPOSED USE
[] Domestic [] Irrigation [] Test [] Other (specify type)
[] Municipal [] Industrial [] Stock [] Waste Disposal or Injection

9. LITHOLOGIC LOG
042977

4. METHOD DRILLED
[] Cable [] Rotary [] Dug [] Other

Table with columns: Hole Diam., Depth (From, To), Material, Water (Yes, No). Rows include: 8" OPEN HOLE, SURFACE DIRT, 13" SANDY CLAY, 18" 24" CEMENTED GRAVEL, 24" 55" BR SANDY CLAY, 55" 69" LOOSE SAND & GRAVEL SOME WATER, 69" 77" SAND GRAVEL WATER.

5. WELL CONSTRUCTION
Diameter of hole: 6 inches Total depth: 69 feet
Casing schedule: [] Steel [] Concrete
Thickness: 250 inches Diameter: 6 inches From: 1 feet To: 70 feet
Was casing drive shoe used? [] Yes [] No ATLAS
Was a packer or seal used? [] Yes [] No
Perforated? [] Yes [] No
How perforated? [] Factory [] Knife [] Torch
Size of perforation: inches by inches
Number perforations: From To
Well screen installed? [] Yes [] No
Manufacturer's name: Type: Model No.
Diameter Slot size Set from feet to feet
Gravel packed? [] Yes [] No Size of gravel:
Placed from feet to feet
Surface seal depth: 38 Material used in seal [] Cement grout [] Puddling clay [] Well cuttings
Sealing procedure used [] Sherry pit [] Temporary surface casing [] Overbore to seal depth

6. LOCATION OF WELL
Sketch map location must agree with written location.
Subdivision Name: EAGLE PINE
Lot No. 8 Block No. 2
CORNISH OSPREY RD
County: ADA BEACON LIGHT RD
SW 1/4 Sec. 30 T. 5 N. R. 1 E

10. Work started OCT 13 - 75 finished OCT 15 - 75

11. DRILLERS CERTIFICATION
Firm Name: PRESENT PUMP & WELL DRL. Firm No. 206
Address: PT 3 BOX 160 EMMETT ID Date: OCT 23/75
Signed by (Firm Official) and (Operator):

Spinar