

7-20-09

To Whom It May Concern:

My name is Lonnie Morris and I currently reside in Eagle, Idaho just due south of the proposed M3 development. I am writing this letter to explain how the declining water table has directly affected me.

In April of 2006, I had to have a new well drilled at my 3875 N. Ballantyne Lane residence. My old well, drilled in 1974, was drilled to a depth of 162 feet (well report dated 8-12-74) with a static water level of 75 feet. Since this well had drop its static level by nearly 15 feet, and begun to draw less water, my problems began. Rather than continue with the problems of a drying well, I had to have a new one drilled. The new well was drilled to a total depth of 218 feet. The 4-10-06 well driller's report shows a static level at 90 feet. The total cost of the new well and pump system to me was nearly \$14,000.

Attached are both well reports to show any and all data mentioned above.

Thank you,



Lonnie Morris  
3875 N. Ballantyne Lane  
Eagle, Idaho 83616  
939-2844

*Comment  
letter -  
rec'd 7/22/09.  
Parties rec'd copies  
during hearing.*



IDAHO DEPARTMENT OF WATER RESOURCES  
WELL DRILLER'S REPORT

Office Use Only  
Well ID No: \_\_\_\_\_  
Inspected by: \_\_\_\_\_  
Twp \_\_\_\_\_ Rge \_\_\_\_\_ Sec \_\_\_\_\_  
1/4 \_\_\_\_\_ 1/4 \_\_\_\_\_ 1/4 \_\_\_\_\_  
Lat: \_\_\_\_\_ Long: \_\_\_\_\_

WELL TAG NO. D D0042706  
DRILLING PERMIT NO. \_\_\_\_\_  
Water Right or Injection Well No. \_\_\_\_\_

2. OWNER:

Name LOWAYE MORRIS  
Address 2875 N. CALLESTONE LN.  
City EGGLE State ID Zip 83616

3. LOCATION OF WELL by legal description:

You must provide address or Lot, Blk, Sub. or Directions to well.  
Twp. 5 North  or South   
Rge. 1 East  or West   
Sec. 31 NE 1/4 SW 1/4  
Gov'l Lot \_\_\_\_\_ County ANSA  
Lat: \_\_\_\_\_ Long: \_\_\_\_\_  
Address of Well Site SAME City EGGLE

Lot \_\_\_\_\_ Blk. \_\_\_\_\_ Sub. Name \_\_\_\_\_

4. USE:

Domestic  Municipal  Monitor  Irrigation  
 Thermal  Injection  Other \_\_\_\_\_

5. TYPE OF WORK check all that apply (Replacement etc.)  
 New Well  Modify  Abandonment  Other 6 WELL

6. DRILL METHOD:

Air Rotary  Cable  Mud Rotary  Other \_\_\_\_\_

7. SEALING PROCEDURES

Seal Material	From	To	Weight / Volume	Seal Placement Method
1/2" PORTLAND	0	20	650 lbs	10' OVERBUR

Was drive shoe used?  Y  N Shoe Depth(s) 198'  
Was drive shoe seal tested?  Y  N How? \_\_\_\_\_

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	12'	198'	250	STEEL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5"	196'	207'	258	STEEL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5"	217'	218'	258	STEEL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Length of Headpipe 11' Length of Tailpipe 1'  
Packer  Y  N Type RUBBER & PACKER

9. PERFORATIONS/SCREENS PACKER TYPE

Perforation Method \_\_\_\_\_  
Screen Type & Method of Installation SUBMERGED / AIR SHOWN

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
207'	217'	0.25	204	5"	S.S.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

10. FILTER PACK

From	To	Material	Thickness
0'	218'	1/2" SAND	218'

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE

Depth from \_\_\_\_\_

12. WELL TESTS:

Pump  Baller  Air  Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
70			1/2 hr.

Water Temp. \_\_\_\_\_ Bottom hole temp. \_\_\_\_\_  
Water Quality test or comments: \_\_\_\_\_

13. LITHOLOGIC LOG: (Describe repairs or abandonment) Water

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
10"	0	2	TOP SOIL		X
	2	20	BRN. SANDY CLAY		X
6"	20	93	BRN. SANDY CLAY		X
	93	105	GRAVEL		X
	105	118	BRN. CLAY w/ SAND	X	
	118	151	BRN. SAND	X	
	151	170	BLUE SANDY CLAY		X
	170	173	BRN. CLAY		X
	173	178	BRN. CLAY w/ SAND	X	
	178	181	BRN. SAND	X	
	181	194	BRN. CLAY w/ SAND	X	
	194	204	BRN. CLAY		X
	204	214	COARSE WHITE SAND	X	
	214	218	BRN. SANDY CLAY		X

Completed Depth 218' (Measurable)  
Date Started 4/6/06 Completed 4/10/06

14. DRILLER'S CERTIFICATION

I hereby certify that all well construction standards were complied with at the time of drilling.

Driller's Name Mark E. ... Firm No. 332  
Date 4/10/06