



State of Idaho

## DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

C. L. "BUTCH" OTTER  
Governor

DAVID R. TUTHILL, JR.  
Director

May 15, 2008

Roger R Sleger  
575 E Rooster Ct  
Eagle ID 83616

**RE: Processing of Application 63-12154—Filed 10/14/94**

Dear Mr Sleger:

Our office has received your response form stating a "yes" for continued processing of your ground water application. A review of your application reveals your proposed ground water well diversion is located in Township 4N, Range 01E, Section 4. Your application states the proposed water bearing is 76 to 82 ft.


Ground water less than 200 feet depth is considered tributary to the Boise River at your proposed well location, see attached map. Surface water in or tributary to the Boise River above Star bridge is fully appropriated. This means that a new appropriation of ground water would potentially injure a senior Boise River surface water right. Our agency can not process your application unless one of the following can be satisfied:

1. *An acceptable mitigation plan is filed to mitigate for ground water use that would otherwise cause injury to senior water rights from the Boise River. An example might be the purchase and retirement of an equivalent Boise River surface right*
2. *The application proposes to appropriate ground water deeper than 200 feet below ground surface. Applications meeting this criterion shall be evaluated on a case-by-case basis in accordance with applicable water laws and rules.*

Please review the options carefully and mark the enclosed option sheet accordingly. You can also withdraw your application if desired. If a response is not received within 30 days, an order will be issued voiding the application.

Should you have any questions, please contact me at the Western Regional Office, phone 334-2190

Sincerely,

  
John Westra, Manager

Enclosure: Shallow GW Map, Consultant List, Response Form.

**Applications for Permit  
Tributary to the Boise River**

Application No: 63-12154  
Applicant Name: Roger R Sleger  
Address: 575 E Rooster CT  
Eagle ID 83616

Date: 5/15/08

**Continue Processing**

The point of diversion proposed for the above application falls within the boundary of ground water tributary to the Boise River. Please continue to process my application under the following:

Please mark and complete the blanks

\_\_\_\_\_ The water bearing zone for the proposed well (point of diversion) will be greater than 200 ft. My new application proposed well water bearing zone will be \_\_\_\_\_ to \_\_\_\_\_ feet.

X <sup>Considering</sup> A Mitigation Plan will be submitted within 90 days to mitigate my water use that would otherwise cause injury to existing surface water rights from the Boise River. (a consultant list is enclosed if you need assistance).

**Application Withdrawal**

\_\_\_\_\_ I hereby withdraw my application for Permit. Please remove my application from the Department records.

**Applicant Signature** \_\_\_\_\_ **Date** \_\_\_\_\_

Please return the response sheet to: John Westra  
Idaho Department of Water Resources  
2735 Airport Way  
Boise ID 83705

5/21/08 Discussed with Mr. Sleger options will contact consultants.  
SFW Phone conversation will serve as response for the inquiry.