

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 95-10985

Priority: August 13, 2009

Maximum Diversion Rate: 0.06 CFS

This is to certify, that FLOYD A DAMON
316 W HIGH DR
SPOKANE WA 99203

has applied for a permit to appropriate water from:

Source: HAYDEN LAKE **Tributary:** SINKS
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS
IRRIGATION	03/15 to 11/15	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

HAYDEN LAKE L2 (SE1/4NE1/4) Sec. 15, Twp 51N, Rge 03W, B.M. KOOTENAI County

PLACE OF USE: DOMESTIC And IRRIGATION


Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N 03W 15				2.0													2.0
				L 2													
				X													

Total Acres: 2

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **January 01, 2011**.
2. Subject to all prior water rights.
3. Domestic use is for 1 home. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
5. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
6. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No 95 A.
7. This right does not grant any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Coeur d'Alene, this 6th day of January, 2010.


GARY SPACKMAN, Interim Director