

75597
STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

MAY 13 2009

IDWR / NORTH

1. Name of Applicant John and/or Debra DE BERNARDI Phone 208 623 5197
Mailing address PO Box 579 Spirit Lake Idaho 83869 Email SLchiefe@verizon.net
2. Source of water supply well domestic which is a tributary of Aquifer
3. Location of point of diversion is Township 54N Range 4W Sec. 31 in the SW SE 1/4,
NE 1/4, Govt. Lot 1, B.M., Bonner County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
- Amount .03 2.0 for Domestic/Yard purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount .03 2.0 for Irrigation purposes from Apr 1 to Oct 31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) .03 and/or (b) 3.0
cubic feet per second acre feet per year
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source NA
- b. Height of storage dam NA feet; active reservoir capacity NA acre-feet;
total reservoir capacity NA acre-feet
- c. Proposed well diameter is 6 inches; proposed depth of well is 523 feet
- d. Is ground water with a temperature of greater than 85°F being sought? No
- e. If well is already drilled, when? 9-19-84; Drilling firm Halman Drilling;
Well was drilled for (well owner) John Roland Gregg; Drilling Permit No. 96-84-n-109
7. Time required for completion of works and application of water to proposed beneficial use is 3 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in kW. NA
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
54N	4W	31			1														1
					~~1~~														

Total number of acres to be irrigated: 1

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? yes our yard + garden + lawn

11. a. Who owns the property at the point of diversion? John + Jos Debra De Bernardi
 b. Who owns the land to be irrigated or place of use? John + Jos Debra De Bernardi
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. _____

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Debra DeBernardi

Signature of Applicant

Debra DeBernardi

Print Name (and title, if applicable)

For Department Use:

Received by cm Date 5-13-09 Time 9:56 am Preliminary check by _____
 Fee \$ 100.00 Received by cm Receipt No. 11020563 Date 5-13-09


95-10535



0 225 450 900 1,350 1,800 Feet

Legend

- workingpod
- workingpou
- Taxlots
- QQ



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.



JAN 7 1985

1. WELL OWNER

Name Roland F. Bat Green
Address Spirit Lake Idaho - 83869
Owner's Permit No. 46-84-N-109

7. WATER LEVEL

Department of Water Resources

Static water level 523 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ OF. Quality _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

004354

☐ Pump ☒ Bailor ☐ Air ☐ Other _____

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
250 inches	8 inches	0 feet	150 feet
250 inches	6 inches	2 feet	560 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number _____ From _____ To _____

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 150' Material used in seal: ☐ Cement grout

☒ Puddling clay ☐ Well cuttings

Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing

☐ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

☐ Cemented between strata

Describe access point will be in the center of the pump

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Yes	No
	From	To			
8"	0	6	TOP Soil		
8"	6	16	Gravel large		
8"	16	31	Gravel small w/ silt		
8"	31	49	Red gravel w/ silt		
8"	49	94	Gravel 5" min. w/ silt		
8"	94	96	Granite Boulder soft		
8"	96	130	Gravel sand w/ silt (gravel)		
8"	130	144	Gravel sand w/ clay		
8"	144	169	sand coarse w/ silt		
8"	169	181	Gravel sand clay (gravel)		
8"	181	203	Gravel Red w/ silt		
8"	203	230	sand coarse w/ silt		
8"	230	288	Gravel sand w/ silt		
8"	288	297	Gravel sand w/ silt (gravel)		
8"	297	356	clay sand		
8"	356	370	Gravel sand w/ clay (gravel)		
8"	370	410	Gravel sand w/ silt (gravel)		
8"	410	472	Gravel sand w/ silt		
8"	472	512	Gravel sand w/ silt (gravel)		
8"	512	524	Gravel sand coarse w/ silt		
8"	524	534	Gravel w/ coarse sand		
8"	534	542	Gravel small w/ clay sand		
8"	542	558	Gravel medium w/ sand and clay		
8"	558	565	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	565	570	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	570	575	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	575	580	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	580	585	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	585	590	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	590	595	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	595	600	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	600	605	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	605	610	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	610	615	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	615	620	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	620	625	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	625	630	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	630	635	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	635	640	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	640	645	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	645	650	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	650	655	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	655	660	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	660	665	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	665	670	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	670	675	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	675	680	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	680	685	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	685	690	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	690	695	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	695	700	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	700	705	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	705	710	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	710	715	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	715	720	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	720	725	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	725	730	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	730	735	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	735	740	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	740	745	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	745	750	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	750	755	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	755	760	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	760	765	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	765	770	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	770	775	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	775	780	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	780	785	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	785	790	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	790	795	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	795	800	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	800	805	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	805	810	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	810	815	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	815	820	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	820	825	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	825	830	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	830	835	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	835	840	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	840	845	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	845	850	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	850	855	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	855	860	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	860	865	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	865	870	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	870	875	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	875	880	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	880	885	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	885	890	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	890	895	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	895	900	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	900	905	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	905	910	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	910	915	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	915	920	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	920	925	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	925	930	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	930	935	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	935	940	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	940	945	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	945	950	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	950	955	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	955	960	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	960	965	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	965	970	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	970	975	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	975	980	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	980	985	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	985	990	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	990	995	Gravel 5/8 min. 30% coarse sand 70% sand & clean		
8"	995	1000	Gravel 5/8 min. 30% coarse sand 70% sand & clean		

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name E.H. Holman Drilling Firm No. 105

Address 601 S. Pines Rd Date Sept. 19-84


Signed by (Firm Official) [Signature]

and [Signature]

(Operator) [Signature]

6. LOCATION OF WELL

Sketch map location must agree with written location.




Subdivision Name Leid.

Lot No. _____ Block No. _____

County BANNER

36 1/4 NE 1/4 Sec. 31, T. 54 N., R. 4 W.

DEBERNARDI





State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815
Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

May 13, 2009

JOHN DEBERNARDI
DEBRA DEBERNARDI
PO BOX 579
SPIRIT LAKE ID 83869

RE: Application for Permit No 95-10535

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the Priest River Times on May 20 and 27, 2009. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight to twelve weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

Keith E. Franklin
Senior Water Resource Agent

Enclosure(s) – No. N020563

Ball, Dianne

From: Ball, Dianne
Sent: Thursday, May 14, 2009 11:08 AM
To: Legal Notices-Priest River Times - Shannon Foote
Subject: Legal notice for publication on May 20 and 27,
Attachments: CoverLetter 05-13-09 PRT e-mail 95-10454,10535, 97-7485.doc; LegalNotice 05-13-09 PRT e-mail 95-10454,10535 97-7485.doc

Good morning to you, Shannon,

Attached is our cover letter requesting publication of a legal notice on May 20 and 27, 2009. The legal notice is also attached.

One of the applications in this legal, the CDS Stoneridge Utilities LLC, is also scheduled to publish in the Bonner County Daily Bee - on May 21 and 28, 2009.

If you have ANY questions, please call me or reply to this e-mail.

Shannon, I am assuming that you are still only publishing on Wednesdays. If you have gone to a daily publication, please let me know because then we would schedule things for publication on Thursdays.

And by the way, it's ALWAYS a pleasure to work with you, you are VERY helpful.

Don't count the days, let the days count.



CoverLetter
5-13-09 PRT e-mail..



LegalNotice
5-13-09 PRT e-mail..

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR
Director

Please Fax or e-mail proof/preview copy to me before this goes to press.

Fax (208) 762-2819 ~ e-mail dianne.ball@idwr.idaho.gov

Thanks, Dianne

May 13, 2009

SHANNON FOOTE
LEGAL NOTICE DEPARTMENT
PRIEST RIVER TIMES
PO BOX 10
PRIEST RIVER ID 83856

RE: Application for Permit No. 95-10454, 95-10535 and 97-7485

Dear Shannon:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated, May 20 and 27, 2009, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 06/08/2009. Your cooperation is appreciated.

Sincerely

Dianne

Dianne Ball
Administrative Assistant

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-10454

CDS STONERIDGE UTILITIES LLC

PO BOX 298

BLANCHARD ID 83804

Point(s) of Diversion(3) NWSW S20 T54N R05W BONNER County

Source GROUND WATER

Use: MUNICIPAL 01/01 To 12/31 2.22 CFS

Total Diversion: 2.22 CFS

Date Filed: 04/24/2009

Place Of Use: MUNICIPAL

Remark: Municipal use is within service area of applicant.

95-10535

JOHN DEBERNARDI

DEBRA DEBERNARDI

PO BOX 579

SPIRIT LAKE ID 83869

Point(s) of Diversion SENE S31 T54N R04W BONNER County

Source GROUND WATER

Use: IRRIGATION 04/01 To 10/31 0.03 CFS

Total Diversion: 0.03 CFS

Date Filed: 05/13/2009

Place Of Use: IRRIGATION

T54N R04W S31 SWNE

Number of Acres 1

97-7485

GLEN FRACHISEUR

MICHELE FRACHISEUR

PO BOX 870

PRIEST RIVER ID 83856

Point(s) of Diversion NENW S21 T59N R05W BONNER County

Source WEST BRANCH UPPER PRIEST RIVER

Tributary To PRIEST RIVER

Use: IRRIGATION 04/01 To 10/31 0.09 CFS

Total Diversion: 0.09 CFS

Date Filed: 05/07/2009

Place Of Use: IRRIGATION

T59N R05W S21 NENW

Number of Acres 3

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 06/08/2009.

The protestant must also send a copy of the protest to the applicant.

DAVID R. TUTHILL, JR., Director

Legal #

Published May 20 and 27, 2009.