

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 96-09431

Priority: May 04, 2009

Maximum Diversion Rate: 0.12 CFS

This is to certify, that UPPER COLUMBIA MISSION SOCIETY
UPPER COLUMBIA CORPORATION
BOX 19039
SPOKANE WA 99219
(208) 263-3648

has applied for a permit to appropriate water from:

Source: CHUCK SLOUGH

Tributary: PEND OREILLE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	01/01 to 12/31	0.12 CFS

LOCATION OF POINT(S) OF DIVERSION:

CHUCK SLOUGH, NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 21, Twp 57N, Rge 02W, B.M., BONNER County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N 02W 21									6.0								6.0

Total Acres: 6

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 01, 2010**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
5. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Coeur d'Alene, this 22nd day of July, 2009.


Gary Spackman, Interim Director