



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

January 4, 2010

KINGS PINES ESTATES III HOA INC
501 W LAKE ST
MC CALL ID 83638

RE: Water Right Permit No(s). 78-7396 & 78-12159

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit(s) referenced above prior to issuing a water right license for each permit. By issuing a license, the department confirms the extent of development that has been established in compliance with the terms of the permit.

The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.


Based on the examiner's report, the purpose of use was developed differently than described on your permit. Your domestic use includes a small amount of lawn and landscaping irrigation, which resulted in a larger diversion rate for domestic purposes than was originally authorized. In addition, a separate irrigation use outside of that described under domestic use was not developed.

The enclosed application for amendment form depicts the elements of each water right as they will appear on the licenses when issued. Please review the amendment forms carefully. If you concur with the information presented, please sign the forms and return them to this office within 14 day's of receiving this letter.

Please note, on November 20, 2009, the Department received an Application for Amendment of a Permit. By submitting the attached application for amendment, IDWR will consider it a request to withdraw the original amendment submitted in November of 2009, and replace it with the new amendment. Fees paid in November will be applied to the current application for amendment so no additional fees are required.

If you have any questions, please call me at (208) 287-4916.

Sincerely,

A handwritten signature in black ink, appearing to read "Craig L. Saxton", with a stylized flourish at the end.

Craig L. Saxton
Water Right Supervisor
Water Allocations Bureau
Enclosure(s)

Cc: SPF ENGINEERING
ATTN: LORI GRAVES
300 E MALLARD DR, SUITE 350
BOISE ID 83706