

3. Delivery System Diagram. Indicate all major components and distances between components. Indicate weir size/ditch size/ pipe i.d..as applicable.

A blank sheet of graph paper featuring a uniform grid of small squares. The grid consists of 16 columns and 16 rows, creating a total of 256 square units. The lines are thin and black, set against a white background. There are no margins, text, or other markings on the page.

Scale 1"=_____

- ☐ Copy of USGS Quadrangle attached showing location(s) of diversion and place(s) of use (required).
- ☐ Aerial photo attached (required for irrigation of 10+ acres).
- ☐ Photo of diversion and system attached.

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial Number	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calibration Date
N/A						

Measurements**E. NARRATIVE/REMARKS/COMMENTS**

Confirmed per county assessor via email.
 Assessor confirmed dwelling on site for identified owner.
 Lot 29 - Block 1 - Pilgrim Cove Subdivision.
 See attached well log D0038039.

Have conditions of permit approval been met? ☒ Yes ☐ No

F. FLOW CALCULATIONS

Measured Method: ☐ Additional Computation Sheets Attached
 ALLOW PERMIT RATE

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A
 $VI.R. = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$
 $VD.R. = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$
 $V = \text{Smaller of VI.R. and VD.R.} =$

2. Volume Calculations for Other Uses: ALLOW
 1.2 AF

H. RECOMMENDATIONS

1. Recommended Amount

BENEFICIAL USE	PERIOD OF USE		RATE OF DIVERSION ANNUAL	
	From	To	Q(cfs)	V(afa)
DOMESTIC	01/01	12/31	0.04 CFS	1.2 AFA

TOTALS 0.04 CFS 1.2 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

I. AUTHENTICATION

Field Examiner's Name Sherry Borgeman
 Reviewer

Sherry Borgeman

Date 10/26/09
 Date

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only		
Well ID No.	824797	
Inspected by		
Twp	Rge	Sec
1/4	1/4	1/4
Lat	:	Long

1. WELL TAG NO. D 0038039

DRILLING PERMIT NO. _____

Water Right or Injection Well No. _____

2. OWNER:

Name Hugh Ateley
Address 2900 Leisure Dr
City Boise State ID Zip 83704

3. LOCATION OF WELL by legal description:

You must provide address or Lot, Blk, Sub. or Directions to well.

Twp. 18 North ☒ or South ☐
Rge. 3 East ☒ or West ☐
Sec. 3 1/4 NE 1/4 NW 1/4
Gov't Lot _____ 1/4 1/4 1/4
County Valley
Lat: _____ Long: _____
Address of Well Site 2035 John Alden Pr. City McCall
(Give at least name of road - Distance to Road or Landmark)
Lt. 29 Blk. 21 Sub. Name Pilgrim Cove Sub.

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

Seal Material	From	To	Weight / Volume	Seal Placement Method
<u>Bentonite</u>	<u>0</u>	<u>18</u>	<u>9</u>	<u>Granular</u>

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 98Was drive shoe seal tested? ☒ Y ☐ N How? Air

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
<u>6"</u>	<u>2</u>	<u>98</u>	<u>250</u>	<u>Steel</u>	☒	☐	☒	☐
<u>4"</u>	<u>22</u>	<u>222</u>	<u>160</u>	<u>PVC</u>	☐	☒	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

Packer ☐ Y ☐ N Type _____

9. PERFORATIONS/SCREENS PACKER TYPE

Perforation Method Easton PVC
Screen Type & Method of Installation _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
<u>142</u>	<u>222</u>	<u>25</u>	<u>40</u>	<u>4"</u>	<u>PVC</u>	☐	☒
						☐	☐

10. FILTER PACK

Filter Material	From	To	Weight / Volume	Placement Method

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

25' ft. below ground Artesian pressure _____ lb.
Depth flow encountered 220 ft. Describe access port or control devices:

Turtle Cap

12. WELL TESTS:

☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
<u>50</u>	<u>222</u>	<u>222</u>	<u>1 hr</u>

Water Temp. 60°

Bottom hole temp. _____

Water Quality test or comments: Cold clear

Depth first Water Encounter _____

13. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
<u>10</u>	<u>0</u>	<u>18</u>	<u>Topsoil Boulders</u>		
<u>8</u>	<u>18</u>	<u>65</u>	<u>Blue clay & sand</u>		
<u>6</u>	<u>65</u>	<u>70</u>	<u>Gravel</u>		
	<u>70</u>	<u>90</u>	<u>Sandstone</u>		
	<u>90</u>	<u>190</u>	<u>Sandstone</u>		
	<u>190</u>	<u>222</u>	<u>Lava</u>		<u>1</u>

RECEIVED

NOV 23 2004

WATER RESOURCES
WESTERN REGIONCompleted Depth 222 (Measurable)Date: Started 9-22-04 Completed 9-23-04

14. DRILLER'S CERTIFICATION

I/we certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name King Drilling Firm No. 623Principal Driller [Signature] Date 9-23-04

and Driller or Operator II _____ Date _____

Operator I _____ Date _____

Principal Driller and Rig Operator Required.
Operator I must have signature of Driller/Operator II.

FORWARD WHITE COPY TO WATER RESOURCES

Borgeman, Sherry

From: Assessor [assessor@co.valley.id.us]
Sent: Tuesday, October 20, 2009 5:17 PM
To: Borgeman, Sherry
Subject: Re: confirm residence
Attachments: IDWR.pdf

Good afternoon,
Please see the attached assessment print-out of this property. This property is currently being assessed to S Hugh Atchley Jr and Sylvia B Atchley although only one name will show on the attached print-out.
Thank you,
Deborah Weeks
Deputy Assessor

-----Original Message-----

From: "Borgeman, Sherry" <Sherry.Borgeman@idwr.idaho.gov>
To: <assessor@co.valley.id.us>
Date: Tue, 20 Oct 2009 15:29:42 -0600
Subject: confirm residence

Hello,
We are in the process of trying to approve a Water Right license and need some assistance. Is it possible for you to confirm the presence of a residence at 2085 John Alden Rd in McCall; Lot 29, block 1, Pilgrim Cove Sub (T18N R3E S-3 NE NE)?
Thank you,
Sherry Borgeman
Idaho Department of Water Resources, Western Region
208-334-2190 (ph)
208-334-2348 (fax)

ATCHLEY S HUGH JR
2900 LEISURE DR
BOISE, ID 83704
AMENDED PLAT OF PILGRIM COVE SUBDIVISION
LOT 29 BLOCK 1 AND TAX NO. 144 IN
GOV'T. LOT 1 S3 T18N R3E

Neighborhood Number
539852

Neighborhood Name
Payette Lakefront ES2

TAXING DISTRICT INFORMATION

Jurisdiction Name Valley
Area 001
District 015-00

Transfer of Ownership

Site Description

Topography
Level
Public Utilities
Water, Sewer, Electric
Street or Road
Unpaved
Neighborhood

Zoning:
Legal Acres:
0.5780

Valuation Record

Assessment Year	2004	2005	2006	2007	2008	2008	2009	
Reason for Change	5 Year Reval	5 Year Reval	5 Year Reval	5 Year Reval	Assessor Chg	Assessor Chg	5 Year Reval	
Market Value	L	602730	662610	808840	1385020	1205390	1145510	
	I	25830	25280	37750	40230	44730	9230	
	T	628560	687890	846590	1425250	1250120	1154740	



Land Size

Land Type	Rating, Soil ID - or - Actual Frontage	Acreage - or - Effective Frontage	Square Feet - or - Effective Depth	Influence Factor
Payette Lakefront ES2	60.0	0.0	400.0	2 -5%
Buffer 2008			12	-5%
Onsites		0		

Physical Characteristics

Style: Class 6 GOOD TO VERY GOOD

Occupancy: Single family - Owner

Story Height: 1.5

Finished Area: 2248

Attic: None

Basement: 3/4

ROOFING

Material: Comp sh heavy

Type: Complex

Framing: Std for class

Pitch: Medium 5/12-8/12

FLOORING

Slab B

Sub and joists 1.0, 1.5

Base Allowance 1.0, 1.5

EXTERIOR COVER

Cement fiber siding 1.0, 1.5

INTERIOR FINISH

Drywall B, 1.5

ACCOMMODATION

Finished Rooms 12

Bedrooms 4

Family Rooms 1

Formal Dining Rooms 1

HEATING AND AIR CONDITIONING

Primary Heat: Forced hot air-elec

Lower Full Part

/Bsm't 1 Upper Upper

PLUMBING

TF

4 Fixt. Baths 2 8

3 Fixt. Baths 1 3

2 Fixt. Baths 1 2

Kit Sink 1 1


Water Heat 1 1

TOTAL 15

REMODELING AND MODERNIZATION

Amount Date

Printed 10/20/2009



Special Features

Description

D : Basic allowance,
Fireplace - gas

G01: Automatic Garage Door Opener,
Concrete floor, Interior finish

02 : Electric lights

Summary of Improvements

ID	USE	Story Height	Const Type	Grade	Year Cons	Eff Year	Cond	Size or Area
D	DWELL	0.00		Good+	2009	2009	AV	3550
G01	ATTGAR	0.00	1				AV	506
02	UTLSHED	8.00	1	Good		1992	AV	288

Transfer of Ownership

Valuation Record

Assessment Year

Reason for Change

Market Value
L
I
T

Land Size

Land Type

Rating,
Soil ID
- or -
Actual
FrontageAcreage
- or -
Effective
FrontageSquare Feet
- or -
Effective
Depth

Influence Factor



Physical Characteristics

Printed 10/20/2009

Wd Dk-r

02

144

Special Features

Description

Summary of Improvements

ID	USE	Story Height	Const Type	Grade	Year Cons	Eff Year	Cond	Size or Area
02	BOATD	0.00		Avg		1992	AV	384



Bureau of Land Management - General Land Office Records



Search Land Patents



Search Surveys



Search LSRs

Visitors Center

Survey Details

[Home](#) > [Survey Search](#) > [Results List](#) > [Survey Details](#)

Original Survey

Meanders Of The Little And Big Payette Lake, And The Right Bank North Fork

● Twp **18N-3E**, ID, Boise


Survey Details

Plat Details

Plat Image

Field Note Images

Description: —



Basic Viewer

JavaScript Viewer

Plug-In Viewer

[Download Image File](#)

- Want to try one of our more powerful viewers? Please check our [Browser Compatibility Guide](#) for