

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 75-14619

Priority: September 09, 2009

Maximum Diversion Rate: 0.02 CFS

This is to certify, that PATRICIA CALLAGHAN And/Or
JOSEPH CALLAGHAN
227 SOUTH AGATE DRIVE
SALMON ID 83467

has applied for a permit to appropriate water from:

Source: SALMON RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION:

SALMON RIVER L1 (NW¼NW¼NE¼) Sec. 10 Twp 18N Rge 21E, B.M. LEMHI County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
18N	21E	10																	
																			.6

Total Acres: 0.6

CONDITIONS OF APPROVAL


1. Proof of application of water to beneficial use shall be submitted on or before **January 01, 2011**.
2. Subject to all prior water rights.
3. Place of use is located within Lots 75-77, Blk. 1; Salmon River Estates Unit 2.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
5. Point of diversion is located within Lot 77, Blk. 1, Salmon River Estates Unit 2.
6. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
7. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
8. The right holder shall install or construct a straight length of conduit or ditch suitable for installation of a device for measuring the entire flow of water being diverted in connection with this right. If the right holder uses conduit, the straight length of conduit shall be at least ten times the diameter of the conduit and shall be above ground or otherwise easily accessible.

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 75-14619

9. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide suitable control of the diversion.
10. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 11 day of December, 2009.


Ernest Carlson
for GARY SPACKMAN, Interim Director