

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 95-10817

Priority: July 13, 2009

Maximum Diversion Rate: 0.12 CFS

This is to certify, that **ENGWER LIVING TRUST**
N 24695 MCCOY RD
ATHOL ID 83801

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.12 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NE1/4SE1/4 Sec. 34, Twp 53N, Rge 03W, B.M. KOOTENAI County

PLACE OF USE: IRRIGATION


Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
53N 03W 34													4.0				4.0

Total Acres: 4

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **December 01, 2014**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
5. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Coeur d'Alene, this 8th day of December, 2009.


GARY SPACKMAN, Interim Director