

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 45-14201

Priority: March 17, 2009

Maximum Diversion Rate: 0.02 CFS

This is to certify, that NEIL & CATHERINE ADAMS REVOCABLE TRUST
332 E 1100 S
BURLEY ID 83318

has applied for a permit to appropriate water from:

Source: SPRING**Tributary:** SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION:

SPRING SW1/4NE1/4SE1/4 Sec. 13, Twp 12S, Rge 23E, B.M.
CASSIA County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
12S 23E 14																X	

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **October 01, 2010**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. The irrigation occurring under this domestic use shall not exceed 1/2 acre. The irrigation occurring under this right and right 45-10569 when combined shall not exceed 1/2 acre.
5. The domestic use authorized under this right shall not exceed 13,000 gallons per day. The domestic use authorized under this right and right 45-10569 when combined shall not exceed 13,000 gallons per day.
6. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
7. When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 6th day of October, 2009.

for



GARY SPACKMAN, Interim Director