
36-8094

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

2.54


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
MAY 15 1992

(Applicant)

Attorney for Applicant

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
MAY 15 1992

(Applicant)
Attorney for Applicant



PRISTINE SPRINGS INC.
SUNNYBROOK FACILITY
WARM WATER USAGE SCEMATIC

RECEIVED
FEB 18 1992
Department of Water Resources
Southern Region Office

MICROFILMED
MAY 15 1992

AFFIDAVIT of PUBLICATION

State of Idaho, } SS.
County of Jerome }

L. L. LANGDON
ASST. PUBLISHER

, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninteruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for two consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 15th day of July, 1982; and the date of the last publication was on the 22 day of July, 1982.

L. L. Langdon

Subscribed and sworn to before me this 3rd day of August, 1982.
(SEAL)

Darla Bratt
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line	13	
Number of Lines in Notice	34	
Number of Insertions	2	
Lines tabular at		4¢ / Pica
34 Lines straight at	13.26	3¢ / Pica
34 Subsequent lines at	8.84	2¢ / Pica
TOTAL COST	22.10	

COPY OF NOTICE
(Paste Here)

#36-8094 Aqua-
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF
Dept of Water
BILL TO

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

36-8094

AQUA LIFE INC., RT. 3, BUHL, ID 83316

Source: GROUNDWATER

Date Filed: 06/28/1982

Amount: 7.00 CFS

Diversion Point: LOT 14 Sec 29 T 09S R 17E, JEROME Co.

Use: POWER (7.00 CFS) from 01/01 to 12/31

Place of Use: LOT 14 Sec 29 T 09S R 17E

Diversion Means: WELL

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Llakes Blvd. North, Twin Falls, Idaho 83301 and received on or before AUGUST 2, 1982.

A. KENNETH DUNN
Director
7-15-2tc

insertions

MICROFILMED
MAY 15 1992
RECEIVED
No. 784
AUG 4 1982
Department of Water Resources
Southern District Office

Enclose:

✓ Pristine SPAs as Current Owner

✓ Davis-Wright-Tremaine as Attorney.

MB 9-4-91

Blind Copy of Letter to Glen Sexton for info. MB 9-4-91

Form No. 217
7/94

FOR OFFICE USE ONLY
Amt. of Fee $: 250.00
Receipt No. C0032474
Receipt By: gw
Date Receipted: 4-13-95

RECEIVED
APR 12 1995
Department of Water Resource

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08094 Telephone No. 208-736-1684

2. Name(s) of Permit Holder(s): Pristine Springs Inc.

3. Mailing Address: 201 Warm Creek Road Jerome, Idaho 83338

4. Source of Water: Geothermal Well If **GROUNDWATER** (well), Date Drilled: mo. 8 / yr. 91

   a. Well Driller: Walker Water Systems Drilling Permit Number: 36 - 91 - F - 003

   b. ***OPTIONAL:***
   Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

   Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

   Irrigation (No. of acres): _____ Other: Power

6. Total rate of diversion and/or volume for which proof is submitted: 7.00 cfs **OR** _____ acre feet

7. Measuring Device Requirement: **(refer to the approval conditions on your permit and respond accordingly)**
   *(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)*

Measuring Device:	Is a measuring device required?	Yes X or No ____
	Has the measuring device been installed?	Yes X or No ____
Flow Measurement Port:	Is a flow measurement port required?	Yes ____ or No X
	Has the measurement port been installed?	Yes ____ or No X

8. Fee Enclosed: $ 250.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

   Name: Rick Eggleston Telephone Number: 208-543-6675

   Address: 1504 E 4500 N Buhl, Idaho 83316

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Rick Eggleston Pres. Date: 4/7/95
(include your title if on behalf of company of organization)

APR 5 1995

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08094

Proposed Priority: June 28, 1982 Maximum Diversion Rate: 7.00 CFS
This is to certify, that **PRISTINE SPRINGS INC**
RT 1 BOX 1204
FILER ID 83328
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION
POWER	01/01 to 12/31	7.00 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 14(NENW), Sec. 29, Township 09S, Range 17E
JEROME County

PLACE OF USE: POWER

TWN	RGE	SEC	
09S	17E	29	Lot 14(NENW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **June 1, 1995.**
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Water used under this right if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. This right is subject to the provisions of Sections 42-205 through 42-210, Idaho Code, restricting the sale, transfer, assignment, or mortgage of this right. Failure to comply with these provisions is cause for immediate cancellation of this right.
7. The water right acquired under this permit for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08094

CONDITIONS/REMARKS:

8. Point of diversion is located within the Twin Falls Groundwater Management Area.
9. Permit holder shall comply with the drilling permit requirements of Section 42-233, Idaho Code for low temperature geothermal wells.
10. Power use is limited to use by the applicant for its Sunnybrook facility; future power use for other than the Sunnybrook facility will comply with all applicable state and federal requirements.
11. License No. 36-07130 authorizes diversion from the same point of diversion authorized by this permit. The validity of this permit and any subsequent license depends on use of the low temperature geothermal water for rearing of warm water fish, or some other beneficial use which extracts the heat value from the water.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

17th day of April, 1992.

for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

AUG 20 1991

Department of Water Resources
Southern Region Office

ASSIGNMENT OF APPLICATION FOR PERMIT

I, Ronald C. Yanke, hereby assign to Pristine Springs, Inc.

of, Route No. 1, Box 1204, Filer, Idaho 83328
(Full Address)

All my right, title, and interest in and to Application for Permit No. 36-8094 to appropriate the public waters of the State of Idaho.

Or (for partial assignments)

The following described portion of my right, title, and interest in and to Application for Application for Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the application assigned listing the number of acres in each 40 acre subdivision, point of diversion location, and the amount of water in cubic feet per second.

_____

_____

_____

Made this 2nd day of July, 1991

Ronald C. Yanke Applicant

Linda L. Yanke

State of Idaho)
ss Linda L. Yanke, Spouse of Applicant
County of ADA)

On this 2nd day of July, 1991, personally appeared before me the signer of the above instrument, duly acknowledged to me that he (she) (they) executed the same.

Notary Public
Residing at Boise, Idaho

seal

My commission expires: 7/18/95

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
AUG 20 1991
Department of Water Resources
Southern Region Office

ASSIGNMENT OF APPLICATION FOR PERMIT

I, Professional Investor's Life Insurance Company, hereby assign to Ronald C. Yanke

of, 4414 S. Gekeler Lane, Boise, Idaho 83705
(Full Address)

All my right, title, and interest in and to Application for Permit No. 36-8094 to appropriate the public waters of the State of Idaho.

Or (for partial assignments)

The following described portion of my right, title, and interest in and to Application for Application for Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the application assigned listing the number of acres in each 40 acre subdivision, point of diversion location, and the amount of water in cubic feet per second.

_____

_____

_____

Made this 25th day of June, 19~~XX~~91

Professional Investors Life Insurance Company

By: _____
Applicant

State of ~~Idaho~~ OKLAHOMA)
ss
County of Tulsa)

On this 25th day of June, 19~~XX~~91, personally appeared before me the signer of the above instrument, duly acknowledged to me that he (she) (they) executed the same.

_____
Notary Public

seal

My commission expires: 10-23-92

NOV 15 1991

State of Idaho
Department of Water Resources

RECEIVED
MAR 8 1984
Department of Water Resources

ASSIGNMENT OF PERMIT

I, AQUA LIFE INC., by Kenneth s. Ellis, President, hereby assign to Professional Investor's Life Insurance Company

of P.O. Box 2888, Main at Fifth, Tulsa, Oklahoma 74101
Address

CHECK ONE

[XX] All my right, title, and interest in and to Permit No. 36-8094 to appropriate the public waters of the State of Idaho, a copy of the application for which is attached hereto.

[ ] The following described portion of my right, title, and interest in and to Permit No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within each 40 acre subdivision, the point of diversion and the amount of water in cubic feet per second for direct diversion, or acre feet for storage)

Made this 7th day of Dec., 19 83.

AQUA LIFE, INC.,

Kenneth S. Ellis Pres.
Permit Holder
by KENNETH S. ELLIS
Its President

NA
Spouse of Permit Holder

RECEIVED
MAR 23 1984
Department of Water Resources
Southern District Office

State of Idaho)
ss.
County of Twin Falls)

On this 6th day of December, 1983, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

(SEE ATTACHED)

seal

Notary Public residing at Twin Falls, Idaho

My commission expires:

STATE OF IDAHO)
: ss.
County of Twin Falls)

On this 7th day of December, 1983, before me, KATHY THOMAS, a Notary Public in and for said State, personally appeared KENNETH S. ELLIS known to me (or proved to me on the oath of N/A) or identified to me to be the President of AQUA LIFE, INC., an Idaho Corporation, also known as AQUA LIFE CORPORATION, who executed the foregoing instrument on behalf of said corporation and acknowledged to me that such corporation executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.

Kathy Thomas
Notary Public for State of Idaho
Residing at Twin Falls, therein.

Form 202
3/78

Ident. No. 36-8094

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Aqua Life, Inc. Phone 543-8244

   Post office address Route 3, Box 50, Buhl, Idaho 83316

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is Lot 14 ¼ of _____ ¼ of Section 29 Township 9S

   Range 17E B.M. Jerome County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

   Amount 7.0 (cfs or acre-feet per annum) for Power Gen. purposes from Jan. 1 to Dec. 31 (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

5. Total quantity to be appropriated:

   a. 7.0 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

   a. Description of ditches, flumes, pumps, headgates, etc. _____

   Hydro generation facility on existing well site.

   b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

   Period of year when water will be diverted to storage _____ (Month/Day) to _____ (Month/Day) inclusive.

   c. ~~Proposed~~ Present well diameter is 16 inches; proposed depth of well is 700 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years *(minimum 1 year – maximum 5 years).*

8. Description of proposed uses:
   a. If water is not for irrigation:
      (1) Give the place of use of water: Lot 14 ¼ of _____ ¼ of Section 29 Township 9S

      Range 17E B.M.

      (2) Amount of power to be generated: 174 horsepower under 95 psig feet of head.

      (3) List number of each kind of livestock to be watered _____

      (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

      (5) If water is to be used for other purposes describe: Generation of electricity.

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

License 36-7130 presently used for fish propagation is from same well.

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____


This application will be for additional use of water to generate power from water that is presently diverted under License No. 36-7130. After water is used to produce power it will flow into existing fish ponds.

10. Remarks _____

MICROFILMED
MAY 15 1992

36-8094

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: ~~2~~ inches equal 1 mile.
2.54

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)
Attorney for Applicant

Re-typed ADM 7/6/82

Received by JS Date 6/28/82 Time 4:35 p.m.

Preliminary check by ADM Fee $ 165 00

Receipted by JS Date 6/28/82 # 20848

Publication prepared by mcye Date 7/8/82

Published in north side news

Publication dates 7/15 & 7/22/82

Publication approved mcye Date 8/4/82

Protests filed by: _____

_____

_____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____ , and said application is hereby _____ .

1. Approval of said application is subject to the following limitations and conditions:

   a. SUBJECT TO ALL PRIOR WATER RIGHTS.

   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____ , 19 ____ .

   c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

   d. Other:

MICROFILMED
MAY 15 1992

Identification No. _____

Application No. _____

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Aqua Life, Inc. Phone 543-8244

   post office address Route 3, Box 50, Buhl, Idaho 83316

2. Source of water supply ground water which is a tributary of Snake River

3. a. Location of point of diversion is Lot 14 ¼ of ¼ of Section 29 Township 9 S

   Range 17 E. B.M. Jerome County; additional points of diversion if any: _____

   b. If water is not consumed, it will be discharged into _____ at a point in _____ ¼

   of _____ ¼ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

   Amount 7.0 (cfs or acre-feet per annum) for power gen purpose from Jan. 1 to Dec. 31 (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purpose from _____ to _____ (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purpose from _____ to _____ (both dates inclusive)

5. Total quantity to be appropriated:

   a. 7.0 cubic feet per second and/or

   b. _____ acre feet per annum.

6. Proposed diverting works:

   a. Description of ditches, flumes, pumps, headgates, etc. Hydro generation facility on existing well site.

   b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____

   Period of year during which storage will occur _____ (Mo. Day) to _____ (Mo. Day) inclusive.

   c. ~~Proposed~~ Present well diameter is 16 inches; proposed depth of well is 700 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 yrs years.

   b. Estimated construction cost is $ 18,000.

8. Description of proposed uses:

   a. If water is **not** for irrigation:

      (1) Give the place of use of water: Lot 14 ¼ of ¼ of Section 29 Township 9 S

      Range 17E. B.M.

      (2) Amount of power to be generated: ~~65~~ 174 hp under 95 lb. pressure feet of head.

      (3) List number of each kind of livestock to be watered _____

      (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

      (5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above.

License #36-7130 presently used for fish propagation is from same well.

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Water application will be on additional use of water under license No. 36-7130 and returned to existing fish ponds.

MICROFILMED
MAY 15 1992

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
MAY 15 1992

(Applicant)
Attorney for Applicant

Received by JP Date 6-28-82 Time 4:35 pm

Preliminary check by ADM Fee $ 165.00

Receipted by JP Date 6-28-82 # 20848

Publication prepared by mmp Date 7/8/82

Published in north side news

Publication dates 7/15 & 7/22/82

Publication approved _____ Date _____

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

   a. SUBJECT TO ALL PRIOR WATER RIGHTS.

   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

   c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____ 19____.

_____
Director

MICROFILMED
MAY 15 1992

AFFIDAVIT of PUBLICATION

State of Idaho, } SS.
County of Jerome }

L. L. LANGDON
ASST. PUBLISHER

, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninteruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for Two consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 15th day of July, 1982; and the date of the last publication was on the 22 day of July, 1982.

L. L. Langdon

Subscribed and sworn to before me this 3rd day of August, 1982.
(SEAL)

Darla Bratt
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line		13
Number of Lines in Notice		34
Number of Insertions		2
	Lines tabular at	4¢ / Pica
34	Lines straight at 13.26	3¢ / Pica
34	Subsequent lines at 8.84	2¢ / Pica
	TOTAL COST 22.10	

COPY OF NOTICE
(Paste Here)

#36-8094 Aqua-
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF
Dept of Water
BILL TO

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

36-8094

AQUA LIFE INC., RT. 3, BUHL, ID 83316

Source: GROUNDWATER

Date Filed: 06/28/1982

Amount: 7.00 CFS

Diversion Point: LOT 14 Sec 29 T 09S R 17E, JEROME Co.

Use: POWER (7.00 CFS) from 01/01 to 12/31

Place of Use: LOT 14 Sec 29 T 09S R 17E

Diversion Means: WELL

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before AUGUST 2, 1982.

A. KENNETH DUNN
Director
7-15-2tc

Insertions 2¢ Pica

RECEIVED
AUG 4 1982
Department of Water Resources
Southern District Office

HAEMMERLE & HAEMMERLE, P.L.L.C.

Attorneys & Counselors at Law

Fritz X. Haemmerle
Jennifer L. K. Haemmerle

P. O. Box 1800
Hailey, ID 83333

400 South Main Street, Suite 102
Tel: (208) 578-0520
Fax: (208) 578-0564

RECEIVED
FEB 12 2003
Department of Water Resources
Southern Region

February 10, 2003

RECEIVED
FEB 14 2003
Department of Water Resources

Idaho Department of Water Resources
c/o Allen Merritt
1341 Fillmore Street, Suite 200
Twin Falls, ID 83301-3380

Re: Correspondence Relating to Pristine Springs, Inc.

Dear Mr. Merritt:

I am in receipt of a letter dated February 7, 2003, from you to Pristine Springs, Inc. The letter is in reference to calibration devices on hot wells. In the future, please be advised that I am the representative for Pristine Springs, Inc. As such, I respectfully request that you send any correspondence relating to any water right belonging to Pristine Springs, Inc., to my Office.

If you have any questions, please do not hesitate to call. Thank you.

Sincerely,

HAEMMERLE & HAEMMERLE, P.L.L.C.

Fritz X. Haemmerle

FXH: fxh
cc: client

WR database updated - 4.4.03 - Kari Lyons

Ph. 1 Ltr

ROUTING SLIP

Distribution	Provided for your:	
Date: 3-19-02	Information	
To: Kathy/Phil.	Comments	
From: Cindy Venter	Approval	
	Signature	

Special Notes: Pristine Springs response. Can they request Compliance Conference in Advance of Nov? Should I send Jesse documentation when he seems hesitant to send me anything substantive?

JASON R. MICIAK, P.C.

Attorney at Law

392 Falls Avenue
P.O. Box 2632
Twin Falls, ID 83303

Phone: (208) 733-5500
Fax: (208) 733-5553
Email:jmiciak@yahoo.com

RECEIVED
MAR 19 2002
Department of Water Resources
Southern Region

March 15, 2002

Ms. Cindy Yenter
Sr. Water Resource Agent
Idaho Department of Water Resources
1341 Fillmore Street, Suite 200
Twin Falls, ID 83301-3380

RE: *Operation of Geothermal Well at Pristine Springs - Notice of Over Appropriation and unauthorized change in Place of Use.*

Dear Ms. Yenter:

I am writing in my representative capacity for Pristine Springs and am attorney of record in this and all matters before the Department concerning Pristine Springs, all future correspondence or concerns may be addressed to my office. We are in receipt of your letter dated March 13, 2002. Under the authority granted by the Department Administrative Rules, Pristine Springs formally requests a Compliance Conference in order to demonstrate that Pristine Springs current use is in full compliance with all pertinent licenses, decrees and permits. We specifically waive our right to have that conference within the 21 day period allotted. I am sure our respective offices can coordinate a convenient time and location for the Compliance Conference.

Pristine Springs respectfully but vigorously disagrees with your preliminary conclusion that Pristine Springs' use of the geothermal well constitutes an over appropriation. Pristine Springs is in complete compliance with the precise terms of permit 36-8094. Furthermore, Pristine Springs has been inspected on numerous occasions by the department within the last few years, cooperated fully with the Department, and the Department has consented to Pristine Springs' complete use of 36-8094. Pristine Springs invested significant capital to improve its diversion works and facilities in total reliance upon the terms of the permit. In its current configuration, Pristine Springs' economic feasibility is dependant upon full use of Permit 36-8094. We shall fully explain the legal predicate for our longstanding full use of 36-8094 at the compliance conference.

Please forward to us all materials, documents, affidavits, or other materials utilized by the department in its preliminary decision and forward any new materials which may be generated in the near future. If you have any questions or concerns please feel free to contact my office as I am sure we will be discussing this matter frequently.

Sincerely,

Jason R. Miciak

To Norm & Phil ASAP

Jason R. Miciak ISB #5710
Attorney at Law
P.O. Box 2632
392 Falls Avenue W.
Twin Falls, Idaho 83303-2632
Telephone: (208) 733-5500
FAX: (208) 733-5553

IN THE DEPARTMENT OF WATER RESOURCES

****

IN MATTER OF PRINTINE SPRINGS	)	Matter of Permit No. 36-8094
	)	**AFFIDAVIT OF WENDELL STARKE**

****

STATE OF IDAHO)
) ss.
County of Twin Falls)

WENDELL STARKE, being first duly sworn upon oath, deposes and states as follows:

1. Prior to purchase by Pristine Springs, Inc. in June 1991, the Pristine Springs hot water well was flowing (with no measuring device) into an open lake where the water was used to grow catfish in open direct ponds.

2. Pristine Springs, Inc. purchased the property with the intent to build a "state of the art" tilapia facility which would set a new standard for environmental responsibility and efficient use of the hot water resource. Upon inspection, it was determined that it was possible that the hot well was defective because hot water was possibly seeping into the cold-water strata. Working cooperatively with IDWR, Pristine Springs put the 7.0 CFS hot well permit to use, the hot well was re-drilled in 1993 at a cost of $145,000.00.

3. To fully use the hot water resource, a tilapia-raising facility of 40 concrete raceways was constructed (cost of $690,000) together with extensive systems for environmental treatment, quiescent zones and settlement lakes (cost of $185,000). When adequate secondary use capability was established as required, a 7.0 CFS power generator system was installed along with appropriate measuring devices (costs of $165,000) prior to filing proof of use with IDWR in 1995.

4. To better utilize the hot water resource, an additional $110,000 was invested to re-oxygenate and re-circulate the warm water for multiple re-uses. With this multiple re-use of the heat-resource from this warm water, this facility has been estimated (by Auburn University Fisheries Department) to have a total capacity to grow about 1,900,000 pounds of tilapia annually.

5. In preparation for the production, processing, sale and delivery of tilapia, Pristine Springs has worked with EPA and IDEQ to build the most environmentally sound and productive facility in Idaho with the State's largest concrete quiescent zones, automated cleaning systems and a series of man-made settling channels, ponds and lakes.

6. In addition to the above expenditures, Pristine Springs, Inc. has installed extensive 42" steel pipe and 18" PVC pipe to conserve water most efficiently without seepage. These installations have cost $147,000 (steel) and $85,000 (PVC).

7. In recent months, Pristine Springs has invested an additional $70,000.00 in "purging ponds" for tilapia and $150,000 in additional trucks and tanks for fish delivery. The total invested in the 7.0 CFS power generation system and the 1.9 million pound tilapia facility is approximately $1.75 million.

8. The above expenditures of about $1.75 million does not include the $2.25 million purchase price of the property and does not include the cost of construction of the trout-raising (cold water) facilities. Although a large expenditure ($4.0 million capital commitment), this investment provides direct employment to 60 employees of the farm, the processing plant and the trucking staff. In addition to 60 directly employed, many additional jobs are created through the businesses which provide fee, supplements, monitoring services, maintenance, power fuel transportation, packaging, cold storage and many other services and products used to produce and deliver Pristine Springs' products.

9. The economic viability of this business is dependent on the efficient utilization of warm water under our 7.0 CFS permit for which every effort has been made to comply with IDWR and IDEQ and EPA regulations.

10. Although I have received expert legal advice that the power-generation permit and the fish-rearing permit should not be combined. I have not chosen to assert this point up to this time. Neither, have I contested IDWR's requests that Pristine Springs comply with regulations not enforced on other water users (re-working of defective wells, installation of adequate monitoring equipment and frequent monitoring visits). I have supported IDWR's efforts whether or not applied equally to others.

DATED this _____ day of _____,2002.

_____
WENDELL STARKE

SUBSCRIBED AND SWORN to before me this ___ day of _____, 2002.

_____
NOTARY PUBLIC FOR IDAHO
Residing at:_____
My commission expires:_____

State of Idaho
DEPARTMENT OF WATER RESOURCES
1341 Fillmore Street, Suite 200, Twin Falls ID 83301-3380
Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

March 13, 2002

WENDELL STARK
274 KAY DRIVE
TWIN FALLS ID 83301

RE: Operation of Geothermal Well at Pristine Springs – Notice of Over-appropriation and Unauthorized Change in Place of Use

Dear Mr. Stark:

On January 23, 2002 I conducted a field inspection at Pristine Springs for the purpose of collecting information for license recommendations on Water Right Permit nos. 36-7757 (Alpheus Creek), 36-8573 (waste water), 36-8414 (Sunnybrook Springs) and 36-8094 (geothermal ground water). Butch Tadlock and Jason Miciak accompanied me on this exam.

The process of license recommendation includes both an overview of present beneficial uses and an analysis of existing rights. During this process I identified uses of geothermal ground water at the Pristine Springs facility which are outside the limits of the existing authorizing right, and which do not fall within the development limits authorized by the later in time geothermal permit.

The geothermal well at Pristine Springs was developed under right no. 36-7130. A partial decree bearing the same water right number was issued in the Snake River Adjudication on December 29, 1997, authorizing a maximum diversion rate of 4.5 cfs for fish propagation using geothermal water. Over the past two years, recorded diversions from the geothermal well have increased from around 4.5 cfs to between 6 and 7 cfs. Also, the place of use under the right has been changed from Lot 14 (SWNE) Section 29, T09S R17E, at the Big C Raceways, to a location in Lot 10 (NWNW) Section 29 and Lot 8 (NENE) Section 30, T09S R17E, known as the DEFG Raceways. While expansions in non-consumptive uses would be allowable under this right, a change in place of use is not authorized without the approval of a water right transfer. Further, any diversion for fish propagation in excess of 4.5 is not authorized under 36-7130 and must be considered an illegal appropriation.

Permit no. 36-8094 authorizes the development of a maximum diversion of 7.0 cfs for power production, from the same geothermal well decreed under 36-7130. However, Idaho Code §42-233 states that geothermal resources in the state of Idaho *"shall be utilized primarily for heat value and secondarily for the value as water."* Permit 36-8094 contains the following condition of use:

"License No. 36-7130 authorized diversion from the same point of diversion authorized by this permit. The validity of this permit and any subsequent license depends on use of the low temperature geothermal water for rearing of warm water fish, or some other beneficial use which extracts the heat value from the water."

Diversions under 36-8094 are limited to what may be beneficially used under 36-7130, and that use is limited by decree to 4.5 cfs. Since no water rights appear to authorize the additional diversions, or the changed place of use under 36-7130 as described above, I request your immediate cooperation in identifying what water right covers your development, if our records are not correct. If you cannot identify valid water rights which cover both the increased rate of flow and the changed place of use, please explain why IDWR should not take legal action to cause you to cease diversions of geothermal ground water in excess of 4.5 cfs and beneficial use of geothermal water within Lot 10 Section 29 and Lot 8 Section 30.

Please respond to our office within 14 days of the date of this letter as to the status of your project. Please note that to divert water in Idaho without a valid water right is illegal pursuant to §42-351, Idaho Code and pursuant to §42-1701B, Idaho Code, civil penalties for illegal use may be imposed.

I am continuing to work toward licensing recommendations for the Alpheus Creek, Sunnybrook Springs and waste water permits. At this time, I am prepared to make a water right license recommendation for 36-8094, limiting the maximum diversion for power production to 4.5 cfs. If you have information which might substantiate a different recommendation, please submit it at your earliest convenience.

Thank you for your attention to this matter. Please contact me or Allen Merritt at 208-736-3033 if you have any questions or comments.

Sincerely,

Cindy Yenter

Cindy Yenter
Sr. Water Resource Agent
Water Distribution Section

cc: Butch Tadlock - Pristine Springs
Jason Miciak
Tim Luke, Norm Young – IDWR State Office

Keen, Shelley

From: Young, Norm
Sent: Monday, February 25, 2002 4:39 PM
To: Keen, Shelley
Subject: FW: Pristine Springs

Shelley, Please flag this permit to be reviewed for this issue when it comes in for licensing. We may want to give Jason Miciak a chance to discuss his concerns before we issue the license. Norm

-----Original Message-----
From: Rassier, Phil
Sent: Monday, February 25, 2002 4:22 PM
To: Young, Norm
Subject: FW: Pristine Springs

Norm,
Here is Cindy's memo. You may want to be sure the department looks carefully at the hydropower right (36-8094) when it comes through for licensing.
Phil

-----Original Message-----
From: Yenter, Cindy (Hodges)
Sent: Monday, February 25, 2002 2:44 PM
To: Rassier, Phil
Subject: Pristine Springs

Phil -
You'll probably receive a call from Jason Miciak regarding water right nos. 36-7130 / 8094 in the name of Pristine Springs. Source for both rights is a geothermal well which is within the Twin Falls geothermal moratorium area. 36-7130 was affected by civil case no. 37298 in which an agreement between Professional Investors Life (previous permit holder) and CSI reduced the rate of diversion for License 36-7130 from 6.0 to 4.5 cfs for fish propagation. That amount was subsequently carried over to the SRBA and is now affecting licensing of 36-8094 for hydropower, because the hydro diversion must be limited by the authorized heat-related beneficial use under 7130. You wrote a dept memo in Oct 1988 which indicated that the dept should adjust its records to reflect the reduced flow for 7130. Jason argues that the court decision should not be binding on IDWR records. Pristine has another application on file dating back to 1992 for additional flow for fish prop from the well, but it is held in the moratorium.

I'm going to be recommending 4.5 cfs on 8094 unless I hear differently.

Please call if you have questions. Thanks.
Cindy

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 36-08094 Reviewed by [illegible] Date 4-21-95

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

TYPES OF USE

Power

SOURCE OF WATER

_____ Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 36-91-Z-0003
200.00 Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
250.00 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
yes Installed?
_____ Waiver requested?

PRIORITY CALCULATION

Date proof received		
Date proof due	-	
No. of days late	=	
Priority Date	+	
New Priority Date		

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 4-12-95

April 24, 1995

PRISTINE SPRINGS INC
201 WARM CREEK ROAD
JEROME ID 83338

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08094

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

March 31, 1995

PRISTINE SPRINGS INC
201 WARM CREEK ROAD
JEROME ID 83338

PROOF DUE NOTICE

RE: PERMIT NO. 36-08094

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

CERTIFIED MAIL
NO. 14968

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 2, 1994

Richard Eggleston
Pristine Springs, Inc.
201 Warm Creek Rd.
Jerome, ID 83338

Re: Well Abandonment - Water Right Nos. 36-7130 & 36-8094
Drilling Permit No. 36-91-Z-003

Dear Mr. Eggleston:

Thank you for returning my earlier phone calls. As I mentioned, I had already drafted the attached letter before you returned my call. I appreciate your comments regarding potential expansion of the moratorium area and monitoring efforts, as well as the need to address existing well construction problems. I will relay these comments to Norm Young.

Additionally, I was not aware that there was any discussion regarding the use of the old Pristine well as an observation well at the last moratorium meeting. Based on my recent discussions with the USGS and other Department staff, there are no plans to utilize the old Pristine well as an observation well.

Sincerely,

Tim Luke
Hydrologist, Water Allocations

cc: Region
Norm Young, IDWR
Bill Young, USGS

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 2, 1994

Richard Eggleston
Pristine Springs, Inc.
201 Warm Creek Rd.
Jerome, ID 83338

Re: Well Abandonment - Water Right Nos. 36-7130 & 36-8094
Drilling Permit No. 36-91-Z-003

Dear Mr. Eggleston:

On February 2, 1994, I made an inspection of the geothermal wells operated by Pristine Springs and identified under the above referenced water right numbers. This inspection was made with a representative of the United States Geological Survey (USGS) as part of the monthly routine inspection of wells within the Twin Falls Low-Temperature Geothermal Moratorium Area.

Inspection of the measuring device on the new well indicated that this device was functioning properly. The Department appreciates your cooperation in maintaining this device and monitoring the geothermal resource. At the time of our inspection, this well had a measured discharge of 2200 gallons per minute (gpm) or 4.90 cubic feet per second (cfs).

The measuring device on the old well was not functioning at the time of our inspection. A review of the USGS monitoring records shows that this meter has been inoperable at different times during the past year and had been inoperable since at least January 4, 1994. The discharge from this well at the time of our February 2 inspection was estimated at 70 gpm, or 0.16 cfs. Some of this discharge apparently was being used for domestic heating while the remaining flow was injected into an open pond. The combined discharge of the two wells was about 5.06 cfs, which exceeds the 4.5 cfs limitation identified in the moratorium agreement dated July 2, 1987 between the Department and water right holders in the moratorium area, as well as the "Settlement Agreement" entered into by your predecessors, Professional Investors Life Insurance Co., and the College of Southern Idaho, dated May 19, 1988.

Review of Department records also shows that the new Pristine well was constructed as a replacement for the existing or old well authorized under water right no. 36-7130. Conditions of approval for drilling permit no. 36-91-Z-003, which authorized the construction of the new low-temperature geothermal well, required that the old well be abandoned before using the new well. A copy of the drilling permit and conditions of approval is attached for your reference.

At this time the Department asks that you provide information concerning your plans to abandon the old well. The Department further asks that you limit your total combined rate of diversion from both wells to 4.5 cfs. If you have questions concerning this matter please contact me at 327-7864.

Sincerely,

Tim Luke

Tim Luke
Hydrologist, Water Allocations

cc: Region
Norm Young
Bill Young, USGS

Form 235-1
7/90

Drilling Permit No. 36-91-Z-003
Water Right Permit No. 36-7130
Injection Permit No.

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. **Applicant (please print)** Pristine Springs, Inc.

2. **Mailing Address** 4074 North 2000 East

City & State Filer, Idaho Zip Code 83328 Telephone (208) 326-5687

(X) Well Owner ( ) Well Operator ( ) Other, specify

3. **Proposed well location** 1/4 1/4, or Gov't Lot No. 14

Sec. 29, Twp. 9 South, Rge. 17 East, County Jerome County

Street Address of Well Site Bottom of Blue Lakes Grade

Lot, block and subdivision

4. **Proposed use of well:**

( ) Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diverstion rate of 0.04 cfs and a diversion volume of 2500 gpd.

( ) Non-Domestic: Any beneficial use not included within the definition of domestic.

( ) Injection

( ) Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells:

(X) Other Fish Propagation and power generation
(Describe)

5. **Well construction information:**

A. ( ) New well ( ) Deepen ( ) Enlarge (X) Replace - See Condition 9

B. Proposed Surface Diameter Proposed Maximum Depth 999

C. Anticipated bottom hole temperature:

( ) 85°F or less (Cold water well)
(X) 85°F to 212°F (Low temp. geothermal well)
( ) 212° or more (Geothermal well)

6. **Construction Start Date** August, 1991

7. **Anticipated Well Driller** Walker Water Systems; Twin Falls, Idaho
NOTE: The actual well driller must be identified prior to drilling.

8. **Applicant's signature** Richard Eglestor Date 7/23/91

Title Executive Vice President & General Manager
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is APPROVED. Date 9-6-1991.

If approved, this permit authorizes the constuction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Refer to the attached Specific Conditions.

Norm C Young 9/9/91 Administrator

Signature of Authorized Department Representative — Title

Receipt No. C081700 Receipted by MH Fee $200.00 ~~Heating Permit~~ Date ~~9-6-91~~ 9-9-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

SPECIFIC CONDITIONS
Drilling Permit No. 36-91-Z-003
Water Right Permit No. 36-7130

10. The well shall be constructed according to the design criteria submitted as a Drilling Prospectus by Walker Water Systems, Inc. dated 8-20-91.

11. Prior to drilling the 16" open hole below the 16" casing shoe, the 16" casing shall be flanged to accept equipment capable of controlling water pressure up to 300 psi.

12. The 12" casing shall be fitted with equipment capable of safely controlling water pressures of 300 psi. This equipment shall be installed prior to drilling of 12" open hole below 12" casing shoe and must be approved by the Department prior to installation.

13. The 8" casing string shall be centralized in the hole during the pumping and setting of the cement. The cementing equipment, materials and procedure shall be capable to ensure the proper and thorough sealing of the well to prevent any movement of water via channels or voids in the annular space and approved by the Department prior to installation.

14. Cement shall be circulated to the surface during cementing of all casing strings.

15. Any artesian flowing water encountered during drilling shall be controlled and diverted away from the drill site to avoid it becoming a nuisance or a safety hazard.

16. Water shall not be diverted from the well authorized to be drilled under this drilling permit, other than for testing or drilling purposes as approved by IDWR, until the existing well authorized by water right no. 36-7130 has been abandoned in accordance with applicable Idaho statutes and IWRB rules and regulations and measuring equipment is installed in accordance with Operative Provision 7 of the "Settlement Agreement" entered into by Professional Investors Life Insurance Company and the College of Southern Idaho, dated May 19, 1988.

17. Prior to abandoning the existing well the Department must approve a procedure for properly cementing the well closed.

18. The continued validity of right no. 36-7130 is subject to determination in the Snake River Basin Adjudication.

19. Issuance of this drilling permit does not constitute approval to use the water for any purpose for which a valid water right does not exist and is not an indication that any pending applications to divert water from the well will be issued by IDWR.

20. The well authorized for construction under this drilling permit must be located within the same government lot as the existing well.



RECEIVED
MAY 25 1993
Department of Water Resources

May 24, 1993

L. Glen Saxton, Chief
Water Allocation Bureau
State of Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

RE: PERMIT NO. 36-08094 - PRISTINE SPRINGS, INC.

Dear Mr. Saxton:

In answer to your letter of May 19, 1993, referring to condition of approval #3. I didn't realize I needed to send a letter stating when we started the hydro on the above mentioned permit.

We started on this hydro as soon as the new well was drilled and flowing, May of 1992. The hydro equipment was ordered in November 1992, and has been delivered to the site as of May 21, 1993.

I hope this letter is sufficient information to comply. If you have any questions please contact me at 326-3237.

Sincerely,

PRISTINE SPRINGS, INC.

Nyal Hoffman

Nyal Hoffman

mb

Rt. 1, Box 1204 • 4074 N, 2000 E
Filer, Idaho 83328
(208) 326-5687 or 326-3237
Fax: (208) 326-3306

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

May 19, 1993

Nyal Hoffman
Pristine Springs, Inc.
Route 1, Box 1204
Filer, ID 83328

RE: PERMIT NO. 36-08094 - PRISTINE SPRINGS, INC.

Dear Mr. Hoffman:

This letter is in response to your letter dated May 10, 1993 to Loren Holmes of our Twin Falls office. Loren advises me that your intent with respect to the above referenced permit now is to market the power generated under the permit rather than use the power solely for the Sunnybrook facility. In that regard, you have asked Loren whether condition of approval no. 10 on the permit requiring compliance with state and federal requirements will present a problem in connection with your intent to now market the power.

The department does not anticipate a problem with regard to the condition provided you comply with appropriate state and federal requirements.

I would, however, like to call condition of approval no. 3. to your attention. This condition requires the start of project construction within a year unless you can show that non compliance with the condition was beyond your control. The permit was approved on April 17, 1992 and there is nothing in the department's file to show that you have timely started construction of the hydropower facility.

If you have questions, please feel free to contact the department.

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

c: IDWR - Loren Holmes
Jo Beeman

RECEIVED
MAY 18 1993
Department of Water Resources

RECEIVED
MAY 18 1993
Department of Water Resources
Southern Region Office

Nyal Hoffman
Pristine Springs, Inc.
Route # 1, Box 1204
Filer, Idaho 83328

Mr. Loren O. Holmes
Southern Idaho Regional Manager
Idaho Department of Water Resources
Southern Region
222 Shoshone Street East
Twin Falls, Idaho 83301

May 10, 1993

Dear Loren,

This letter is to follow up on our phone conversation of May 6, 1993.

Pristine Springs, Inc. is the holder of permit #36-08094 for power generation. This permit contains a condition marked #10 stating "limited use of power generation on the Sunnybrook facility." Also this paragraph says future use of this power will comply with all applicable state and federal requirements.

At this time, Pristine Springs is contemplating filing with F.E.R.C. an in conduit exemption in order to sell this power. Due to fluctuating needs, it would work out better for Pristine Springs to follow this avenue.

In our phone conversation, you indicated you would see no problem with this change. Would you please review this request and send a letter accordingly to Pristine Springs at the above address.

As you know, to receive an in conduit exemption Pristine Springs would have to comply with all state and federal requirements as noted in condition #10.

Your consideration on this matter would be greatly appreciated.

Sincerely,

Nyal Hoffman

Nyal Hoffman

State of Idaho
DEPARTMENT OF WATER RESOURCES
Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

04-Sep-1991

Attn: Jo Beeman
Davis Wright Tremayne
702 West Idaho St., Suite 700
Boise, ID 83702

Re: Application for permit 36-8094

Dear Jo:

This office has received assignment of the application from Professional Investors Life Insurance Co. to Ronald C. Yanke and from Ronald C. Yanke to Pristine Springs, Inc.. Our records will be changed to reflect the current applicant.

Our records will also reflect that Davis Wright Tremayne is attorney for Pristine Springs, Inc..

This application is currently subject to an order dated July 24, 1987, establishing a five-year moratorium on action on applications for geothermal groundwater within the Twin Falls area.

Since the application proposes power as a water use, it is subject to the provisions of Idaho Code Sections 42-205-208 regarding residency and use of existing man-made works. An affidavit form is enclosed for the applicant's use in addressing these requirements.

When processing of the application is resumed, it will be subject to additional information requirements of Rule 4,5,3. of the Rules and Regulations for Water Appropriation. This requirement may be met in one of two ways:

A) Submit all information required by rule 4,5,3 to the department for review. The department may then act on your application independently of actions of the Federal Energy Regulatory Commission (FERC) and/or the Idaho Public Utilities Commission (PUC).

B) Submit all required approvals of FERC and/or PUC.

A copy of Rule 4,5,3. is attached.

The application will also be subject to provisions of Section 42-233, Idaho Code, regarding low temperature geothermal resources.

If there are any further questions about this matter, please let me know.

Sincerely,

Loren

Loren O. Holmes, P. E.
Southern Region Manager

4,5,3. Information to be submitted

The following information shall be submitted for applications to appropriate unappropriated water or trust water and for permits being reprocessed for trust water. The additional information submittal requirements of this rule are waived for filings which seek to appropriate five (5) cfs or less or storage of five hundred acre-feet (500 A-F) or less and for filings seeking reallocation of trust water which the director determines will reduce the flow of the Snake River measured at Murphy Gauge by not more than two (2) acre-feet per day. For filings proposing irrigation as a purpose of use, the additional information is required if more than 200 acres will be irrigated. However, the director may specifically request submittal of any of the following information for any filing, as he determines necessary.

4,5,3,1. Information relative to the effect on existing water rights, Section 42-203A(5)(a), Idaho Code, shall be submitted as follows:

4,5,3,1,1. For applications appropriating springs or surface streams with 5 or fewer existing users, either the identification number, or the name and address of the user, and the location of the point of diversion and nature of use for each existing water right shall be submitted.

4,5,3,1,2. For applications appropriating groundwater, a plat shall be submitted locating the proposed well relative to all existing wells and springs and permitted wells within a one-half mile radius of the proposed well.

4,5,3,1,3. Information shall be submitted concerning any design, construction, or operation techniques which will be employed to eliminate or reduce the impact on other water rights.

4,5,3,2. Information relative to sufficiency of water supply, Section 42-203A(5)(b), Idaho Code, shall be submitted as follows:

4,5,3,2,1. Information shall be submitted on the water requirements of the proposed project, including, but not limited to, the required diversion rate during the peak use period and the average use period, the volume to be diverted per year, the period of year that water is required, and the volume of water that will be consumptively used per year.

4,5,3,2,2. Information shall be submitted on the quantity of water available from the source applied for, including, but not limited to, information concerning flow rates for surface water sources available during periods of peak and average project water demand, information concerning the properties of the aquifers that water is to be taken from for groundwater sources, and information on other sources of supply that may be used to supplement the applied for water source.

4,5,3,3. Information relative to good faith, delay, or speculative purposes of the applicant, Section 42-203A(5)(c), Idaho Code, shall be submitted as follows:

4,5,3,3,1. The applicant shall submit copies of deeds, leases, easements or applications for rights-of-way from

federal or state agencies documenting a possessory interest in the lands necessary for all project facilities and the place of use or if such interest can be obtained by eminent domain proceedings the applicant must show that appropriate actions are being taken to obtain the interest. Applicants for hydropower uses shall also submit information required to demonstrate compliance with Sections 42-205 and 42-206, Idaho Code.

4,5,3,3,2. The applicant shall submit copies of applications for other needed permits, licenses and approvals, and must keep the department apprised of the status of the applications and any subsequent approvals or denials.

4,5,3,4. Information Relative to Financial Resources, Section 42-203A(5) (d), Idaho Code, shall be submitted as follows:

4,5,3,4,1. The applicant shall submit a current financial statement certified to show the accuracy of the information contained therein, or a financial commitment letter along with the financial statement of the lender or other evidence to show that it is reasonably probable that financing will be available to appropriate the water and apply it to the beneficial use proposed.

4,5,3,4,2. The applicant shall submit plans and specifications along with estimated construction costs for the project works. The plans shall be definite enough to allow for determination of project impacts and implications.

4,5,3,5. Information Relative to Conflict with the Local Public Interest, Section 42-203A(5) (e), Idaho Code, shall be submitted as follows:

4,5,3,5,1. The applicant shall seek comment and shall submit all letters of comment on the effects of the construction and operation of the proposed project from the governing body of the city and/or county and tribal reservation within which the point of diversion and place of use are located, the Idaho Department of Fish and Game, the Idaho Department of Health and Welfare, Division of Environment, and any irrigation district or canal company within which the proposed project is located and from other entities as determined by the director.

4,5,3,6. The following information Relative to the Public Interest Criteria of Section 42-203C(2), Idaho Code, shall be submitted by an applicant seeking reallocation of trust water for a project which the director determines will reduce the flow of the Snake River by more than two (2) acre-feet per day. For filings proposing irrigation as a purpose of use, the additional information is required if more than 200 acres will be irrigated. The director may request any or all of the following information for any filing seeking the reallocation of trust water.

4,5,3,6,1. A project design and estimate of cost of development shall be submitted. For applications appropriating more than 25 cfs, or 10,000 AF of storage, or generating more than 5 megawatts, the information shall be prepared and submitted by a qualified engineer licensed under the provisions of Chapter 12, Title 54, Idaho Code, unless waived by the director. The design shall be definite enough to reflect the project's impacts and implications as required in subsequent rules.

4,5,3,6,2. If the project proposes development for irrigation purposes, information shall be submitted on crop rotation, including acreages, for lands when newly developed.

4,5,3,6,3. Information shall be submitted concerning the number and kinds of jobs that will be created or eliminated as a direct result of project development including both the construction and operating phases of the project. If jobs are seasonal, the estimated number of months per year of employment shall be submitted.

4,5,3,6,4. For applications or permits being reprocessed for more than 25 cfs, or more than 10,000 AF of storage, or more than 5 megawatts, information shall be submitted concerning the changes to community services that will be required during the construction and operation phases of the project including, but not limited to, changes to schools, roads, housing, public utilities and public health and safety facilities, if any.

4,5,3,6,5. Information shall be submitted concerning the source of energy for diverting and using water for the project, the estimated instantaneous demand and total amount of energy that will be used, the efficiency of use, and energy conservation methods.

4,5,3,6,6. Information shall be submitted concerning the location, amount, and quality of return flow water, and any water conservation features of the proposed project.

4,5,3,6,7. If the project proposes irrigation as a use, information shall be submitted concerning the kinship, if any, of the operator of the land to be irrigated by the project to the applicant, the location and acreage of other irrigated lands owned, leased, or rented by the applicant, the names, addresses and number of shares held by each shareholder if the applicant is a corporation, evidence of tax-exempt status if a corporation is so claiming, a soil survey prepared in accordance with the U.S. Soil Conservation Service irrigable land classification system, and a schedule for bringing into production the project lands.

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 20, 1992

PRISTINE SPRINGS INC
RT 1 BOX 1204
FILER ID 83328

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 36-08094

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:clh

Enclosures

APPLICATION FOR PERMIT REVIEW

Application #: 36-08094 Reviewer: Brenda Miller Brenda
Date: 4-15-92

SYSTEM COMPLETED:
No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - N/A
GROUNDWATER:
GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- No measurement required <flow chart>
LT. 0.2 cfs - No measurement required <flow chart>
Drilling Permit:
Approved w/permit - P99
Not included - 046-P23(All GW, even existing wells)
SURFACE WATER: not in w/d - 01C-P03 (=/GT.2 w/pump), NMR <flow chart>
LOCATION:
Water Districts - WD No. ———
Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2), NMR <flow chart>
Groundwater - P05
Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 058 (Groundwater)
Swan Falls Flag - 3 (1, Blank or Other)
Trust - 051-052-053-P74(Consumptive Uses)
Non Trust <1> - 048-049
RIVER BASINS:
(Surface Water) Water District Control Condition &....
Boise (63) - 05A & 11E
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)
USE:
Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One), 042(req.), 002-P06(MD), 07A(Spec.), 044(Policy 5G)
Power - 08A, 17K, 09E Use Power Review
Mining - 06A, 010, or 09E-P10 & 054(req.)
Storage - 18A-for multiple measuring devices(In WD), 18B-P09(Size)
Rec/Wildlf/Aes - 027(Non-Consumptive)
Domestic - 021(restricted areas)
OWNERSHIP:
Non land owner - 004
PROTESTED:
Agreement - 020
Beneficial Use Due Date: - 6-1-1995
Other Conditions Recommended From GARY's review sheet

MEMORANDUM

TO: File No. 36-8094 in the Name of Pristine Springs, Inc.
FROM: Gary Spackman Gary
DATE: April 14, 1992

I have reviewed application for permit no. 36-8094 and supporting documents which were submitted by Pristine Springs. I find them to be sufficient, and recommend approval of the application.

The following conditions should be placed on the permit:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1995.

2. Subject to all prior water rights.

3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.

4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

5. Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Quality Standards.

6. This permit is subject to the provisions of Sections 42-205 through 42-210, Idaho Code, restricting the sale, transfer, assignment, or mortgage of this permit. Failure to comply with these provisions is cause for immediate cancellation of this permit.

7. The water right acquired under this permit for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against

MAY 15 1992

future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

8. Point of diversion is located within the Twin Falls Groundwater Management Area.

9. Permit holder shall comply with the drilling permit requirements of Section 42-233, Idaho Code for low temperature geothermal wells.

10. Power use is limited to use by the applicant for its Sunnybrook facility; future power use for other than the Sunnybrook facility will comply with all applicable state and federal requirements.

11. License no. 36-7130 authorizes diversion from the same point of diversion authorized by this permit. The validity of this permit and any subsequent license depends on use of the low temperature geothermal water for rearing of warm water fish, or some other beneficial use which extracts the heat value from the water.

DAVIS WRIGHT TREMAINE
LAW OFFICES
702 WEST IDAHO STREET · SUITE 700 · BOISE, IDAHO 83702
(208) 338-8200

RECEIVED
APR 6 1992
Department of Water Resources

JOSEPHINE BEEMAN
(208) 338-8233

April 3, 1992

Mr. R. Tim Litke
Regional Administrator
Idaho Department of Health & Welfare
Division of Environmental Quality
P. O. Box 1626
Twin Falls, Idaho 83303-1626

Re: **Water Right Application 36-8094 -**
Pristine Springs Hydropower Application for the Sunnybrook Facility

Dear Mr. Litke:

Your letter of January 17, 1992, requested an opportunity to review the design specifications for this proposed project.

Pristine Springs has recently filed a schematic of the water flow for its hydropower application, as well as specifications for the design of the proposed hydropower facility. These documents are in the original file being processed at the state office for Water Resources in Boise.

Rick Eggleston, Executive Vice President and General Manager for Pristine Springs, has the same documents in his office in Filer. Rick will bring them to the meeting he and Roy Eiguren have arranged with you the week of April 6.

Let me know if we can provide additional assistance.

Sincerely,

DAVIS WRIGHT TREMAINE

J. Beeman

Josephine P. Beeman

JPB:md

cc: Wendell M. Starke
Rick Eggleston
Norm Young

PRISTINE SPRINGS INC


SUNNY BROOK FACILITY

WELL HYDRO EQUIPMENT


N.T.S.


MARATHON
HIGH EFFICENCY
CLOSE COUPLED
GENERATOR
93 94% EFFIC.


CORNELL PUMP CO
MODEL NO 5TR4 CC-60-6
RECOVERY TURBINE
81% EFFIC.



CONCRETE TO BE
6 BAG MIX (W/FIBRE)







PRISTINE SPRINGS INC.
SUNNY BROOK FACILITY
WARM WATER HYDRO

PLAN VIEW

SCALE N.T.S.

DAVIS WRIGHT TREMAINE
LAW OFFICES
702 WEST IDAHO STREET · SUITE 700 · BOISE, IDAHO 83702
(208) 338-8200

RECEIVED
APR 1 1992
Department of Water Resources

JOSEPHINE BEEMAN
(208) 338-8233

March 31, 1992

Mr. Gary Spackman, Manager
Water Rights Permits Section
Idaho Department of Water Resources
1301 North Orchard
Boise, Idaho 83706

Re: Pristine Springs' Hydropower Application 36-8094

Dear Gary:

This will confirm our review yesterday of proposed specifications and hydropower equipment for the Sunnybrook facility owned by Pristine Springs. I received the documents by Federal Express from Rick Eggleston earlier in the day, and then met with you to verify that this information satisfies the remaining requirements for Water Resources' processing of Application 36-8094.

I will give you a call next week to check the status of the final processing of the application.

Sincerely,

DAVIS WRIGHT TREMAINE

Josephine P. Beeman

JPB:md

cc: Wendell M. Starke
Rick Eggleston

POOR QUALITY

PRAIRIE SPRINGS INC.


BUNNY BROOK FACILITY HYDRO
SPECIFICATIONS

1. FLOW - 4 1/2 C.F.S.
2. EFFICIENCY - 80% up as well flows
3. TURBINE - Cornell model No. STR4 CC-60-5 or better (efficiency - 81% or better)
4. GENERATOR - Marathon-close coupled-high efficiency (efficiency 93-94%) or equivilent
5. Output 50 KW Approx.
6. Electrical to be designed and installed by competent licensed electrical company
   System to have automatic by pass system when turbine is shut down (by-pass 4 1/2 C.F.S.)

1. PENSTOCK PIPE - New pipe sized as per engineer 14 gauge wall or better
2. Pipe to be welded by certified welder
3. BY-PASS SYSTEM to by-pass 4 1/2 C.F.S. water will be installed

1. CONCRETE CONSTRUCTION
   Concrete
   a. Concrete to be 6 bag mix
   b. Reinforcing reinforcing steel to be placed
   c. Formwork
   d. Forms to be done by qualified personnel
   Excavation
   a. Excavation to be done on schedule and in workman-like manner
   b. Backfill to be done to code if applicable

MICROFILMED
MAY 15 1992



PRISTINE SPRINGS INC.

SUNNYBROOK FACILITY

WARM WATER USAGE SCEMATIC

MICROF
MAY 15

DAVIS WRIGHT TREMAINE
LAW OFFICES
702 WEST IDAHO STREET · SUITE 700 · BOISE, IDAHO 83702
(208) 338-8200

RECEIVED
FEB 12 1992
Department of Water Resources

JOSEPHINE BEEMAN
(208) 338-8233

February 12, 1992

HAND-DELIVERED

Norm Young, Administrator
Water Management Division
Idaho Department of Water Resources
1301 North Orchard
Boise, Idaho 83706

Re: Application 36-8094

Dear Norm:

The attached Warm Water Usage Schematic was delivered to me today for filing with Water Resources. This general design for hydropower generation from the hot well is submitted pursuant to Rule 4,5,3,4,2. of the Water Appropriation Rules and Regulations.

Sincerely,

DAVIS WRIGHT TREMAINE

Jo Beeman

Josephine P. Beeman

JPB:md
Enclosure

cc: Wendell Starke
Rick Eggleston
Loren O. Holmes

MAY 15 1992



Feb 11,1992

RECEIVED
FEB 12 1992
Department of Water Resources
Southern Region Office

Loren Holmes
State of Idaho
Dept of Water Resources
Twin Falls,Idaho

To Loren Holmes;


Enclosed is a copy ofPristine Springs Inc. Sunnybrook Facility warm water usage scematic for your records as for our conversation. We have sent one to the Boise office also.

Sincerely,

Rick Eggleston

RECEIVED
MAY 15 1992

Rt. 1, Box 1204 • 4074 N, 2000 E
Filer, Idaho 83328
(208) 326-5687 or 326-3237
Fax: (208) 326-3306



RECEIVED
FEB 19 1992
Department of Water Resources
Southern Region Office

PRISTINE SPRINGS, INC.
SUNNYBROOK FACILITY
WARM WATER USAGE SCEMATIC

MICROFILMED
MAY 15 1992

DAVIS WRIGHT TREMAINE

LAW OFFICES

702 WEST IDAHO STREET · SUITE 700 · BOISE, IDAHO 83702
(208) 338-8200

JOSEPHINE BEEMAN
(208) 338-8233

February 4, 1992

RECEIVED
FEB 05 1992
Department of Water Resources
Southern Region Office

RECEIVED
FEB 6 1992
Department of Water Resources

Mr. Loren O. Holmes
Southern Regional Manager
Idaho Department of Water Resources
Southern Region
222 Shoshone Street East
Twin Falls, Idaho 83301

Re: Pristine Springs Hydropower Application 36-8094

Dear Loren:

Attached are copies of the public comment letters that I received in accordance with IDWR Regulation 4,5,3,5,1 for the Pristine Springs Hydropower Application No. 36-8094.

Should you need any additional information, please do not hesitate to let me know.

Sincerely,

DAVIS WRIGHT TREMAINE

Jo Beeman

Josephine P. Beeman

JPB:kd
Enclosures: Public Comment Letters:
- Idaho Fish and Game
- Idaho Division of Environmental Quality

cc: Wendell M. Starke, w/encl.
Rick Eggleston, w/encl.
Norm Young, w/encl.

MICROFILMED
MAY 15 1992

MEMORANDUM

DATE: 24-Jan-1992

FROM: Loren Holmes

TO: File 36-8094

SUBJECT: Recommendation for special condition

The applicant has submitted material addressing the requirements of Rule 4,5,3. I have not reviewed the adequacy of the answers given.

The application appears to be subject to an order setting a 5-year moratorium on new permits in the Twin Falls geothermal aquifer.

Paragraph 1. of the order requires all applications not in the CSI agreement to be held without action for the duration of the five-year moratorium period, which will be up in July, 1992.

Paragraph 2. of the CSI agreement contains language agreeing to reduce License 36-7130 to 4.5 cfs and reducing any permit issued under this application to the same 4.5 cfs. However, the applicant did not sign the agreement.

Paragraph 1. of the court's order dismissing the suit sets the diversion rate under 36-7130 at 4.5 cfs but does not mention this application.

The order, agreement, and the court's order are in decree file 36-J.

Recommendation:

In addition to any other conditions of approval, this application will have to be limited to 4.5 cfs when combined with 36-7130, and used only in conjuction with 36-7130.

MAY 15 1992

Form No. 202a
3/79

36-

State of Idaho

Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: ADM APPLICATION NUMBER: 36-8094

CHECK:

- [x] Source.
- [x] Point of diversion.
- [x] County.
- [x] Quantity of water and period of use.
- [x] Description of diverting works.
- [x] Time required for beneficial use of water.
- [x] Place of use or acres irrigated.
- [x] Map.
- [x] Signature.
- [x] Fee.

Field check by: _____
Date: _____
Comments: _____

- ☐ Yes [x] No Field check required.
- ☐ Yes [x] No Critical groundwater area.
- ☐ Yes [x] No Request dam safety information. Sent by: _____ Date: _____
- [x] Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:
Affid Pub. Requested 7/6/82 by ADM

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
- ☐ Idaho Fish and Game Department.
- ☐ Idaho Department of Lands.
- ☐ U.S. Bureau of Land Management.
- ☐ U.S. Forest Service.
- ☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
- [x] Yes ☐ No Other rights on same place of use. Fish Prop. 36-7130
- ☐ Yes ☐ No* In form for advertising. Final date for protests: 8/2/82
- ☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- [x] Affidavit of publication received. Date: 8/4/82
- [x] Application published correctly. If not, record action taken: _____
- [x] Fee amount, receipt date & number, recorded on application.
- [x] Publication dates and paper, recorded on application.
- [x] Protests, dates, withdrawal, etc., recorded on application.
- [x] Recommendation & initial, recorded on application.
- [x] Yes ☐ No Measuring device required.
- ☐ Yes ☐ No Access port required.
- ☐ Yes [x] No Will water be delivered by watermaster? If yes, what district? _____

6/28/82 Date of priority recommended.

Special conditions of approval or cover letter. 01F, 46, 17K, 17M, 08A, 25, 26A + See memo

By: Karen D Haden Date: 1/24/92

STATE OFFICE REVIEW:

☐ See attached sheet for more information.

By: _____ Date: _____

RECEIVED
FEB 03 1992
Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
____	__	___	___	__	_	___.__

IDAHO STREAM CODE INDEX

___.___.____.____.____.___.___.__:__.__

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
____	__	___	___	__	_	___.__

IDAHO STREAM CODE INDEX

___.___.____.____.____.___.___.__:__.__

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
____	__	___	___	__	_	___.__

IDAHO STREAM CODE INDEX

___.___.____.____.____.___.___.__:__.__

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
____	__	___	___	__	_	___.__

IDAHO STREAM CODE INDEX

___.___.____.____.____.___.___.__:__.__

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
____	__	___	___	__	_	___.__

IDAHO STREAM CODE INDEX

___.___.____.____.____.___.___.__:__.__

IDAHO DEPARTMENT
OF HEALTH AND WELFARE

DIVISION OF
ENVIRONMENTAL QUALITY

Post Office Box 1626, Twin Falls, ID 83303-1626, (208) 736-2190

Cecil D. Andrus, Governor Richard P. Donovan, Director

Glen Vault
Gary S Gary
File 36-8094

January 17, 1992

RECEIVED
JAN 21 1992
Department of Water Resources

RECEIVED
JAN 30 1992
Department of Water Resources
Southern Region Office

Pristine Springs
%Josephine P. Beeman
Davis Wright Tremaine
702 West Idaho Street, Suite 700
Boise, Idaho 83702

Re: Water Right Application #36-8094, Pristine Springs Proposed Hydropower Project

Dear Ms. Beeman:

We are in receipt of your letter soliciting public comment on the above referenced application for utilization of groundwater for hydropower generation.

Specific project information that would address engineering design, environmental impacts, and operational considerations were not included in the solicitation letter. We respectfully request that this information be submitted in order for DEQ to conduct an adequate review of the proposed project.

It appears from the letter that compliance with Federal Energy Regulatory Commission (FERC) requirements would not be needed since the power generated would not be sold.

Please submit the engineering, environmental, and operational information so that we can accomplish a timely review and response.

Should any questions arise, please contact Greg Misbach in our South Central Idaho Regional Office.

Sincerely,

R. Tim Litke
Regional Administrator

RTL/ta
cc: Loren Holmes, IDWR
Norman Young, IDWR
Rick Eggleston, Pristine Springs

36-8094

31539-1
36-8094

IDAHO FISH & GAME
REGION 4
868 East Main Street
Jerome, ID 83338
(208) 324-4350

RECEIVED
FEB 05 1992
Department of Water Resources
Southern Region (Rupert)

January 16, 1992

RECEIVED
JAN 17 1992
DAVIS WRIGHT TREMAINE

RECEIVED
FEB 3 1992
Department of Water Resources

Pristine Springs
c/o Josephine P. Beeman
Pavio Wright Tremaine
702 West Idaho, Suite 700
Boise, ID 83702

Re: Pristine Springs Water Right Application (#36-8094) for Hydropower Generation

Dear Ms. Beeman

The Department of Fish and Game has no objections to the development of hydropower generation on the geothermal well at the Pristine Springs facility as long as the following criteria are met:

1) The project uses only the current 4.5 cfs that are presently diverted for fish propagation under License 36-7130.

2) Geothermal water will not be directly discharged into the Snake River without being diluted with cooler water.

3) All transmission lines and poles shall be raptor proof to prevent any loss of raptors. This is especially important due to the use of the area by bald eagles.

Sincerely,

Carl H. Nellis
Supervisor, Region 4

RECEIVED
MAY 15 1992

Cecil D. Andrus / Governor
Jerry M. Conley / Director

Working for wildlife since 1938

DAVIS WRIGHT TREMAINE

LAW OFFICES

702 WEST IDAHO STREET · SUITE 700 · BOISE, IDAHO 83702
(208) 338-8200

JOSEPHINE BEEMAN
(208) 338-8233

January 6, 1992

RECEIVED
JAN 07 1992
Department of Water Resources
Southern Region Office

Jerry Conley, Director
Department of Fish & Game
P. O. Box 25
Boise, ID 83707

Re: Pristine Springs' Application for Hydropower Generation from Water Used for Fish Propagation (Application 36-8094)

Dear Mr. Conley:

As you may be aware from public hearings this summer, the preservations zoning for Jerome County was changed by unanimous approval of the Jerome County Commissioners and the Jerome County Zoning Board in response to a project design submitted by Pristine Springs. The project includes an area of 300 acres in the Snake River canyon just west of the Blue Lakes Country Club and the Blue Lakes Trout Farm. Pristine Springs purchased the property June 14, 1991.

The project encompasses fish propagation, the water for which is supplied by Alpheus Creek, Sunnybrook Springs, Warm Creek, wastewater, and a geothermal source from groundwater under artesian pressure. There was an existing fish facility at the property which is being renovated by Pristine Springs.

A water right application (36-8094) to obtain a hydropower water right for the groundwater being used for fish propagation was filed in 1982 by a prior owner. There were no protests filed to the application. As part of the continued processing of Hydropower Application 36-8094, now assigned to Pristine Springs, Pristine Springs must seek comment on the effects of the construction and operation of its proposed hydropower facility from city, county, and state officials.

This requirement is found in Regulation 4,5,3,5,1 of the water appropriation rules and regulations, Idaho Department of Water Resources. The proposed hydropower project will generate electricity from the 4.5 cfs diverted for fish propagation from the geothermal well under License 36-7130. This well has been in operation for many years at the property. There will be no change in the diversion of water with the additional use for hydropower generation.

RECEIVED
MAY 15 1992

> This application will be for additional use of water to generate power from water that is presently diverted under License No. 36-7130. After water is used to produce power, it will flow into existing fish ponds.
>
> (Statement from Application 36-8094)

The electricity generated will be used only at the Pristine Springs' facility. Additional information regarding the application can be obtained from the file at Water Resources, or from Rick Eggleston, Executive Vice President for Pristine Springs.

Application File is located at:

> Idaho Department of Water Resources
> Southern Region
> 222 Shoshone Street East
> Twin Falls, ID 83301
> (208) 734-3578

Rick Eggleston can be reached at:

> Pristine Springs, Inc.
> Route 1, Box 1204
> Filer, ID 83328
> (208) 326-5687

The regulation which requires the solicitation of public comment does not indicate a time deadline for the filing of public comment. Pristine Springs therefore requests that any comments you wish to make be postmarked no later than **January 17, 1992.** In accordance with Regulation 4,5,3,5,1, all letters of comment on the effects of the construction and operation of the proposed hydropower project should be submitted to:

> Pristine Springs
> c/o Josephine P. Beeman
> Davis Wright Tremaine
> 702 West Idaho, Suite 700
> Boise, ID 83702
> (208) 338-8200

MAY 15 1992

All letters of comment received will then be submitted to Water Resources for the continued processing of Application 36-8094 for hydropower generation in the name of Pristine Springs.

We understand that some of you receiving this letter, have already participated in public comment on the proposed project, and we appreciate your continued involvement with the project.

Sincerely,

DAVIS WRIGHT TREMAINE

Josephine P. Beeman
Counsel for Pristine Springs, Inc.

JPB:md

cc: Loren O. Holmes - Department of Water Resources
Norman C. Young - Department of Water Resources
Doug Conde - Division of Environmental Quality
Al Murrey - Division of Environmental Quality
John A. Rosholt, Esq.
Wendell M. Starke
Rick Eggleston

The attached letter was mailed to the following individuals:

Mr. Joe Nagel
Administrator
Idaho Division of Environmental Quality
1410 North Hilton
Boise, ID 83720-9000

Kim Litke
Division of Environmental Quality
P. O. Box 1626
Twin Falls, ID 83303

Jerry Conley, Director
Department of Fish & Game
P. O. Box 25
Boise, ID 83707

Steve Agte
Regional Conservation Officer
Department of Fish & Game
P. O. Box 428
Jerome, ID 83338

Fred Partridge
Regional Fishery Biologist
Department of Fish & Game
P. O. Box 428
Jerome, ID 83338

Larry Paine, Administrator
City of Jerome
152 East Avenue A
Jerome, ID 83338

Carl Montgomery
County Commissioner
County of Jerome
1013 South 1400 East
Eden, ID 83325

RECEIVED
MAY 15 1992

Veronica Lierman
County Commissioner
County of Jerome
35 South 150 West
Jerome, ID 83338

George Andrus
County Commissioner
County of Jerome
412 2nd Avenue East
Jerome, ID 83338

Gary McComber
Public Health District 5
Jerome County Courthouse
Jerome, ID 83338

Maureen Boling
Planning and Zoning Commission Member
Box 115
Hazelton, ID 83335


Martin Lee
Planning and Zoning Commission Member
5529 US #93
Jerome, ID 83338

Donald Mason
Planning and Zoning Commission Member
221 East Ave. E
Jerome, ID 83338

Tim Newman
Planning and Zoning Commission Member
179 E. 100 N.
Jerome, ID 83338

Roy Prescott
Planning and Zoning Commission Member
135 N 800 E
Jerome, ID 83338

Jim Roice
Planning and Zoning Commission Member
865 Valley Rd. S
Hazelton, ID 83335



Dan Suhr
Planning and Zoning Commission Member
Canyonside Realty
145 First Ave. E
Jerome, ID 83338

Wayne Thompson
Planning and Zoning Commission Member
152 S 200 W
Jerome, ID 83338

Glenn Vandergiessen
Planning and Zoning Commission Member
374 E 400 S
Jerome, ID 83338

DAVIS WRIGHT TREMAINE
LAW OFFICES
702 WEST IDAHO STREET · SUITE 700 · BOISE, IDAHO 83702
(208) 338-8200

RECEIVED
JAN 0 9 1992
Department of Water Resources
Southern Region Office

JOSEPHINE BEEMAN
(208) 338-8233

January 3, 1992

Mr. Loren O. Holmes
Southern Regional Manager
Idaho Department of Water Resources
Southern Region
222 Shoshone Street East
Twin Falls, Idaho 83301

FEDERAL EXPRESS

RECEIVED
JAN 06 1992
Department of Water Resources
Southern Region Office

Re: Pristine Springs Hydropower Application 36-8094

Dear Loren:

I am writing in response to your concerns regarding the status of Hydropower Application 36-8094 (Application 36-8094) that was recently assigned to Pristine Springs. The water source is a low temperature geothermal artesian well within the boundaries of the Twin Falls groundwater management area. First, does the current moratorium within the Twin Falls groundwater management area affect processing of this application? Second, this application for hydropower use is a second non-consumptive use of water already decreed for fish propagation and will only generate electricity for use on Pristine Springs property; how much information requested in Regulation 4,5,3 is applicable to this situation? Each of these concerns is discussed below after a short summary of the status of the application.

Application 36-8094 carries a priority date of June 28, 1982, and was advertised in the North Side News in July 1982. No protests were filed against the application. The application was originally filed by Aqua Life, Inc. and has been assigned three times since that filing. The assignments were as follows: (1) from Aqua Life, Inc. to Professional Investors' Life Insurance Company (Professional Investors) in 1983; (2) from Professional Investors to Ronald C. Yanke in June 1991; and (3) from Ronald C. Yanke to Pristine Springs, Inc. on July 2, 1991.

Application 36-8094 states that it is an additional use of water for an existing licensed right 36-7130: "This application will be for additional use of water to generate power from water that is presently diverted under License No. 36-7130. After water is used to produce power it will flow into existing fish ponds." The underlying license has since been decreed (explained below).

Pristine Springs recently obtained permission to redrill and stabilize the well. License 36-7130 was decreed at a flow of 4.5 cfs and it is expected that the stabilized well will continue

MAY 15 1992

this flow. Prior to the decree, License 36-7130 had a rate of diversion of 6.0 cfs. Since Application 36-8094 states that power will be generated from the flow of water for License 36-7130, the rate of diversion of 4.5 cfs can be listed in the permit for 36-8094. The application presently lists 7.0 cfs.

The next part of this letter addresses, in order, the moratorium and the requirements of Regulation 4,5,3 mentioned in your September letter.

Does the five-year moratorium, established July 24, 1987, pertaining to applications for geothermal ground water within the Twin Falls area, apply to Application 36-8094?

The moratorium was issued by the Director of the Idaho Department of Water Resources (IDWR), and is effective until July 24, 1992. The moratorium provides that applications proposing the diversion and use of thermal ground water will be held by IDWR without action unless the application is included in an agreement dated July 22, 1987, entered into by IDWR and parties holding or seeking to hold water rights in the designated moratorium area. There was litigation involved with the moratorium.

The litigation, College of Southern Idaho (CSI) v. Professional Investors, Twin Falls Civil Case No. 37298 (CSI litigation), affected License 36-7130 and provided the basis for the moratorium. The CSI litigation involved the named parties' respective rights and obligations to the hot water from a common hot water aquifer that underlies portions of Twin Falls and Jerome Counties in the vicinity of the City of Twin Falls, Idaho. The July 22, 1987 agreement involved the parties to the CSI litigation. The CSI litigation was dismissed July 13, 1988 based upon the July 22, 1987 agreement and a May 19, 1988 separate settlement agreement between Professional Investors and CSI.

Application 36-8094 was included in the July 22, 1987 agreement. Nevertheless, Professional Investors, which held License 36-7130 and Application 36-8094 at that time, never signed the July 22, 1987 agreement. When Professional Investors refused to sign the moratorium agreement (July 22, 1987), CSI pursued Civil No. 37298 against Professional Investors on theories of abandonment, forfeiture, and exclusive applicability of the Geothermal Resources Act. The May 19, 1988 settlement agreement states that Professional Investors will allow its water right 36-7130 to be limited to 4.5 cfs in return for CSI's dismissing, with prejudice, all claims against Professional Investors and agreeing that Professional Investors' use of the hot water for propagation of any species of fish (warm, cold, tropical, or any other kind of fish) is a beneficial use of water pursuant to License No. 36-7130.

The Order of Dismissal in the CSI litigation, dated July 13, 1988, was entered based upon the May 19, 1988 settlement agreement between Professional Investors and CSI; and upon the July 22, 1987 moratorium agreement among CSI, IDWR and five other defendants in the lawsuit. Professional Investors, Twin Falls School District No. 411, Michael Kestler, Gary Stone, and Hydrotube of Idaho did not sign the July 22, 1987 moratorium agreement.

Following my examination of these documents, I discussed the matter with Phil Rassier, since he was Water Resource's counsel in the CSI litigation and may be involved in the review of the moratorium's effect upon Application 36-8094.

The moratorium states, ***Paragraph (1), page 2***:

> Applications proposing the diversion and use of thermal groundwater (water from a well with a bottom hole temperature of 85°F or greater) will be held without action to approve, unless the application is included in the agreement dated the 22nd day of July, 1987, entered into by IDWR and all those holding or seeking to hold water rights to divert and use the thermal groundwater in the area herein designated. Approval of applications included in said agreement will be only in accordance with the provisions of the agreement.

In other words, an application may be processed if it does not propose the diversion and use of thermal groundwater. Or, even if it does propose the diversion and use of thermal groundwater, it may be processed if it is included in the July 22, 1987 agreement, and then it will be approved only in accordance with the agreement.

Application 36-8094 does not propose a new diversion and use of thermal groundwater. The hydropower use proposed by Application 36-8094 would be an additional use of the 4.5 cfs already diverted for fish propagation under decreed License 36-7130.

Application 36-8094 is also included in the July 22, 1987 agreement. Professional Investors did not sign the July 22, 1987 agreement, but the May 19, 1988 settlement agreement between CSI and Professional Investors achieves the same effect. The 1987 agreement states that diversions under Application 36-8094 for non-consumptive use for power generation (if Application 36-8094 is issued) shall be an additional use of the 4.5 cfs.

The application can be processed because it is not subject to the moratorium; it proposes only an additional use of an existing decreed diversion. If it were subject to the moratorium, it can be processed because it is included in the July 22, 1987 agreement.

Your second question concerned compliance with Idaho Department of Water Resources Water Appropriation Rules and Regulation 4,5,3, (Rule 4,5,3) that sets forth information that may be required for hydropower applications. Our telephone conversation of September 23 clarified the question of whether additional information will be requested pursuant to Rule 4,5,3.

At the request of Pristine Springs, I also spoke with Norm Young on December 13 about the extent of information required by Rule 4,5,3. Pristine Springs has participated in two extensive public hearings in Jerome County because of changes to the preservation zoning made necessary by the overall project. Those changes were approved unanimously by the Jerome County Commissioners. You will notice in the attached letter, a copy of which is being sent to appropriate local and state officials, as required by Rule 4,5,3,5,1, that many of these individuals are already familiar with Pristine Springs because of the hearings held this past summer in Jerome County.

Each of the applicable sub-parts of Rule 4,5,3 is listed by number below with a response and, where necessary, a reference to attached material.

RULE 4,5,3,1,2. EFFECT ON EXISTING WATER RIGHTS

A copy of the map used in the Twin Falls' office for IDWR is attached (Exhibit A). This map shows the location of wells and springs within a one-half mile radius of the existing well from which the hydropower use would be made. The underlying map was prepared by J-U-B Engineers in Twin Falls, Idaho. We have also attached the well driller's reports from the microfilm at IDWR in Boise showing well logs for wells that might possibly be within the one-half mile radius (Exhibit B).

RULE 4,5,3,1,3. EFFECT ON EXISTING WATER RIGHTS

The impact on other water rights from the development of Application 36-8094 will be minimal because the only water used to generate hydropower will be the water which is diverted for fish propagation under Decreed License 36-7130.

RULE 4,5,3,2,1. SUFFICIENCY OF WATER SUPPLY

The only water used for Application 36-8094 will be the water diverted under Decreed License 36-7130. Electricity generated under Application 36-8094 will be used only at the Pristine Springs' facility.

RULE 4,5,3,2,2. SUFFICIENCY OF WATER SUPPLY

The quantity of water available from the source is the same as decreed in License 36-7130, equalling 4.5 cfs. The Twin Falls geothermal aquifer from which License 36-7130 diverts is currently being monitored by the United States Geological Survey (USGS) (the latest hydrograph is attached as Exhibit C).

RULE 4,5,3,3,1. INFORMATION RELATIVE TO GOOD FAITH, OR SPECULATIVE PURPOSES OF THE APPLICANT

Pursuant to Rule 4,5,3,3,1 and Idaho Code § 42-203A(5)(c), Pristine Springs applies for the hydropower permit in good faith, and without delay or speculative purposes. Pristine Springs owns all of the property at the place of use and the point of diversion. See attached deed (Exhibit D). Information required to demonstrate compliance with Idaho Code §§ 42-205 and 206, applicable to hydropower uses, was supplied to Water Resources this summer (Exhibit E).

RULE 4,5,3,3,2. INFORMATION RELATIVE TO GOOD FAITH, DELAY OR SPECULATIVE PURPOSES

No additional permits, licenses or approvals are necessary for Hydropower Application 36-8094. The electricity will be used at the Pristine Springs' project. No applications are pending before the Federal Energy Regulatory Commission (FERC).

RULE 4,5,3,4,1. *FINANCIAL RESOURCES*

Pristine Springs offers as proof of its financial capability to appropriate the water and apply it to beneficial use, the documents which were necessary to obtain the drilling permit for the redrilling of the underlying License 36-7130 (Exhibit F). The water under License 36-7130 is being appropriated and used for fish propagation. This additional use for hydropower generation is supported by the financial commitment already made to the redrilling and stabilizing of the underlying water supply for Decreed License 36-7130.

RULE 4,5,3,4,2. *FINANCIAL RESOURCES*

Plans, specifications and estimated construction costs for the hydropower project will be submitted after the redrilling of the well is completed.

RULE 4,5,3,5,1. *LOCAL PUBLIC INTEREST*

Attached to this letter is a copy of the letter soliciting comments from the City of Jerome, the County of Jerome, the Idaho Department of Fish & Game, and the Idaho Department of Health & Welfare, Division of Environment. Since this project is located on the floor of the Snake River Canyon and is not served by any irrigation district or canal company, no letter of comment is being solicited from the Northside Canal Company, or any other canal company. John Rosholt, Northside's counsel, has been sent the comment letter.

RULE 4,5,3,6. *PUBLIC INTEREST CRITERIA FOR PROJECTS WHICH WILL REDUCE THE FLOW OF THE SNAKE RIVER BY MORE THAN 2 ACRE-FEET PER DAY*

No information is being submitted under this rule because the proposed Hydropower Application 36-8094 is a non-consumptive use.

As we have discussed, water right filings which seek to appropriate 5 cfs or less fall within a category where the additional information required by Rule 4,5,3 can be waived by Water Resources. The materials supplied to you today for Hydropower Application 36-8094 are submitted in compliance with Rule 4,5,3. As we receive letters of comment, they will be submitted to you. The letters of comment request a response by January 17, 1992.

Carl Montgomery
County Commissioner
County of Jerome
1013 South 1400 East
Eden, ID 83325

Veronica Lierman
County Commissioner
County of Jerome
35 South 150 West
Jerome, ID 83338

George Andrus
County Commissioner
County of Jerome
412 2nd Avenue East
Jerome, ID 83338

Gary McComber
Public Health District 5
Jerome County Courthouse
Jerome, ID 83338

Maureen Boling
Planning and Zoning Commission Member
Box 115
Hazelton, ID 83335

Martin Lee
Planning and Zoning Commission Member
5529 US #93
Jerome, ID 83338

Donald Mason
Planning and Zoning Commission Member
221 East Ave. E
Jerome, ID 83338

MAY 3 5 1992

I appreciate the conversations which you have had with me regarding this application and hope that it can be processed to completion in the near future.

Sincerely,

DAVIS WRIGHT TREMAINE

Josephine P. Beeman

JPB:md
Enclosures (Exhibits A - F)

cc: Wendell Starke (w/o encls.)
Rick Eggleston (w/o encls.)
Norm C. Young (w/o encls.)
Phil Rassier (w/o encls.)

DAVIS WRIGHT TREMAINE

LAW OFFICES

702 WEST IDAHO STREET · SUITE 700 · BOISE, IDAHO 83702
(208) 338-8200

JOSEPHINE BEEMAN
(208) 338-8233

January 3, 1992

RECEIVED
JAN 06 1992
Department of Water Resources
Southern Region Office

Mr. Joe Nagel
Administrator
Idaho Division of Environmental Quality
1410 North Hilton
Boise, ID 83720-9000

Kim Litke
Division of Environmental Quality
P. O. Box 1626
Twin Falls, ID 83303

Jerry Conley, Director
Department of Fish & Game
P. O. Box 25
Boise, ID 83707

Steve Agte
Regional Conservation Officer
Department of Fish & Game
P. O. Box 428
Jerome, Idaho 83338

Fred Partridge
Regional Fishery Biologist
Department of Fish & Game
P. O. Box 428
Jerome, Idaho 83338

Larry Paine, Administrator
City of Jerome
152 East Avenue A
Jerome, ID 83338

RECEIVED
MAY 15 1992

Tim Newman
Planning and Zoning Commission Member
179 E. 100 N.
Jerome, ID 83338

Roy Prescott
Planning and Zoning Commission Member
135 N 800 E
Jerome, ID 83338

Jim Roice
Planning and Zoning Commission Member
865 Valley Rd. S
Hazelton, ID 83335

Dan Suhr
Planning and Zoning Commission Member
Canyonside Realty
145 First Ave. E
Jerome, ID 83338

Wayne Thompson
Planning and Zoning Commission Member
152 S 200 W
Jerome, ID 83338

Glenn Vandergiessen
Planning and Zoning Commission Member
374 E 400 S
Jerome, ID 83338

Re: Pristine Springs' Application for Hydropower Generation from Water Used for Fish Propagation (Application 36-8094)

Dear _____

As you may be aware from public hearings this summer, the preservations zoning for Jerome County was changed by unanimous approval of the Jerome County Commissioners and

MAY 15 '92

the Jerome County Zoning Board in response to a project design submitted by Pristine Springs. The project includes an area of 300 acres in the Snake River canyon just west of the Blue Lakes Country Club and the Blue Lakes Trout Farm. Pristine Springs purchased the property June 14, 1991.

The project encompasses fish propagation, the water for which is supplied by Alpheus Creek, Sunnybrok Springs, Warm Creek, wastewater, and a geothermal source from groundwater under artesian pressure. There was an existing fish facility at the property which is being renovated by Pristine Springs. A water right application (36-8094) to obtain a hydropower water right for the groundwater being used for fish propagation was filed in 1982 by a prior owner. There were no protests filed to the application. As part of the continued processing of hydropower application 36-8094, now assigned to Pristine Springs, Pristine Springs must seek comment on the effects of the construction and operation of its proposed hydropower facility from city, county, and state officials.

This requirement is found in Regulation 4,5,3,5,1 of the water appropriation rules and regulations, Idaho Department of Water Resources. The proposed hydropower project will generate electricity from the 4.5 cfs diverted for fish propagation from the geothermal well under License 36-7130. This well has been in operation for many years at the property. There will be no change in the diversion of water with the additional use for hydropower generation.

> This application will be for additional use of water to generate power from water that is presently diverted under License No. 36-7130. After water is used to produce power, it will flow into existing fish ponds.
>
> (Statement from Application 36-8094)

The electricity generated will be used only at the Pristine Springs' facility. Additional information regarding the application can be obtained from the file at Water Resources, or from Rick Eggleston, Executive Vice President for Pristine Springs.

Application File is located at:

RECEIVED
MAY 15 1992

Idaho Department of Water Resources
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208) 734-3578

Rick Eggleston can be reached at:

Pristine Springs, Inc.
Route 1, Box 1204
Filer, ID 83328
(208) 326-5687

The regulation which requires the solicitation of public comment does not indicate a time deadline for the filing of public comment. Pristine Springs therefore requests that any comments you wish to make be postmarked no later than **January 17, 1992.** In accordance with Regulation 4,5,3,5,1, all letters of comment on the effects of the construction and operation of the proposed hydropower project should be submitted to:

Pristine Springs
c/o Josephine P. Beeman
Davis Wright Tremaine
702 West Idaho, Suite 700
Boise, ID 83702
(208) 338-8200

All letters of comment received will then be submitted to Water Resources for the continued processing of Application 36-8094 for hydropower generation in the name of Pristine Springs.

MAY 15 1992

We understand that some of you receiving this letter, have already participated in public comment on the proposed project, and we appreciate your continued involvement with the project.

Sincerely,

DAVIS WRIGHT TREMAINE

Josephine P. Beeman
Counsel for Pristine Springs, Inc.

JPB:md

cc: Loren O. Holmes - Department of Water Resources
Norman C. Young - Department of Water Resources
Doug Conde - Division of Environmental Quality
Al Murrey - Division of Environmental Quality
John A. Rosholt, Esq.
Wendell M. Starke
Rick Eggleston

State of Idaho
DEPARTMENT OF WATER RESOURCES
Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

04-Sep-1991

Attn: Jo Beeman
Davis Wright Tremayne
702 West Idaho St., Suite 700
Boise, ID 83702

Re: Application for permit 36-8094

Dear Jo:

This office has received assignment of the application from Professional Investors Life Insurance Co. to Ronald C. Yanke and from Ronald C. Yanke to Pristine Springs, Inc.. Our records will be changed to reflect the current applicant.

Our records will also reflect that Davis Wright Tremayne is attorney for Pristine Springs, Inc..

This application is currently subject to an order dated July 24, 1987, establishing a five-year moratorium on action on applications for geothermal groundwater within the Twin Falls area.

Since the application proposes power as a water use, it is subject to the provisions of Idaho Code Sections 42-205-208 regarding residency and use of existing man-made works. An affidavit form is enclosed for the applicant's use in addressing these requirements.

When processing of the application is resumed, it will be subject to additional information requirements of Rule 4,5,3. of the Rules and Regulations for Water Appropriation. This requirement may be met in one of two ways:

A) Submit all information required by rule 4,5,3 to the department for review. The department may then act on your application independently of actions of the Federal Energy Regulatory Commission (FERC) and/or the Idaho Public Utilities Commission (PUC).

B) Submit all required approvals of FERC and/or PUC.

RECEIVED
MAY 15 1992

A copy of Rule 4,5,3. is attached.

The application will also be subject to provisions of Section 42-233, Idaho Code, regarding low temperature geothermal resources.

If there are any further questions about this matter, please let me know.

Sincerely,

Loren

Loren O. Holmes, P. E.
Southern Region Manager

RECEIVED
MAY 15 1992

4,5,3. Information to be submitted

The following information shall be submitted for applications to appropriate unappropriated water or trust water and for permits being reprocessed for trust water. The additional information submittal requirements of this rule are waived for filings which seek to appropriate five (5) cfs or less or storage of five hundred acre-feet (500 A-F) or less and for filings seeking reallocation of trust water which the director determines will reduce the flow of the Snake River measured at Murphy Gauge by not more than two (2) acre-feet per day. For filings proposing irrigation as a purpose of use, the additional information is required if more than 200 acres will be irrigated. However, the director may specifically request submittal of any of the following information for any filing, as he determines necessary.

4,5,3,1. Information relative to the effect on existing water rights, Section 42-203A(5)(a), Idaho Code, shall be submitted as follows:

4,5,3,1,1. For applications appropriating springs or surface streams with 5 or fewer existing users, either the identification number, or the name and address of the user, and the location of the point of diversion and nature of use for each existing water right shall be submitted.

4,5,3,1,2. For applications appropriating groundwater, a plat shall be submitted locating the proposed well relative to all existing wells and springs and permitted wells within a one-half mile radius of the proposed well.

4,5,3,1,3. Information shall be submitted concerning any design, construction, or operation techniques which will be employed to eliminate or reduce the impact on other water rights.


4,5,3,2. Information relative to sufficiency of water supply, Section 42-203A(5)(b), Idaho Code, shall be submitted as follows:

4,5,3,2,1. Information shall be submitted on the water requirements of the proposed project, including, but not limited to, the required diversion rate during the peak use period and the average use period, the volume to be diverted per year, the period of year that water is required, and the volume of water that will be consumptively used per year.

4,5,3,2,2. Information shall be submitted on the quantity of water available from the source applied for, including, but not limited to, information concerning flow rates for surface water sources available during periods of peak and average project water demand, information concerning the properties of the aquifers that water is to be taken from for groundwater sources, and information on other sources of supply that may be used to supplement the applied for water source.

4,5,3,3. Information relative to good faith, delay, or speculative purposes of the applicant, Section 42-203A(5)(c), Idaho Code, shall be submitted as follows:

4,5,3,3,1. The applicant shall submit copies of deeds, leases, easements or applications for rights-of-way from



federal or state agencies documenting a possessory interest in the lands necessary for all project facilities and the place of use or if such interest can be obtained by eminent domain proceedings the applicant must show that appropriate actions are being taken to obtain the interest. Applicants for hydropower uses shall also submit information required to demonstrate compliance with Sections 42-205 and 42-206, Idaho Code.

4,5,3,3,2. The applicant shall submit copies of applications for other needed permits, licenses and approvals, and must keep the department apprised of the status of the applications and any subsequent approvals or denials.

4,5,3,4. Information Relative to Financial Resources, Section 42-203A(5) (d), Idaho Code, shall be submitted as follows:

4,5,3,4,1. The applicant shall submit a current financial statement certified to show the accuracy of the information contained therein, or a financial commitment letter along with the financial statement of the lender or other evidence to show that it is reasonably probable that financing will be available to appropriate the water and apply it to the beneficial use proposed.

4,5,3,4,2. The applicant shall submit plans and specifications along with estimated construction costs for the project works. The plans shall be definite enough to allow for determination of project impacts and implications.

4,5,3,5. Information Relative to Conflict with the Local Public Interest, Section 42-203A(5) (e), Idaho Code, shall be submitted as follows:

4,5,3,5,1. The applicant shall seek comment and shall submit all letters of comment on the effects of the construction and operation of the proposed project from the governing body of the city and/or county and tribal reservation within which the point of diversion and place of use are located, the Idaho Department of Fish and Game, the Idaho Department of Health and Welfare, Division of Environment, and any irrigation district or canal company within which the proposed project is located and from other entities as determined by the director.

4,5,3,6. The following information Relative to the Public Interest Criteria of Section 42-203C(2), Idaho Code, shall be submitted by an applicant seeking reallocation of trust water for a project which the director determines will reduce the flow of the Snake River by more than two (2) acre-feet per day. For filings proposing irrigation as a purpose of use, the additional information is required if more than 200 acres will be irrigated. The director may request any or all of the following information for any filing seeking the reallocation of trust water.

4,5,3,6,1. A project design and estimate of cost of development shall be submitted. For applications appropriating more than 25 cfs, or 10,000 AF of storage, or generating more than 5 megawatts, the information shall be prepared and submitted by a qualified engineer licensed under the provisions of Chapter 12, Title 54, Idaho Code, unless waived by the director. The design shall be definite enough to reflect the project's impacts and implications as required in subsequent rules.

4,5,3,6,2. If the project proposes development for irrigation purposes, information shall be submitted on crop rotation, including acreages, for lands when newly developed.


4,5,3,6,3. Information shall be submitted concerning the number and kinds of jobs that will be created or eliminated as a direct result of project development including both the construction and operating phases of the project. If jobs are seasonal, the estimated number of months per year of employment shall be submitted.

4,5,3,6,4. For applications or permits being reprocessed for more than 25 cfs, or more than 10,000 AF of storage, or more than 5 megawatts, information shall be submitted concerning the changes to community services that will be required during the construction and operation phases of the project including, but not limited to, changes to schools, roads, housing, public utilities and public health and safety facilities, if any.

4,5,3,6,5. Information shall be submitted concerning the source of energy for diverting and using water for the project, the estimated instantaneous demand and total amount of energy that will be used, the efficiency of use, and energy conservation methods.

5,3,6,6. Information shall be submitted concerning the location, amount, and quality of return flow water, and any water conservation features of the proposed project.

4,5,3,6,7. If the project proposes irrigation as a use, information shall be submitted concerning the kinship, if any, of the operator of the land to be irrigated by the project to the applicant, the location and acreage of other irrigated lands owned, leased, or rented by the applicant, the names, addresses and number of shares held by each shareholder if the applicant is a corporation, evidence of tax-exempt status if a corporation is so claiming, a soil survey prepared in accordance with the U.S. Soil Conservation Service irrigable land classification system, and a schedule for bringing into production the project lands.



DAVIS WRIGHT TREMAINE
LAW OFFICES
702 WEST IDAHO STREET · SUITE 700 · BOISE, IDAHO 83702
(208) 338-8200

JOSEPHINE BEEMAN
(208) 338-8233

August 16, 1991

RECEIVED
AUG 20 1991
Department of Water Resources
Southern Region Office

Loren O. Holmes
Southern Regional Manager
Idaho Department of Water Resources
Southern Region
222 Shoshone Street East
Twin Falls, Idaho 83301

Re: Application No. 36-8094 (hydropower production from low temperature geothermal well)

Dear Loren:

Enclosed are the original assignments of application 36-8094 from Professional Investor's Life Insurance Company to Ronald C. Yanke and from Ronald C. Yanke to Pristine Springs, Inc.

We would appreciate confirmation of these assignments. The required proof of Idaho residency was transmitted with my letter of July 26, 1991.

I appreciate your help and await word on your decision regarding the current status of this application.

Sincerely,

DAVIS WRIGHT TREMAINE

Jo Beeman

Josephine P. Beeman

JPB:md
Enclosures

cc: Wendell M. Starke (w/encls.)
Rick Eggleston (w/encls.)

MAY 15 1992

DAVIS WRIGHT TREMAINE

LAW OFFICES

702 WEST IDAHO STREET · SUITE 700 · BOISE, IDAHO 83702
(208) 338-8200

JOSEPHINE BEEMAN
(208) 338-8233

August 16, 1991

RECEIVED

AUG 20 1991

Department of Water Resources
Southern Region Office

Loren O. Holmes
Southern Regional Manager
Idaho Department of Water Resources
Southern Region
222 Shoshone Street East
Twin Falls, Idaho 83301

Re: Application 36-8094

Dear Loren:

We have recently filed correspondence with Water Resources regarding Application 36-8094 on behalf of our client Pristine Springs, Inc.

Pristine Springs has asked Davis Wright Tremaine to be its counsel for purposes of any correspondence, action, and notice regarding this water right.

This letter will confirm our representation of Pristine Springs, Inc. A similar letter has been prepared for each of the water right files for Pristine Springs: decree 36-0200, license 36-2603B, license 36-7130, permit 36-7757, permit 36-8414, permit 36-8573 and application 36-8094. We are also proceeding to become counsel of record for Pristine Springs in the Snake River Basin Adjudication for claims A36-0200, A36-2603B, A36-7130, and A36-15218.

Sincerely,

DAVIS WRIGHT TREMAINE

J. Beeman

Josephine P. Beeman

JPB:md

cc: Wendell M. Starke
Rick Eggleston

RECEIVED
AUG 0 8 1991
Department of Water Resources
Southern Region Office

DAVIS WRIGHT TREMAINE
LAW OFFICES
702 WEST IDAHO STREET · SUITE 700 · BOISE, IDAHO 83702
(208) 338-8200

JOSEPHINE BEEMAN
(208) 338-8233

August 7, 1991

Loren O. Holmes
Southern Regional Manager
Idaho Department of Water Resources
Southern Region
222 Shoshone Street East
Twin Falls, Idaho 83301

Re: Application No. 36-8094

Dear Loren:

We recently transmitted correspondence to you on July 26, 1991, on behalf of Pristine Springs, Inc. regarding Application 36-8094. We thought that the original assignment of the application from the Yankes to Pristine Springs, Inc. was transmitted to you earlier. However, our client, Pristine Springs, has the original assignment of application, as well as the original document which assigns Application 36-8094 from Professional Investor's Life Insurance to the Yankes.

We are obtaining these documents and will forward them to you as soon as possible.

Sincerely,

DAVIS WRIGHT TREMAINE

Josephine P. Beeman By MD

Josephine P. Beeman

JPB:md
cc: Wendell M. Starke
Rick Eggleston

DAVIS WRIGHT TREMAINE
LAW OFFICES
702 WEST IDAHO STREET · SUITE 700 · BOISE, IDAHO 83702
(208) 338-8200

JOSEPHINE BEEMAN
(208) 338-8233

July 26, 1991

RECEIVED
JUL 30 1991
Department of Water Resources
Southern Region Office

Loren O. Holmes
Idaho Department of Water Resources
Southern Region
222 Shoshone Street East
Twin Falls, Idaho 83301

Re: Application No. 36-8094

Dear Mr. Holmes:

Our client, Pristine Springs, Inc., recently purchased a fish farm located in the Snake River Canyon north of Twin Falls and immediately adjacent to the Blue Lakes Trout Farm. The legal description of this property is found in Schedule A of the enclosed warranty deed. The associated water rights for this property are licenses 36-2603B and 36-7130, decreed water right 36-0200, permits 36-8414 and 36-7757, and applications 36-8094 and 36-8573, including Snake River Basin Adjudication (SRBA) claims A36-0200, A36-2603B and A36-7130.

The assignment of Permit 36-8094 by Ronald C. Yanke to Pristine Springs, Inc., executed on July 2, 1991, was previously transmitted to you. A copy of this is attached for your information. Our review of the current status of the permit indicates the application is lacking the following requested information by the Department: (1) proof of Idaho residency, and (2) plans and engineering information for power production. We have enclosed a copy of the certificate and articles of incorporation for Pristine Springs, Inc. as evidence of the corporation's qualification to do business in Idaho pursuant to Idaho Code 42-206.

As you are aware, plans and engineering information were not required until resolution of the *College of Southern Idaho v. Idaho Department of Water Resources* litigation. An order dismissing this case and a settlement agreement were signed in 1988. However, prior applicants have never completed the application. We are writing to inform you that we intend to diligently pursue completion of the application.

We request an extension of time to submit engineering plans for application 36-8094. As noted above, Pristine Springs, Inc. was only recently assigned this water right. Currently, we are investigating options to stabilize the hot well on the property (License No. 36-7130) which will influence engineering plans for power development under application 36-8094. Consequently, Pristine Springs, Inc. intends to provide engineering plans to the Department

MAY 15 1992

JUL 29 1991

shortly after completion of investigations of our hot well. We will keep you informed of our progress and actions in this matter.

Please contact me regarding your decision in this matter. If additional information is needed, please do not hesitate to call me at 338-8233.

Sincerely,

DAVIS WRIGHT TREMAINE

Josephine P. Beeman

Enclosures

(3)

PLEASE RECORD AND RETURN TO:
Rayborn & Rayborn
Attorneys At Law
First Interstate Bank Building
P.O. Box 321
Twin Falls, ID 83303-0321

RECORDED
JUL 22 1991

WARRANTY DEED

For Value Received RONALD C. YANKE and LINDA L. YANKE, husband and wife, the Grantors, whose address is 4414 S. Gekeler Lane, Boise, Idaho 83705, do hereby grant, bargain, sell and convey unto PRISTINE SPRINGS, INC., an Idaho corporation whose business address is 101 4th Avenue South, Buhl, ID 83316, the Grantee, the following described premises, in JEROME COUNTY, IDAHO to wit:

All that real property which is more particularly described as Parcels A, B and C in Schedule "A" attached hereto and by this reference made a part hereof;

TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantee, its successors and assigns forever. The said Grantors do hereby covenant to and with the said Grantee that they are the owners in fee simple of said premises; that they are free from all encumbrances except current year's taxes, levies, and assessments, and except restrictions, reservations and easements of record and easements visible upon the premises, and that they will warrant and defend the same from all lawful claims whatsoever.

DATED: January 29, 1991

GRANTORS:

Ronald C. Yanke
Ronald C. Yanke

Linda L. Yanke
Linda L. Yanke

91 20 89

RECORDED AT THE REQUEST OF Land Title & Escrow, Ltd.
JUN 14 4 43 PM '91
JEROME COUNTY, IDAHO
FEES 27.00 DEP

MAY 15 1992

STATE OF IDAHO)
)ss
COUNTY OF ADA)

On this 29th day of January, 1991, before me, a notary public in and for said State, personally appeared RONALD C. YANKE and LINDA L. YANKE, husband and wife, known to me to be the persons whose names are subscribed to the within instrument, and acknowledged to me that they executed the same.

A. JENKINS NOTARY (SEAL) PUBLIC STATE OF IDAHO

Notary Public for the state of Idaho

Residing at: Boise

My commission expires: 7/12/95

RECORDED

MAY 15 1992

SCHEDULE "A"

PARCEL A:

TOWNSHIP 9 SOUTH, RANGE 17, EAST OF THE BOISE MERIDIAN, JEROME COUNTY, IDAHO

THAT PART OF:

Section 19: Lot 13; NE¼SE¼; SE¼SE¼;

Section 20: Lots 3 and 4;

Section 29: Lots 8, 9, 10, 11, 12, 13, 14, 15, 16, 17 and 18;

Section 30: Lots 8, 9, 13 and 14;

All of which is more particularly described as follows:

Commencing at the North one-sixteenth corner between Sections 29 and 30;
Thence running South 71°48' East for 4,082.0 feet to a large lava boulder marked by a chiseled cross, said lava boulder being THE REAL POINT OF BEGINNING;
Thence along the Westerly boundary of a tract of land owned by Percy Green and Harold S. Miller known as the Blue Lakes Trout Farm Property on the following courses:
South 59°18' West for 380.0 feet;
Thence South 48°30' East for 430.0 feet;
Thence South 35°45' East for 320.0 feet;
Thence South 22°41' West for 190.0 feet;
Thence South 11°37' West for 131.0 feet, more or less, to the Mean High Water Mark of the right bank of the Snake River;
Thence running along the High Water Mark of the Snake River in the Northwesterly direction for 7900.0 feet, more or less;
Thence in a Northeasterly direction along said high water line for 2000.0 feet, more or less, to the Northerly boundary of Lot 13 of Section 19;
Thence Easterly along said Northerly boundary to the Northeast corner of said Lot 13;
Thence Northerly along the Westerly boundary of the NE¼SE¼ to the intersection of said Westerly boundary and the top edge of the rimrock;
Thence in a Southeasterly direction for 7900.0 feet, more or less, to the Easterly boundary of Lots 14 and 18 of Section 29 extended;

Continued

FILMED
MAY - 5 1992

Thence Southerly along said Easterly boundary to the Northerly boundary of the above described Blue Lakes Trout Farm Property;
Thence North 44°30' West for 45.0 feet, more or less, to THE REAL POINT OF BEGINNING.

EXCEPTING THEREFROM the Sunnybrook Subdivision No. 1 in a part of Lot 4 of Section 20 and in a part of Lots 9 and 10 of Section 29.

AND EXCEPTING THEREFROM the following described parcel of land:

Lots 8, 9, 10, 11, 12, 14, 15, 18 and 19 of Section 29, Township 9 South, Range 17, East of the Boise Meridian, being more particularly described as follows:

Commencing at the North one-sixteenth corner between Sections 29 and 30;
Thence running South 71°48' East for 4,082.0 feet to a large lava boulder marked by a chiseled cross, said lava boulder being THE REAL POINT OF BEGINNING;
Thence along the Westerly boundary of a tract of land owned by Percy Green and Harold S. Miller known as the Blue Lakes Trout Farm Property on the following courses:
South 59°18' West for 380.0 feet;
Thence South 48°30' East for 430.0 feet;
Thence South 35°45' East for 320.0 feet;
Thence South 22°41' West for 190.0 feet;
Thence South 11°37' West for 131.0 feet, more or less, to the Mean High Water Mark of the right bank of the Snake River;
Thence running along the High Water Mark of the Snake River in the Northwesterly directions for 1690 feet, more or less, to the West line of Lot 18 of said Section 29;
Thence North along the West line of Lots 18 and 14 of said Section 29 for 1,480.0 feet;
Thence North 54°00' West for 710.0 feet, more or less, to the centerline of a fork in an existing road;
Thence Northwesterly along the centerline of the North fork of said road for 695 feet;
Thence South 85°00' West for 375.0 feet;
Thence North 58°00' West for 440 feet;
Thence North 85°00' West for 154.0 feet, more or less, to the centerline of a fork in an existing road;
Thence Northwesterly along the centerline of the

C o n t i n u e d

RECORDED
MAY 15 1992

West fork of said road for 1,786.0 feet, more or less, to the West line of Lot 10 of said Section 29;
Thence North along said West line for 175.00 feet, more or less, to the Northwest corner of said Section 29, being a United States Geodetic Survey Brass Cap;
Thence East along the North line of Lot 10 of said Section 29 for 210.67 feet to the Northwesterly boundary of Sunnybrook Subdivision No. 1;
Thence South 32°57' West along said Northwesterly boundary for 44.10 feet to the Western most point of said subdivision;
Thence Southeasterly along the Southwesterly boundary of said Subdivision for the following 18 courses and distances:
South 51°20.4' East, 100.50 feet;
South 71°52.6' East, 175.86 feet;
South 54°34' East, 96.54 feet;
South 24°53' East, 101.97 feet;
South 51°21.6' East, 116.07 feet;
South 47°33' East, 104.00 feet;
South 38°33.4' East, 102.21 feet;
South 65°54.3' East, 98.96 feet;
South 37°13.5' East, 50.03 feet;
South 55°43.9' East, 83.51 feet;
North 77°42' East, 100.00 feet;
South 47°33' East, 10.00 feet;
South 26°42' West, 85.00 feet;
South 32°51.4' East, 118.04 feet;
South 50°09.5' East, 99.46 feet;
South 64°51.7' East, 102.43 feet;
South 49°00.4' East, 99.50 feet;
North 39°00' East, 40.0 feet, more or less, to the centerline of an existing road;
Thence Easterly along the centerline of said road for 560.0 feet;
Thence North 54°37' East for 400.00 feet;
Thence South 44°00' East, 3,385.00 feet, more or less, to THE REAL POINT OF BEGINNING.

AND EXCEPTING THEREFROM a tract of land located in Lot 13 of Section 19, Township 9 South, Range 17, East of the Boise Meridian, described as follows:

Beginning at the Southeast corner of Lot 13 of said Section 19;
Thence North along the East line of said Lot 13 for 310.0 feet;
Thence West and parallel to the South line of said Lot 13 for 69.0 feet to THE REAL POINT OF BEGINNING;

C o n t i n u e d

MAY - 5 1982

Thence continuing West and parallel to the South line of said Lot 13 for 865.5 feet, more or less, to the Mean High Water Mark of the right bank of the Snake River;
Thence running along the High Water Mark of the Snake River in the Northeasterly direction for 1950.6 feet, more or less, to the North line of Lot 13 of said Section 19;
Thence East along the North line of said Lot 13 for 335.8 feet, more or less, to a point 69.0 feet West of the East line of said Lot 13;
Thence South 69.0 feet West of and parallel to the East line of said Lot 13, 1010.0 feet, more or less, to THE REAL POINT OF BEGINNING.

AND EXCEPTING THEREFROM the following described parcel of land:

Commencing at the Northwest corner of Government Lot 16 of Section 29, which is marked by a G.L.O. Brass Cap;
Thence South 71°48' East for a distance of 4082.0 feet (recorded) (4078.76 feet measured) to a chiseled cross in a large lava boulder;
Thence along the Westerly boundary of the Blue Lakes Trout Farm on the following courses:
South 59°18' West, 380.0 feet;
South 48°30' East, 430.0 feet;
South 35°45' East, 20.0 feet to THE TRUE POINT OF BEGINNING;
Thence continuing South 35°45' East for a distance of 300.0 feet;
Thence South 22°41' West for a distance of 190.0 feet;
Thence South 11°37' West for a distance of 131.0 feet to the mean high water of the Snake River;
Thence leaving the Westerly boundary of the Blue Lakes Trout Farm and along the mean high water of the Snake River on the following courses:
South 51°31'23" West, 18.13 feet;
South 75°44'55" West, 132.14 feet;
North 79°22'50" West, 35.54 feet;
North 73°32'15" West, 68.09 feet;
North 70°12'42" West, 10.00 feet;
Thence leaving the mean high water of the Snake River North 17°25'30" East for a distance of 588.69 feet to THE TRUE POINT OF BEGINNING.

C o n t i n u e d

RECORDED
MAY 15 1992

PARCEL B:

TOWNSHIP 9 SOUTH, RANGE 17, EAST OF THE BOISE MERIDIAN, JEROME COUNTY, IDAHO

Section 29: A tract of land located in Lots 8, 9, 10, 11, 12, 14, 15, 18 and 19, described as follows:

Commencing at the North one-sixteenth corner between Sections 29 and 30;
Thence running South 71°48' East for 4,082.0 feet to a large lava boulder marked by a chiseled cross, said lava boulder being THE REAL POINT OF BEGINNING;
Thence along the Westerly boundary of a tract of land owned by Percy Green and Harold S. Miller known as the Blue Lakes Trout Farm Property on the following courses:
South 59°18' West for 380.0 feet;
Thence South 48°30' East for 430.0 feet;
Thence South 35°45' East for 320.0 feet;
Thence South 22°41' West for 190.0 feet;
Thence South 11°37' West for 131.0 feet, more or less, to the Mean High Water Mark of the right bank of the Snake River;
Thence running along the High Water Mark of the Snake River in the Northwesterly directions for 1690 feet, more or less, to the West line of Lot 18 of said Section 29;
Thence North along the West line of Lots 18 and 14 of said Section 29 for 1,480.0 feet;
Thence North 54°00' West for 710.0 feet, more or less, to the centerline of a fork in an existing road;
Thence Northwesterly along the centerline of the North fork of said road for 695 feet;
Thence South 85°00' West for 375.0 feet;
Thence North 58°00' West for 440 feet;
Thence North 85°00' West for 154.0 feet, more or less, to the centerline of a fork in an existing road;
Thence Northwesterly along the centerline of the West fork of said road for 1,786.0 feet, more or less, to the West line of Lot 10 of said Section 29;
Thence North along said West line for 175.00 feet, more or less, to the Northwest corner of said Section 29, being a United States Geodetic Survey Brass Cap;
Thence East along the North line of Lot 10 of said Section 29 for 210.67 feet to the Northwesterly

Continued

boundary of Sunnybrook Subdivision No. 1;
Thence South 32°57' West along said Northwesterly boundary for 44.10 feet to the Western most point of said subdivision;
Thence Southeasterly along the Southwesterly boundary of said Subdivision for the following 18 courses and distances:
South 51°20.4' East, 100.50 feet;
South 71°52.6' East, 175.86 feet;
South 54°34' East, 96.54 feet;
South 24°53' East, 101.97 feet;
South 51°21.6' East, 116.07 feet;
South 47°33' East, 104.00 feet;
South 38°33.4' East, 102.21 feet;
South 65°54.3' East, 98.96 feet;
South 37°13.5' East, 50.03 feet;
South 55°43.9' East, 83.51 feet;
North 77°42' East, 100.00 feet;
South 47°33' East, 10.00 feet;
South 26°42' West, 85.00 feet;
South 32°51.4' East, 118.04 feet;
South 50°09.5' East, 99.46 feet;
South 64°51.7' East, 102.43 feet;
South 49°00.4' East, 99.50 feet;
North 39°00' East, 40.0 feet, more or less, to the centerline of an existing road;
Thence Easterly along the centerline of said road for 560.0 feet;
Thence North 54°37' East for 400.00 feet;
Thence South 44°00' East, 3,385.00 feet, more or less, to THE REAL POINT OF BEGINNING.

TOWNSHIP 9 SOUTH, RANGE 17, EAST OF THE BOISE MERIDIAN, JEROME COUNTY, IDAHO

Section 19: A tract of land located in Lot 13, described as follows:

Beginning at the Southeast corner of Lot 13 of said Section 19;
Thence North along the East line of said Lot 13 for 310.0 feet;
Thence West and parallel to the South line of said Lot 13 for 69.0 feet to THE REAL POINT OF BEGINNING;
Thence continuing West and parallel to the South line of said Lot 13 for 865.5 feet, more or less, to the Mean High Water Mark of the right bank of the Snake River;
Thence running along the High Water Mark of the Snake River in the Northeasterly direction for 1950.6 feet, more or less, to the North line of

Continued

RECEIVED
MAY 15 1992

Lot 13 of said Section 19;
Thence East along the North line of said Lot 13 for 335.8 feet, more or less, to a point 69.0 feet West of the East line of said Lot 13;
Thence South 69.0 feet West of and parallel to the East line of said Lot 13, 1010.0 feet, more or less, to THE REAL POINT OF BEGINNING.

TOGETHER WITH a 50 foot wide ditch and access road easement thru Lots 19, 18, 17, 15 and 16 of Section 29, Lots 13, 8 and 9 of Section 30, Lot 13 and the SE¼SE¼ of Section 19, all in Township 9 South, Range 17, East of the Boise Meridian. Said Easement being 20 feet on the South side and 30 feet on the North Side of the existing centerline.

TOGETHER WITH a 50 foot wide ditch and access road easement thru Lot 10 of Section 29, Lot 8 of Section 30, the SE¼SE¼ and Lot 13 of Section 19, all in Township 9 South, Range 17, East of the Boise Meridian. Said easement being 20 feet on the South side and 30 feet on the North side of the existing centerline.

TOGETHER WITH the right of ingress and egress over and across all existing roadways leading to and from the above described tracts of land.

The above described Tracts of land are based on the Dependent Resurvey of Sections 19, 20, 28, 29, 30 and 33 of Township 9 South, Range 17, East of the Boise Meridian, as approved April 17, 1918 by the Surveyor General and a supplemental plat of Sections 28, 29 and 30 approved August 16, 1923. Also based on a survey plat of Sunnybrook Subdivision No. 1 as filed with the office of Clerk and Recorder, Jerome County, Idaho.

PARCEL C:

Lots 1, 2, 3 and 4 in Block 1 and Lots 1, 2, 3, 4, 5, 6, 7, 8, and 9 in Block 2 of Sunnybrook Subdivision No. 1, Jerome County, Idaho, as shown of record by Plat filed September 14, 1965 under Instrument Number 165247, Jerome County records.

TOGETHER WITH all water, water rights, ditches, canals and rights thereto, which are appurtenant to the above described Parcels A, B and C specifically including, but not limited to the following enumerated water rights:

(1) License No. 36-2603B
(2) License No. 36-7130
(3) Decreed Water Right 36-00200
(4) Permit No. 36-08414
(5) Permit No. 36-07757
(6) Application For Permit No. 36-08573

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
JUL 29 1991
Department of Water Resources
Southern Region Office

ASSIGNMENT OF APPLICATION FOR PERMIT

I, Ronald C. Yanke, hereby assign to Pristine Springs, Inc.

of, Route No. 1, Box 1204, Filer, Idaho 83328
(Full Address)

All my right, title, and interest in and to Application for Permit No. 36-8094 to appropriate the public waters of the State of Idaho.

Or *(for partial assignments)*

The following described portion of my right, title, and interest in and to Application for Application for Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the application assigned listing the number of acres in each 40 acre subdivision, point of diversion location, and the amount of water in cubic feet per second.

_____

_____

_____

Made this 2nd day of July, 1991

Ronald C. Yanke Applicant

Linda L. Yanke, Spouse of Applicant

State of Idaho)
ss
County of ADA)

On this 2nd day of July, 1991, personally appeared before me the signer of the above instrument, duly acknowledged to me that he (she) (they) executed the same.

Notary Public
Residing at: Boise, Idaho

seal

My commission expires: 2/10/95

RECEIVED
MAY 15 1992

#94319

RECEIVED

JUL 29 1991

Department of Water Resources
Water Rights Bureau

State of Idaho

Department of State.

CERTIFICATE OF INCORPORATION
OF

PRISTINE SPRINGS, INC.

I, PETE T. CENARRUSA, Secretary of State of the State of Idaho, hereby certify that duplicate originals of Articles of Incorporation for the incorporation of the above named corporation, duly signed pursuant to the provisions of the Idaho Business Corporation Act, have been received in this office and are found to conform to law.

ACCORDINGLY and by virtue of the authority vested in me by law, I issue this Certificate of Incorporation and attach hereto a duplicate original of the Articles of Incorporation.

Dated: **January 25, 1991**

GREAT SEAL OF THE STATE OF IDAHO ESTO PERPETUA

Pete T. Cenarrusa
SECRETARY OF STATE

by: M. Richards

MAY 15 1992

CIP 185

JAN 25 9 26 AM '91
SECRETARY OF STATE

ARTICLES OF INCORPORATION

OF

PRISTINE SPRINGS, INC.

The undersigned, WENDELL M. STARKE and KENT A. STARKE, citizens of the United States of America, of the age of majority, do hereby associate themselves together for the purpose of forming a corporation under the laws of the State of Idaho, and to that end do hereby adopt and execute the following Articles of Incorporation, and do hereby certify and declare:

I

The name of said corporation shall be PRISTINE SPRINGS, INC.

II

The corporation is formed for the following purposes:

A. The transaction of any or all lawful business for which corporations may be lawfully incorporated under Idaho law;

B. To receive, acquire, hold, purchase, dispose of, convey, mortgage and/or lease, real and personal property; to dispose of, sell, lease, assign, transfer, mortgage and/or convey any rights, privileges, franchises, real or personal property of the corporation, other than its franchise as a corporation; to acquire, purchase, guarantee, hold, mortgage, own, vote, sell, pledge and/or otherwise dispose of or deal in shares, bonds,

RECEIVED
MAY 15 1992

RAYBORN & RAYBORN
ATTORNEYS AT LAW
P.O. BOX 321
FIRST INTERSTATE BANK BLDG.
TWIN FALLS, IDAHO 83301
(208) 733-2600

securities, and debentures and other evidence of indebtedness of its own and other corporations, domestic or foreign; to pledge, mortgage and otherwise encumber the assets of the corporation;

C. To conduct business in this state and other states in the United States of America, to have one or more offices or places of business out of this state, and to acquire, receive, hold, purchase, lease, mortgage, dispose of and/or convey real or personal property situate of the State of Idaho.

D. To enter into, make, perform and carry out contracts of every kind and for every lawful purpose, without limit as to amount, with any person, firm, association, corporation, municipality, state or government, or any subdivision, district or department of any state, municipality or government, and to engage in association with other corporations, partnerships, associations and individuals in the joint operation of legitimate business endeavor, and to acquire, hold, and purchase the assets, franchises, permits, and good will of other operational organizations of whatever legal capacity engaged in business pursuits similar to those of this corporation;

E. To act as surety and guarantor in any and all types of engagements, including the power to execute, endorse and deliver contracts, and to guarantee the prompt and faithful performance and payments of debts, notes, agreements, contracts and undertaking of any other person, firm, partnership or corporation; and including also the power to act as an accommodation

RAYBORN & RAYBORN
ATTORNEYS AT LAW
P.O. BOX 321
FIRST INTERSTATE BANK BLDG.
TWIN FALLS, IDAHO 83301
(208) 733-2600

RECEIVED
MAY 15 1992

co-maker or guarantor of obligations either as a primary or secondary obligor.

F. To do any and all other such acts, things and business in any manner connected with or necessary, incidental convenient or auxiliary to any of the objects hereinbefore enumerated, or calculated, directly or indirectly, to promote the best interests of the corporation.

G. The several clauses contained in this statement of purposes shall be construed as both purposes and powers, and the statements contained in each clause shall be in no way limited or restricted, by reference to, or inference from, the terms of any other clause, but shall be regarded as independent purposes and powers; and no recitation, expression, or declarations of specific or special powers or purposes herein enumerated shall be deemed to be exclusive; it is hereby expressly declared that any other lawful purposes not inconsistent with these Articles are intended to, and hereby are, included as purposes and powers of this corporation.

III

The registered office of this corporation in the State of Idaho shall be located in Buhl, Idaho, and the Post Office address of the registered office of said corporation shall be 101 Fourth Avenue South, Buhl, Idaho 83316.

IV

Subject to dissolution in the manner provided by law, the duration of this corporation shall be perpetual.

RECEIVED
MAY 15 1992

RAYBORN & RAYBORN
ATTORNEYS AT LAW
P.O. BOX 321
FIRST INTERSTATE BANK BLDG.
TWIN FALLS, IDAHO 83301
(208) 733-2600

V

The corporation shall be governed by a Board of Directors. The number of the members of the Board shall be fixed by the By-laws of the corporation, except that such number shall be not less than two (2) nor more than five (5). The qualifications, duties, powers, limitations, and other factors relevant to the functioning of the Board of Directors shall be set out in the By-Laws of this corporation, subject to the laws of the State of Idaho.

VI

The Board of Directors of this corporation shall have the power to repeal and amend the By-Laws of this corporation, and shall have the power to adopt new By-Laws; this power may be exercised by the Board of Directors through a majority vote of that Board. By-Laws so repealed, amended or adopted by the Board of Directors, subject to these Articles and the By-Laws of the corporation, shall be subject to re-enactment, amendment or repeal by the shareholders of this corporation at their regular meetings or at any meeting specially called for that purpose. A majority of the shareholders of the corporation may exercise the powers of re-enactment, amendment, or repeal heretofore set out. The By-Laws of this corporation shall regulate the manner of voting for this and other governing actions of the corporation.

RAYBORN & RAYBORN
ATTORNEYS AT LAW
P.O. BOX 321
FIRST INTERSTATE BANK BLDG.
TWIN FALLS, IDAHO 83301
(208) 733-2600

APPROVED AND FILED
MAY 13 1992

VII

The amount of authorized stock of the corporation shall be one thousand shares of common, voting stock with no par value. None of the stock shall be preferred and none of it is restricted.

VIII

The names and post office address of each of the incorporators are as follows:

NAME	ADDRESS
Wendell M. Starke	2 Ansley Drive N.E. Atlanta, GA 30309
Kent A. Starke	1401 Peachtree Street N.E. Suite 500 Atlanta, GA 30309

IX

Two directors shall constitute the initial Board of Directors, and the persons who will serve as directors until the first annual meeting of shareholders or until their successors are elected and qualify, will be:

NAME	ADDRESS
Wendell M. Starke	2 Ansley Drive N.E. Atlanta, GA 30309
Kent A. Starke	1401 Peachtree Street, N.E. Suite 500 Atlanta, GA 30309

X

The address of the initial registered office will be 101 Fourth Avenue South, Buhl, Idaho, 83316, and the initial

RAYBORN & RAYBORN
ATTORNEYS AT LAW
P.O. BOX 321
FIRST INTERSTATE BANK BLDG.
TWIN FALLS, IDAHO 83301
(208) 733-2600

MAY 15 1992

registered agent of the corporation, at the same address is Richard Eggleston.

IN WITNESS WHEREOF, the parties have executed these ARTICLES OF INCORPORATION on this 23rd day of January, ~~1990.~~ 1991. LMB KAS

Wendell M. Starke
WENDELL M. STARKE

Kent A. Starke
KENT A. STARKE

STATE OF Georgia)
: ss.
County of Fulton)

On this 23rd day of January, 1991, personally appeared before me, a notary public in and for said State, WENDELL M. STARKE and KENT A. STARKE, known to me to be the signers of the within instrument, who duly acknowledged to me that they executed the same.

Ilene B. Solomon
NOTARY PUBLIC *
Residence:
My Commission Expires:

Notary Public, Fulton County, Georgia
My Commission Expires July 19, 1994

* 7822 Spring Creek Ln.
Atlanta, GA 30350

RAYBORN & RAYBORN
ATTORNEYS AT LAW
P.O. BOX 521
FIRST INTERSTATE BANK BLDG.
TWIN FALLS, IDAHO 83301
(208) 733-2600

RECEIVED
MAY 16 1991

DAVIS WRIGHT TREMAINE

LAW OFFICES

702 WEST IDAHO STREET · SUITE 700 · BOISE, IDAHO 83702
(208) 338-8200

JOSEPHINE BEEMAN
(208) 338-8233

July 26, 1991

RECEIVED
JUL 29 1991

Norman C. Young
Idaho Department of Water Resources
1301 N. Orchard
Boise, Idaho 83706
Attention: Glen Saxton

Re: Permit No. 36-8414

Dear Mr. Young:

Our client, Pristine Springs, Inc., recently purchased a fish farm located in the Snake River Canyon north of Twin Falls and immediately adjacent to the Blue Lakes Trout Farm. The legal description of this property is found in Schedule A of the enclosed warranty deed. The associated water rights for this property are licenses 36-2603B and 36-7130, decreed water right 36-0200, permits 36-8414 and 36-7757, and application 36-8094 and 36-8573, including Snake River Basin Adjudication (SRBA) claims A36-0200, A36-2603B and A36-7130.

Enclosed is the assignment of Permit 36-8414 by Ronald C. Yanke to Pristine Springs, Inc., executed on June 11, 1991.

Please change your records to reflect this new ownership. If there is need for any additional information, please do not hesitate to call me at 338-8233.

Sincerely,

DAVIS WRIGHT TREMAINE

Jo Beeman

Josephine P. Beeman

Enclosures

cc: Loren C. Holmes - IDWR Southern Region (w/encls.)

RECEIVED
MAY 15 1992

FAX: (208) 338-8299
ANCHORAGE, ALASKA · BELLEVUE, WASHINGTON · LOS ANGELES, CALIFORNIA · PORTLAND, OREGON
RICHLAND, WASHINGTON · SEATTLE, WASHINGTON · WASHINGTON, D.C.

DAVIS WRIGHT TREMAINE

LAW OFFICES

702 WEST IDAHO STREET · SUITE 700 · BOISE, IDAHO 83702
(208) 338-8200

JOSEPHINE BEEMAN
(208) 338-8233

July 26, 1991

RECEIVED
JUL 29 1991

Norman C. Young
Idaho Department of Water Resources
1301 N. Orchard Street
Boise, Idaho 83706
Attention: Glen Saxton

Re: Water Rights 36-0200, A36-0200, 36-2603B, A36-2603B, 36-7130 and A36-7130

Dear Mr. Young:

Our client, Pristine Springs, Inc., recently purchased a fish farm located in the Snake River Canyon north of Twin Falls and immediately adjacent to the Blue Lakes Trout Farm. The legal description of this property is found in Schedule A of the enclosed warranty deed. The associated water rights for this property are licenses 36-2603B and 36-7130, decreed water right 36-0200, permits 36-8414 and 36-7757, and applications 36-8094 and 36-8573, including Snake River Basin Adjudication (SRBA) claims A36-0200, A36-2603B and A36-7130.

We are submitting a copy of the recorded warranty deed wherein Ronald and Linda Yanke sold the property and associated licensed and/or decreed water rights for 36-0200, 36-2603B and 36-7130 to Pristine Springs, Inc., executed on January 29, 1991. Our review of the Idaho Department of Water Resources' records revealed that Professional Investor's Life Insurance is currently recorded as the owner for these water rights. Consequently, we have also enclosed the warranty deed which describes the prior purchase of the property by the Yankes' from Professional Investor's Life Insurance. A change of ownership form for these water rights and the associated SRBA claims is also enclosed.

Please change your records to reflect this new ownership. If there is need for any additional information, please do not hesitate to call me at 338-8233.

Sincerely,

DAVIS WRIGHT TREMAINE

Jo Beeman

Josephine P. Beeman

WATER LAWS
MAY 15 1992

Enclosures
cc: Loren C. Holmes - IDWR Southern Region (w/encls.)

MEMORANDUM

DATE: 23-Jan-1989

FROM: Loren Holmes LH

TO: Water right files:

36-7130
36-8094
36-8137
47-7478
47-7492
47-7606
47-7714
47-7745
47-7758
47-7813
47-7872
47-7875
47-7964
47-7966
47-7969

SUBJECT: CSI Agreement -- Moratorium

The above listed water rights are affected by the CSI agreement.

The agreement and moratorium order are filed in the Decree drawer as decree file 36-J.

The file also contains a memorandum regarding department action on the permits.

36-8094

MICROFILMED
MAY 15 1992

MAY, MAY, SUDWEEKS, SHINDURLING & STUBBS
ATTORNEYS AT LAW
516 SECOND STREET EAST
TWIN FALLS, IDAHO 83303-1846

J. ALFRED MAY - RETIRED
JAMES J. MAY
JAY D. SUDWEEKS
J. DEE MAY
JON J. SHINDURLING
MARK D. STUBBS
L. JAY MITCHELL

P.O. BOX 1846
AREA CODE 208
733-7180

June 7, 1984

PLEASE REFER TO OUR FILE NUMBER:

RECEIVED
JUN 8 1984
Department of Water Resources
Southern Idaho Office

Mr. Lorin O. Holmes
Southern Region Supervisor
State of Idaho
Department of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301

RE: APPLICATION FOR PERMIT (AMENDED) #36-7757, APPLICATION FOR PERMIT #36-8094, PERMIT #36-7758

Dear Mr. Holmes:

This letter will confirm our recent telephone conversation in which I explained to you the position of my client, Profesional Investors Life Insurance Company, with respect to the above water permit and applications for permits. As I explained, Professional Investors Life Insurance Company became the owner of the property to which these applications and permit appertain by means of a mortgage foreclosure action. The prior owners of the property have a right of redemption up to and including February 13, 1985.

Because of that right of redemption, it is very difficult for Professional Investors Life Insurance Company to determine when they can present a plan for utilization of the water rights. Nevertheless, we will make every attempt possible to do as much as we can in the interim.

We are therefore formally requesting an extension of time within which to perform all necessary acts with

MICROFILMED
MAY 15 1992

regard to perfection of the above referenced water rights until February 13, 1985. Please let me know your response to this request.

Thank you for your cooperation.

Very truly yours,

MAY, MAY, SUDWEEKS,
SHINDURLING & STUBBS

MARK D. STUBBS

MDS/fw

RECEIVED
MAY 15 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

May 2, 1984

Professional Investor's Life Insurance Company
P. O. Box 2888
Main at Fifth
Tulsa, Oklahoma 74101

Re: Application for Permit No. 36-8094

Gentlemen:

The Department acknowledges assignment of Application for Permit No. 36-8094 to you.

Please be advised that the following information must be submitted for inclusion with the application before action can be taken by the Department:

1) A plan for the facility. This must include a scale drawing showing the proposed plan of the plant on the property, and give approximate locations, dimensions, and elevations of all major components of the facility.

2) Sections 42-205 thru 42-208 of the IDAHO CODE require that no permit for power generation purposes shall be issued to persons not bona fide Idaho residents or corporations not licensed to do business in Idaho. Enclosed is an affidavit which must be completed and filed with the application to insure compliance with this requirement.

Please return the affidavit of residence and plans or a statement of when plans will be completed to this office within 30 days.

If we can be of any assistance in this matter, please contact us.

Very truly yours,

Loren O. Holmes
Southern Region Supervisor

LOH:marya
cc: Mark Stubbs
Encl:

NOT FILMED
MAY 15 1992

MAY, MAY, SUDWEEKS, SHINDURLING & STUBBS
ATTORNEYS AT LAW
516 SECOND STREET EAST
TWIN FALLS, IDAHO 83303-1846

P.O. BOX 1846

AREA CODE 208
733-7180

J. ALFRED MAY - RETIRED
JAMES J. MAY
JAY D. SUDWEEKS
J. DEE MAY
JON J. SHINDURLING
MARK D. STUBBS
L. JAY MITCHELL

March 6, 1984

PLEASE REFER TO OUR FILE NUMBER.

RECEIVED
MAR 8 1984
Department of Water Resources

Department of Water Resources
State of Idaho
450 West State
Boise, ID 83702

RE: FILING OF WATER RIGHTS

Dear Sir or Madam:

Please accept the enclosed Assignments for filing with your department. Please call if you have any questions.

Very truly yours,

MAY, MAY, SUDWEEKS,
SHINDURLING & STUBBS

MARK D. STUBBS

MDS/fw

Enclosures

RECEIVED
MAY 15 1984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

1041 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301
(208) 734-3578

July 9, 1982

Aqua Life, Inc.
Route 3
Buhl, Idaho
83316

RE: Applications for Permits 36-8092, 36-8093 & 36-8094

Gentlemen:

This office is currently processing your Applications for Permits filed on June 28, 1982.

Since the applications seek to establish water rights for power generating purposes, and it appears that a commercially marketable amount of power may be produced, the following information must be submitted for inclusion with your applications in accordance with Section 42-202 of the IDAHO CODE:

The following for Application 36-8092:

A plan for the facility. This must include a scale drawing showing the proposed layout of the plant on the property, and must give approximate locations, dimensions, and elevations of all major components of the facility.

An itemized estimate of the cost of constructing the facility.

A statement of the financial resources of the applicant and the means by which funds are to be provided for construction of the project. This information will be reviewed in confidence and returned to you.

Please find enclosed an affidavit which must also be included with your application. Please complete the affidavit, sign it before a notary, and return it to this office.

The following for Application 36-8093:

A plan for the facility. This must include a scale drawing showing the proposed layout of the plant on the property, and must give approximate locations, dimensions, and elevations of all major components of the facility.

An itemized estimate of the cost of constructing the facility.

A statement of the financial resources of the applicant and the means by which funds are to be provided for construction of the project. This information will be reviewed in confidence and returned to you.

Requirements for Application 36-8093 Continued:

Please find enclosed an affidavit which must also be included with your application. Please complete the affidavit, sign it before a notary, and return it to this office.

Since your application seeks to divert water which may be under the control of the North Side Canal Company you must submit to the Department documents showing permission is granted by the canal company to utilize this water and which provides for coordination of the permitted use with the canal company.

The following for Application 36-8094:

A plan for the facility. This must include a scale drawing showing the proposed layout of the plant on the property, and must give approximate locations, dimensions, and elevations of all major components of the facility.

Please find enclosed an affidavit which must also be included with your application. Please complete the affidavit, sign it before a notary, and return it to this office.

Advertising and regional office review of your application should be completed by August 2, 1982. If the above requested information is received by that date, no additional delay in processing in this office will be incurred before we forward your application to the IDWR State Office for final review.

If you have questions regarding these requirements, please contact our office.

Sincerely,

Allen D. Merritt

Allen D. Merritt
Senior Water Resource Analyst

CC: North Side Canal Co.

RECEIVED
JUL 15 1982

NOTICE APPLICATION FOR WATER RI

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

36-8094

AQUA LIFE, INC.

RT. 3, BUHL, ID 83316

Source: GROUNDWATER

Date Filed: 06/28/1982

Amount: 7.00 CFS

Diversion Point: LOT 14 Sec 29 T 09S R 17E, JEROME Co.

Use: POWER (7.00 CFS) from 01/01 to 12/31

Place of Use: LOT 14 Sec 29 T 09S R 17E

Diversion Means: WELL

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before AUGUST 2, 1982.

A. KENNETH DUNN

Director

Published 7/15 & 7/22/82.

RECEIVED

MAY 15 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JULY 8, 1982

North Side News
P. O. Box 468
Jerome, Idaho 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 2, 1982.

Yours truly,

Mary A. Hill
Secretary

Encl.

RECEIVED
JUL 15 1982

INTER-DEPARTMENT MEMO — 1

DATE

FROM

TO

SUBJECT

SIGNATURE

INTER-DEPARTMENT MEMO — 1

DATE 10/15/86

FROM LH

TO File

SUBJECT All new correspondence

Copies of any new correspondence should be sent to:

Terry Uhling, Esquire
P.O. Box 1906
Twin Falls, ID 83301

RECEIVED
MAY 15 1992

SIGNATURE

36-8094

State of Idaho
DEPARTMENT OF WATER RESOURCES

February 2, 1987

J. Gregory La Fevers
Attorney at Law
P.O. Box 2888
Tulsa, OK 74101

RE: Application 36-8094
Professional Investors Life Insurance Co.

Dear Mr. La Fevers:

This letter is in response to your December 5, 1986 request for additional time to develop the additional information required to support the application.

This application may be the subject of litigation in the pending College of Southern Idaho (CSI) vs IDWR (Idaho Department of Water Resources) et.al., case. Therefore, the submission of plans and engineering information for the project will not be required until that case is resolved.

The Idaho residency requirement, however, needs immediate attention to maintain the application before the Department.

Sections 42-205 through 208 of the IDAHO CODE require that holders of water rights for power generation be bonafide residents of Idaho or corporations qualified to do business in Idaho.

An Affidavit form is enclosed for the applicants use in meeting this requirement.

Please return the completed Affidavit to establish residence to this office prior to March 1, 1987.

If you have any questions, please contact me.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Supervisor

Enclosure

cc: Professional Investors Life Insurance Company

KEVIN W. BOYD
Attorney At Law
P.O. Box 2888
Tulsa, Oklahoma 74101
(918) 627-1320

RECEIVED
DEC 8 1986
Department of Water Resources
Southern Region Office

December 5, 1986

Loren O. Holmes,
Supervisor
Idaho Department of
Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301

Re: Professional Investors Life Insurance Company -
Application for Permit #36-8094

Dear Mr. Holmes:

In response to your letter of November 5, 1986, please be advised that we are currently preparing a full response to your request.

Ken Ellis informs us that he spoke with you earlier today, and explained our need for additional time in order to fully respond to your letter.

Mr. Ellis informs us that this letter will serve as our formal request for an extension.

Your patience and assistance in this matter are appreciated. You may expect a full response to your aforementioned letter within the extended time period granted to us.

Should you have any questions concerning our handling of this matter, please do not hesitate to contact me or Mr. Ellis.

Very truly yours,

J. Gregory La Fevers
Attorney at Law

sno

CONVERSATION MEMORANDUM

DATE 11/13/86

FILE 36-8094

NAME OF PARTY Ken Ellis

EMPLOYEE Lorin Hartman

RE: 11/5/86 Notice of Pending Cancellation.

Mr. Ellis indicated he had been contacted by Professional Investors Life Ins. Co. & asked to determine what was required to keep the application from being Cancelled.

I gave him a "Affidavit to establish Residence" forms for Completion by the applicant, & told him we needed evidence which showed dilligence on the Part of the applicant, such as a statement of FERC Authority, Engineering Plans, or evidence of negotiations for a Power Contract.

Ellis indicated that Professional Investors Plans to go ahead with the Project but can't Proceed until the CSU Lawsuit is resolved.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1341 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

November 5, 1986

Professional Investors' Life
Insurance Company
P.O. Box 2888
Main at Fifth
Tulsa, OK 74101

RE: Application for Permit 36-8094

Gentlemen:

NOTICE OF PENDING ORDER REJECTING APPLICATION

On June 28, 1982; Aqua Life, Inc. filed with the Department of Water Resources an application, numbered 36-8094, for the development of a hydropower plant on the existing well in Section 29, T9S R17E., B.M. This application was assigned to you on December 7, 1983.

On May 2, 1984, the Department requested by letter to you that a detailed plan for the facility and an affidavit of residency be included with the application. These requests were pursuant to Title 42, Chapter 2 of the IDAHO CODE. You responded in letter dated June 7, 1984 requesting that action be delayed until February 13, 1985. On September 6, 1984 the Department granted your request and delayed action until March 1, 1985.

Recently the Department has reviewed the projects currently pursuing approval through the Federal Energy Regulatory Commission (FERC) and has determined your project is not included.

The purpose of this letter is to notify you that based on the information in the file it appears diligence is not being exercised in pursuing the project. If you are still planning the project, you must submit the previously requested material or give a date by which it will be submitted.

If you fail to respond to this inquiry within thirty (30) days of the date of this letter, the Department will act to reject your application. The application will be rejected on grounds it is speculative in nature since Title 42, Chapter 2 of the IDAHO CODE has not been fully complied with.

Yours very truly,

Loren O. Holmes
Southern Region Supervisor

Professional Investors' Life Insurance Company
P.O. Box 2888
Main at Fifth
Tulsa, OK 74101

I hereby certify that on this 5th day of November, 1986
I sent the original copy of this letter, postage prepaid, to the person and address listed above.

Mary A. Baldwin

Mary A. Baldwin
Secretary/Office Coordinator

RECEIVED
MAY 15 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1341 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-2578

RECEIVED
MAR 16 1988
Department of Water Resources
Southern District Office

May 2, 1984

Professional Investor's Life Insurance Company
P. O. Box 2888
Main at Fifth
Tulsa, Oklahoma 74101

Re: Application for Permit No. 36-8094

Gentlemen:

The Department acknowledges assignment of Application for Permit No. 36-8094 to you.

Please be advised that the following information must be submitted for inclusion with the application before action can be taken by the Department:

1) A plan for the facility. This must include a scale drawing showing the proposed plan of the plant on the property, and give approximate locations, dimensions, and elevations of all major components of the facility.

2) Sections 42-205 thru 42-208 of the IDAHO CODE require that no permit for power generation purposes shall be issued to persons not bona fide Idaho residents or corporations not licensed to do business in Idaho. Enclosed is an affidavit which must be completed and filed with the application to insure compliance with this requirement.

Please return the affidavit of residence and plans or a statement of when plans will be completed to this office within 30 days.

If we can be of any assistance in this matter, please contact us.

Very truly yours,

Loren O. Holmes
Southern Region Supervisor

LOH:marya
cc: Mark Stubbs
Encl:

RECEIVED
MAY 15 1984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1341 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 736-3037

RECEIVED
NOV 1 1984
Department of Water Resources

Aqua Life, Inc.
Route 3
Box 50
Buhl, Idaho 83316

Re: Permit 36-7757 - 36-8094

Gentlemen:

Returned herewith are assignments of Applications for Permit 36-7757 and 36-8094.

The Department has acknowledged assignment of these applications to professional Investor's Life Insurance Co. received on March 8, 1984.

Further assignment of the applications may only be made by the current applicant.

If you have any questions please contact this office.

Very truly yours,

Loren O. Holmes
Southern Region Supervisor

LOH:marya

Encl:

State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 3, 1984

RE: Water Rights

Western Hydropower, Inc.
Box 101
Twin Falls, ID 83301

Gentlemen:

We are in receipt of the twelve assignments of water rights that you submitted to our office on September 25, 1984.

In regard to the assignments received for Rights 36-2603B and 36-7130 we find that these are licensed water rights. In Idaho a licensed water right is considered real property and appurtenant to the property for which it was issued. Therefore, we have placed the assignments in our files and no further action is required. We have enclosed copies of these licenses for your records.

As for Rights 36-7757, 36-8117, 36-8118, 36-8119, 36-8120, 36-8122 and 36-8123, we find that these are still in "application" stage. They have been protested and have not been forwarded to our office yet. We have sent the assignments of these rights to our Regional Office in Twin Falls for processing since they are holding all of the original documents.

Rights 36-8094 and 36-8137 are also being held in Twin Falls. We have forwarded the assignments of these rights too. Should you have questions regarding the applications listed herein, please contact Loren Holmes. (the Regional Supervisor of our Twin Falls office) at 734-3578 (phone) &/or 1041 Blue Lakes Blvd. North, Twin Falls.

As for Right 36-7758, we find that it lapsed on March 1, 1983, and is no longer of any force or effect. However, Section 42-218a, Idaho Code, provides that the permit may be reinstated if sufficient evidence is submitted to the Department that beneficial use of water under the permit was made prior to the lapse date. If the permit is reinstated, it will be given a priority date of the date that proof of beneficial use is filed. We have enclosed a proof of beneficial use postcard for your use in this matter. We are also returning to you the assignment of this right.

If we can be of any assistance to you, please feel free to contact our office.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:sc

Enclosures

cc: Loren Holmes, Southern Region

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1341 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-2378

Aqua Life, Inc.
Route 3
Box 50
Buhl, Idaho 83316

Re: Permit 36-7757 - 36-8094

Gentlemen:

Returned herewith are assignments of Applications for Permit 36-7757 and 36-8094.

The Department has acknowledged assignment of these applications to professional Investor's Life Insurance Co. received on March 8, 1984.

Further assignment of the applications may only be made by the current applicant.

If you have any questions please contact this office.

Very truly yours,

Loren O. Holmes
Southern Region Supervisor

LOH:marya

Encl:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1341 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

September 6, 1984

Mark D. Stubbs
Attorney at Law
P. O. Box 1846
Twin Falls, Idaho 83303

Re: Application for Permit 36-7757 and 36-8094

Dear Mr. Stubbs:

Per you request, this office will hold further action on the above referenced applications until March 1, 1985 the questions of property ownership and ability to proceed are resolved.

Very truly yours,

Loren O. Holmes
Southern Region Supervisor

LOH:marya



EXHIBITS

Accompanying
Letter of January 3, 1992
Re: Compliance with
Regulation 4,5,3
For Application 36-8094

MAY 15 1992

A

MICROFILMED
MAY 15 1992

TOWNSHIP 9 SOUTH, RANGE 17 EAST

N

BLUE LAKES

CANYON RIM

BASS LAKE

SNAKE RIVER

Alpheous Creek, Warm Springs Creek, Sunny Brook Springs & Creek, Groundwater

LICENSE	PERMIT	NAME	SOURCE	Rate	Date of Filing or Priority	Point of Diversion: Subdiv.	Sec.	Twp.	Rge.	Use and Place of Use: Lots (Tract)	Sec.	Twp.	Rge.
36-2083		Blue Lakes Country Club, Inc.	Alpheous Gr	1.2	5-26-49	Lt. 11	28	9S	17E	Lt. 6, Lt. 7, & Lots 33, Sec 33			
36-2356		Blue Lakes Trout Farm	Alpheous Gr	100.0	5-29-58	Lt. 14	28	9S	17E	Lt. 13, Sec. 28			
			Alpheous Gr.	25.3		Lt. 14	28			Lt. 14, Lt. 19, Sec. 29			
36-7609		Secrest	Sunny Brook	1.5	4-17-64	Lt. 9	29	9S	17E	Lt. 9, Lt. 11, Lt. 14 Sec. 29			
36-7646		The City of Twin Falls	Alpheous Gr.	65.0	4-17-64	Lt. 11	28	9S	17E	City of Twin Falls & Vicinity	Municipal		
36-7130		The City of Twin Falls	Unnamed Spr.	7.47	4-17-64	Lt. 11	28	9S	17E	City of Twin Falls & Vicinity	Municipal		
36-7210		I. B. Perrine, Jr.	Groundwater	6.0	5-6-70	Lt. 14	29	9S	17E	Lt 13, SE¼SE¼ Sec 19 Lt 14 & 12 Sec. 29 Lt. 13, Sec. 28	Fish Prop.		
36-7239		Blue Lakes Trout Farm	Alpheous Gr.	65.0	10-12-71	Lt. 14	28	9S	17E	Lt. 14, Lt. 10, Sec. 29			
36-7427		I. D. McCollum	Alpheous Gr.	6.0	4-24-72	Lt. 11	28	9S	17E	NW¼, Sec. 33; NE¼NW¼, Sec. 32	Irrigat. Pond		
36-7544	Y	Blue Lakes Trout Farm	Alpheous Gr	52.23	12-28-73	Lt. 14	28	9S	17E	SE¼SW¼, Sec. 29	Aesthetic Attra		
36-7572	Y	Burton Perrine, Sr.	Groundwater	5.0	8-13-75	Lt. 10	29	9S	17E	Lt. 13, Sec. 28	Fish Prop		
36-7580	Y	Burton Perrine, Sr.	Sunny Brook Springs	10.0	2-24-75	Lt. 9	29	9S	17E	Lt. 14, Lt. 19, Sec. 29 Lt. 10, Sec. 29	Fish Prop & Greenhs & Fum		
36-7619	X	I. Burton Perrine, Sr.	Groundwater	5.0	3-5-76	Lt. 19	29	9S	17E	Lt. 10, Sec. 29	Fish Prop		
	Protest		Sunny Brook							Lt. 19, Sec. 29	Fish Prop & Irrig		
36-7683	X	I. Burton Perrine, Jr.	Springs	10.0	2-28-77	Lt. 9	29	9S	17E	Lts 1,2,7,8,9,12,13,14 Sec. 28	Dom & Rec		
36-7720	X	Blue Lakes Trout Farm	Wastewater	40.0	6-3-77	Lt. 35	29	9S	17E	Lt. 9, Lt. 10, Sec. 29	Fish Prop		
Pending										Lt. 19, Sec. 29	Fish Prop		
36-7757	X	Aqua Life Inc.	Alpheous Gr	215.0	10-27-77	Lt. 14	28	9S	17E	Lt.18 & Lt. 14, Sec. 29	Fish Prop		
Pending			Sunny Brook			Lt. 9	29	9S	17E	Lt. 13, Sec. 19			
36-7758	X	Aqua Life Inc.	Un-named Spring	20.0	10-27-77	Lt. 14	28	9S	17E	Lt. 9, Lt. 10, Lt. 11, Sec. 29 Lt. 13, Sec. 19	Fish Prop		
36-7805	X	I. Burton Perrine, Sr.	Warm Spgs Creek	12.0	2-25-78	Lt. 14	28	9S	17E	Lt. 14, Sec. 28	Fish Prop		
36-7876	X	I. Burton Perrine, Sr.	Groundwater	16.0	10-10-78	Lt. 10	29	9S	17E	Lt. 10, Sec. 29			
Pending	Y	Secrest Inc.	Groundwater	25.0	5-12-71	Lts.11,15,17 Lt.8	29 30			Sec. 19, Sec. 29, Sec. 30	Fish Prop, Aesthetics		

Not as issued on Lic.

MICROFILMED
MAY 15 1992

WELL LOCATIONS

Our Number	Owner Permit No.	Location
W-1*	47-91-S-025	SE¼ SE¼ Sec 29 T9S R17E
W-2*	N/A	SW¼ SE¼ Sec 29 T9S R17E
W-3*	36-7130	NW¼ SE¼ Sec 29 T9S R17E
W-4	86-7139	NW¼ NW¼ Sec 29 T9S R17E
W-5	N/A	SW¼ SW¼ Sec 29 T9S R17E
W-6	N/A	SW¼ SW¼ Sec 29 T9S R17E
W-7*	81	SE¼ SW¼ Sec 29 T9S R17E
W-8	47-91-S-012	NE¼ SE¼ Sec 33 T9S R17E
W-9	N/A	NW¼ NW¼ Sec 33 T9S R17E
W-10	47-7758	NW¼ NW¼ Sec 33 T9S R17E
W-11	47-7758	NW¼ NW¼ Sec 33 T9S R17E
W-12	47-7758	NW¼ NW¼ Sec 33 T9S R17E
W-13	N/A	NE¼ NW¼ Sec 33 T9S R17E
W-14	N/A	NE¼ SE¼ Sec 33 T9S R17E
W-15	N/A	SE¼ SE¼ Sec 33 T9S R17E
W-16	N/A	SE¼ SE¼ Sec 33 T9S R17E
W-17	36-89-S058	SW¼ SE¼ Sec 28 T9S R17E
W-18*	N/A	SW¼ SW¼ Sec 28 T9S R17E
W-19	N/A	SE¼ NW¼ Sec 28 T9S R17E
W-20	N/A	SE¼ SW¼ Sec 28 T9S R17E
W-21	N/A	SE¼ SE¼ Sec 28 T9S R17E
W-22	N/A	SW¼ SE¼ Sec 28 T9S R17E
W-23	47-89-S-017	NW¼ NE¼ Sec 32 T9S R17E
W-24	N/A	NW¼ NW¼ Sec 32 T9S R17E
W-25	N/A	SE¼ SE¼ Sec 32 T9S R17E
W-26	N/A	SE¼ SE¼ Sec 32 T9S R17E
W-27	N/A	NE¼ NW¼ Sec 32 T9S R17E
W-28	N/A	NE¼ NW¼ Sec 32 T9S R17E
W-29	N/A	NE¼ NW¼ Sec 32 T9S R17E
W-30	N/A	NE¼ NW¼ Sec 32 T9S R17E
W-31	N/A	SE¼ NW¼ Sec 20 T9S R17E
W-32	36-7414	NE¼ SW¼ Sec 20 T9S R17E

*May be located within 1/2 mile of subject well.

RECEIVED
MAY 15 1992

W-1

Form 238-7
6/88

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

RECEIVED
MAY 1 5 1991

WELL DRILLER'S REPORT

Idaho Code requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Department of Water Resources
Name [redacted] Construction Services, Inc.
Route 1 Box 1304
Address Filer, ID 83328

Owner's Permit No. [redacted] 47-91-6-025

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increased
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED
☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____


Thickness	Diameter	From	To
.250 inches	10 3/4 inches	0 feet	19 feet
.250 inches	6 5/8 inches	1 feet	56 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No
Manufacturer's name Houston
Type Stainless steel Model No. _____
Diameter 6 5/8 Slot size .020 Set from 46 feet to 56 feet
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Gravel packed? ☒ Yes ☐ No ☐ Size of gravel _____
Placed from -3 feet to 46 feet
Surface seal depth 19 Material used to seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata
Describe access port well cap

6. LOCATION OF WELL
Sketch map location must agree with written location.



Subdivision Name _____
Lot No. _____ Block No. _____
County Jerome
SW ¼ SE ¼ Sec. 29 T. 9 S N R. 22 E W

7. WATER LEVEL
Static water level 28 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ Psi.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 56 deg. Quality _____
(Describe artesian or subartesian zones below)

8. WELL TEST DATA
☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
12	0	8	Surface sand		
	8	14	Boulders		
	14	15	Sand		
	15	19	Boulder		
10	19	24	Boulder		
	24	28	Clay & sand		
	28	36	Boulder		
	36	37	Sand		
	37	46	Boulder		
	46	56	Gravel & sand	X	
	56	58	Boulder		
			Filled in to 56 feet		

10.
Work started 4/22/91 finished 4/23/91

11. DRILLERS CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Walker Water Systems, Inc. Firm No. 33
Address 654 Pierce Street Twin Falls, Idaho 83301 Date 5/6/91
Signed by (Firm Official) [signature]
and
(Operator) [signature]

RECEIVED
MAY 15 1991

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

W-2

Form 238-7
9-82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

Send two copies of this report to the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

97

1. WELL OWNER

Name Colin Randolph

Address RT 2 Twin Falls Id

Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe abandonment procedures, such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal

☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary

☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	6 5/8 inches	1 feet	19 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter ___ Slot size ___ Set from ___ feet to ___ feet

Diameter ___ Slot size ___ Set from ___ feet to ___ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 19ft Material used in seal: ☒ Cement grout

☐ Bentonite ☐ Puddling clay ☐ _____


Sealing procedure used: ☐ Slurry pit ☐ Tamp, surface casing ☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Twin Falls

SW ¼ SE ¼ Sec. 22 T. 9 ☐ N ☒ S R. 17 ☐ E ☒ W.

7. WATER LEVEL

Static water level 15 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

(Describe artesian or temperature control below)

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Obsv.	Depth From	Depth To	Material	Water Yes
	0	12	Top soil	
	12	14	Lt sand	
	14	17	gravel	
	17	22	Gray clay	
	22	25	Lt sand	
	25	47	Dk clay	
	47	51	Gravel	
	51	60	Brown clay	

RECEIVED
JUN 5 1987
Department of Water Resources
Southern Region Office

RECEIVED
JUN 05 1987
Department of Water Resources

10. Work started June 8th finished June 8 8

11. DRILLER'S CERTIFICATION DR

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Dave Rudd & Sons Firm No. 192

Address RT 2 Kimberly Date 5/29/87

Signed by (Firm Official) Dave Rudd

and

(Operator) _____

RECEIVED
MAY 15 1992

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

RECEIVED

JUL 13 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

Report to be submitted to the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Department of Water Resources

1. WELL OWNER

Name Keystone Oil (Andalex Resources)

Address Oklahoma

Owner's Permit No. 36-7130

2. NATURE OF WORK

☐ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)
☒ Reconstruction

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☒ Industrial ☐ Stock ☐ Waste Disposal or Injection
☒ Other Hot Water (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☐ Steel ☒ Concrete ☐ Other

Thickness	Diameter	From	To
inches	inches	0 feet	640 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation inches by inches


Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name
Type Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel
Placed from feet to
Surface seal depth 640 Material used in seal: ☒ Cement grout ☐ Bentonite ☐ Puddling clay ☐
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Pressured in ☐ Overbore to seal depth
Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent ☐ Cemented between strata
Describe access port

RECEIVED FEB 20 1987 Department of Water Resources

6. LOCATION OF WELL

Sketch map location must agree with written location



Subdivision Name
Lot No. Block Number
County Jerome

NW ¼ SE ¼ Sec. 27, T. 8 N, R. 17 E.W.

RECEIVED FEB 11 1987 Department of Water Resources Southern Region Office

7. WATER LEVEL

Static water level feet below land surface
Flowing? ☒ Yes ☐ No G.P.M. flow
Artesian closed-in pressure P.S.I.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature °F. Quality
Describe pressure or temperature gauge used

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
			Set Packer at 640 FT		
			(Also see Report dated by Water Resource Board for Cementing)		
6⅝	640	650	SOFT (clay) Rhyolite		
	650	660	Hard (green) Rhyolite		
	660	685	Dry Hard Banded Rhyolite		
	685	700	Very Hard Pink Rhyolite		
	700	705	Pink Water Black Shale Rhyolite		
	705	710	Black Pink Rhyolite		
	710	725	Pink Water 125 @ 125 GPM Pink Rhyolite		
	725	TD	Brown Pink Rhyolite		
			All Cement was Drilled Out with Air Rotary Hammer		
			All Rhyolite was Drilled Out With Tri Cone [illegible]		

10. Work started June 16 finished July 12 86

11. DRILLERS CERTIFICATION

We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name C.B. Eaton Firm No. 26
Address Rupert, Idaho Date Oct 23 86
Signed by (Firm Official)
and
(Operator) Bill McHargue

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

W-4

State of Idaho
Department of Reclamation

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 20 days after completion or abandonment of the well.

1. WELL OWNER

Name: Royal Catfish Industries
Address: 2 Bunker Service 343 Blvd Idaho Falls, Idaho
Owner's Permit No.

2. NATURE OF WORK

☑ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☑ Stock Catfish

4. METHOD DRILLED

☑ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION 16" @ 2 & 225'

Diameter of hole 16" 12" 8" inches; Total depth 730 feet
Casing schedule: ☑ Steel ☐ Concrete

Thickness	Diameter	From	To
.250 inches	16 inches	+2 feet	130 feet
.219 inches	12 inches	+2 feet	222 feet
.250 inches	8 inches	+2 feet	518 feet
inches	inches	feet	feet
inches	inches	feet	feet

Was a packer or seal used? ☑ Yes ☐ No 16" Cemented in place
Perforated? ☑ Yes ☐ No
How perforated? ☐ Factory ☑ Knife ☐ Torch
Size of perforation 1/4" inches by ____ inches

Number		From	To
200	perforations	485 feet	460 feet
300	perforations	230 feet	220 feet
	perforations	feet	feet


Well screen installed? ☐ Yes ☑ No
Manufacturer's name
Type Model No.
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Diameter ___ Slot size ___ Set from ___ feet to ___ feet

Gravel packed? ☐ Yes ☑ No Size of gravel
Placed from feet to feet

Surface seal? ☑ Yes ☐ No To what depth 20 feet
Material used in seal ☑ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County Jerome
NW¼ SE¼ Sec. 29 T. 9 S. R. 17 E.

7. WATER LEVEL

Static water level Flowing feet below land surface
Flowing? ☑ Yes ☐ No G.P.M. Size 8250
Temperature 108 °F. Quality good
Artesian shut-in pressure 212 psi
Controlled by ☑ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Drawdown	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water lbs
16	0	7	Brown Sand		x
16	7	13	Tan Sandy Clay		x
	13	39	Boulders in Sand	350	
	39	51	Loose Basalt	x	
	51	58	Basalt boulder		x
	58	60	Cinders + Clay	x	x
	60	70	Basalt boulder		x
	70	81	Cindered Clay	x	
	81	87	Basalt boulder		x
	87	124	Basalt & soft		x
	124	148	Grey basalt		x
	148	164	Brown basalt		x
	164	193	Grey basalt	600	
	193	202	Brown clay + rock		x
	202	219	Brown basalt		x
8	219	253	Grey basalt		x
	253	273	Brown clay & rock		x
	273	312	Grey basalt		x
	312	321	Brown clay		x
	321	367	Grey basalt		x
	367	382	Grey clay & rock		x
	382	384	Grey basalt		x
	384	396	Brown basalt		x
	396	434	Grey basalt		x
	434	444	Grey clay		x
	444	458	Grey basalt		x
	458	467	Tan clay		x
	467	478	Grey Sandy clay & layers of sand & rock		x
6	478	480	Grey sand	x	
	480	486	Tan shale		x
	486	518	Grey shale + sand layers		x
	518	523	cemented Black Sand rock		x
	523	547	Grey Shale	x	
	547	605	Brown shale & layers of Grey	600	
	605	730	light brown & pink shale		
				x	

Work started 17 May 1970 finished 10 Dec 1970

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Boley, Henry, Lucas M 586
Driller's or Firm's Name
Murtaugh
Address
Blaine Boley Jr 18 Dec 1970
Signed By

RECEIVED
MAY 15 1992
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well

1. WELL OWNER
Name Ernest Wills
Address Rt 3 Canyon Rim
Twin Falls
Owner's permit No.

2. NATURE OF WORK
☐ New well ☑ Deepened ☐ Replacement
☐ Abandoned (Describe method of abandoning)

3. PROPOSED USE
☑ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED
☑ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 311 feet
Casing schedule ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet

Was casing drive shoe used? ☐ Yes ☐ No
Was a packer or seal used? ☐ Yes ☑ No
Perforated? ☐ Yes ☑ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches

Number	From	To
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet

Well screen installed? ☐ Yes ☑ No
Manufacturer's name
Type Model No.
Diameter ___ Slot size ___ Set from ____ feet to ____ feet
Diameter ___ Slot size ___ Set from ____ feet to ____ feet

Gravel packed? ☐ Yes ☐ No Size of gravel
Placed from ____ feet to ____ feet
Surface seal depth ____ Material used in seal ☐ Cement grout ☐ Puddling clay ☐ Well cuttings
Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☐ Overburn to seal depth

6. LOCATION OF WELL
Sketch map location must agree with written location (40)
Subdivision Name
Lot No. Block No.
County Twin Falls
SW ¼ SW ¼ Sec 29 T. 9 S R. 17 E

7. WATER LEVEL
Static water level 149 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. Flow
Temperature ° F Quality
Artesian closed in pressure psi
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☑ Bailer ☐ Other

Discharge G.P.M.	Drawdown	Hours Pumped
	0	2

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
	0	205	12 hole		
6"	205	208	Gravel - Lava		
6"	208	213	Lava - Clay - Rock		
6"	213	215	Black - Lava - Talus		
6"	215	231½	Broken Gravel Lava		
6"	231½	234	Clay & Gravel		
6"	234	234½	Red Rock		
6"	234½	236	Black Lava		
6"	236	249	Clay & Gravel		
6"	249	265	Gravel Lava - Hard		
6"	265	266½	Soft Lava		
6"	266½	276	Black - Hard - Lava		
6"	276	299	Black soft Lava		
6"	299	298	Soft Lava		
6"	298	298½	Red Rock		
6"	298½	311	Lava soft & hard		

10. Work started 11-5-77 finished 11-12-77

11. DRILLER'S CERTIFICATION
Driller Walker Well Systems Inc. Firm No. 15
Address 124 Pine St Twin Falls
Signed by (Firm Official) Eugene H Walker
and
Operator

RECEIVED
MAY 15 1992

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

Recieved 10-13-72 DP

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

1. WELL OWNER
Name Ernest J. Wells Jr
Address Canyon Rim Road
Owner's Permit No. Twin Falls Idaho

2. NATURE OF WORK
☑ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☑ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED
☑ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 267 feet
Casing schedule ☑ Steel ☐ Concrete

Thickness	Diameter	From	To
.250 inches	6 inches	+12 feet	12 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was a packer or seal used? ☐ Yes ☑ No
Perforated? ☐ Yes ☑ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches


Number	From	To
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet

Well screen installed? ☐ Yes ☑ No
Manufacturer's name ____
Type ____ Model No. ____
Diameter ____ Slot size ____ Set from ____ feet to ____ feet
Diameter ____ Slot size ____ Set from ____ feet to ____ feet

Gravel packed? ☐ Yes ☐ No Size of gravel ____
Placed from ____ feet to ____ feet

Surface seal? ☑ Yes ☐ No To what depth 19 feet
Material used in seal ☑ Cement grout ☑ Puddling clay

6. LOCATION OF WELL
Sketch map location must agree with written location.



MAR 15 1992

County Twin Falls
S½ of S½ of Sec 29 T. 9 S. R. 17 E/W

7. WATER LEVEL
Static water level 85 ft. below land surface
Flowing? ☐ Yes ☑ No G.P.M. flow ____
Temperature 55° F. Quality ____
Artesian closed-in pressure ____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☑ Bailer ☐ Other

Discharge G.P.M.	Drawdown	Hours Pumped
20	Light	2

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
6	0	10	Surface dirt & Loess		✓
			to the Hard Pan		
6	10	18	Gravy Basalt		
6	18	84	Gray Basalt		✓
6	84	97	Red Lava	✓	
6	97		Tan Lava	✓	
6	97	120	Lava Blue Lava		
			Tan	✓	
6	120	132	Hard Blue Basalt		✓
6	132	134	Blue Lava & Tan		✓
	134	135	Red & Black Lava		✓
	135	136	Hard Black Lava		✓
	136	183	Hard Dark Red		✓
	183	187	Light Red Sand & Tan	✓	
	187	267	Sand Red Lava		

10.
Work started 2 Aug 72 finished 11 Sept 72

11. DRILLER'S CERTIFICATION (89)
This well was drilled under my supervision and this report is true to the best of my knowledge.

Eugene L. Walker 15
Driller's or Firm's Name Number
624 Locust Twin Falls
Address
Signed By Eugene L. Walker 10-12-72
Date

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

W-7

Well Log Form 1
3k--3/63

RECEIVED
6/ 1967
Department of Reclamation

WELL LOG AND REPORT TO THE STATE RECLAMATION ENGINEER OF IDAHO

SUBMIT WITHIN 30 DAYS AFTER COMPLETION OF WELL: SEE IDAHO STATUTES 42-238

Permit No. 8' Well No. ___ County Twin Falls

Owner Pump & Equip Co

Address Twin Falls Ida.

Driller James H. Moore


Address 1726 Kimberly Rd Twin Falls Ida

Well location SE ¼ SW ¼ Sec. 27 T. 9 S. R. 17 E/W

Size of drilled hole 6"

Total depth of well 165 ft

Locate well in section



Give depth to standing water from the ground 105 ft Water temp. ___ °Fahr.

Test delivery was ___ g.p.m. or ___ c.f.s. Drawdown was ___ feet. Pump? ___ Bailer? ___

Size of pump and motor used to make test ___

Length of time of test ___ hours ___ minutes.

If flowing well, give flow ___ c.f.s. or ___ g.p.m. and of shut off pressure ___

If flowing well, described control works ___ (TYPE AND SIZE OF VALVE, ETC.)

Water will be used for Domestic Weight of casing per lineal foot ___

Thickness of casing .188 Casing material Steel (STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing 8" 165' Top (CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER; CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.

RECEIVED
MAY 15 1967

Number and size of perforations ___ located ___ feet to ___ feet from ground

Date of commencement of well Nov 8 Date of completion of well Nov 24-66

SESW 5.29 9S 17E USGS

WELL LOG

From Feet	To Feet	Type of Material	Water Encountered, Amt. Yes or No	Casing Perforated, Amt. Yes or No
0	2	Top soil		
2	6	hardpan		
6	20	grey lava		
20	24	clay		
24	43	grey lava		
43	65	red "		
65	90	grey "		
90	108	clay		
108	110	grey lava		
110	115	red " water		
115	140	" "		
140	150	grey "		
150	155	brown		
155	160	red " more water		
160	165	" "		
165	178	" " water clear		
178	180	red " " tale		
		grey "		

If more space is required use Sheet No. 2

WELL DRILLER'S STATEMENT

This well was drilled under my supervision and the above information is complete, true and correct to the best of my knowledge and belief.

Signed James E Dunn

By

Dated June 28, 1962

License No. 84

Well Driller's Helper

RECEIVED
AUG 15 1962

W-8

Form 238-7
6/80

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name John Ingmire

Address Rt 3 Box 6226 Id 83303

Owner's Permit No. 47-91-5-012 ok

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter		From	To
0.25 inches	6¼ inches	+	2 feet	18 feet
_____ inches	_____ inches		_____ feet	_____ feet
_____ inches	_____ inches		_____ feet	_____ feet
_____ inches	_____ inches		_____ feet	_____ feet


Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation _____ inches by _____ inches

Number		From	To
_____	perforations	_____ feet	_____ feet
_____	perforations	_____ feet	_____ feet
_____	perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 10 Material used in seal: ☐ Cement grout ☐ _____
☒ Bentonite ☐ Puddling clay
Seating procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL

Sketch map location MUST agree with written location.



Subdivision Name _____ Lot No. _____ Block No. _____

County Twin Falls

7. WATER LEVEL

Static water level 69 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ P.S.I.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature ~85 °F. Quality _____
Describe artesian or temperature zones below:

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam	Depth From	Depth To	Material	Water-bearing Yes	Water-bearing No
6¼	0	3	Top Soil		X
	3	4	White chalk Rock		
	4	14	Gray lava		
	14	15	Black lava		
	15	18	Brown lava		
6	18	19	Black lava		
	19	21	Bleak lava		
	21	28	Brown lava		
	28	49	Black		
	49	51	Brown Clay		X
	51	68	Gray lava		
	68	69	Coarse gravel	X	
	69	76	Red Brown lava	X	
	76	96	Gray lava	X	
	96	99	Red Brown lava	X	
	99	108	Brown lava		
	108	130	Black lava		
6					

RECEIVED
MAR - 6 1991
Department of Water Resources
Southern Region Office

10. Work started 3 March 91 Completed 3 March 91

11. DRILLER'S CERTIFICATION

The driller certifies that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Eaton Firm No. 26
Address Wendell Date 6 Mar 91
Signed by (Firm Official) _____
and
(Operator) R. Patterson

MAY 15 1992

MICROFILMED

W-9

Form 238-7
9-82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

40.

1. WELL OWNER

Name Roy Hopkins Const
Address Rt 6 Twin Falls
Owner's Permit No. ____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	6 5/8 inches	1 feet	27 feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet


Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches

Number	From	To
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of material _____
Placed from _____ feet to _____ feet
Surface seal depth 24' Material used in seal: ☐ Cement grout
☐ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____
Lot No. ____ Block No. ____
County Twin Falls
NE ¼ NW ¼ Sec. 33 T. 9 N R. 17 E W.

7. WATER LEVEL

Static water level 65 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
	0	6	Top soil		
	6	15	Lava rock		
	15	46	Lava rock		
	46	50	Lava rock		
	50	84	Lava rock		
	84	95	Lava rock		
	95	114	Lava rock		
	114	127	Lava rock		
	127	131	Lava rock		
	131	135	Lava rock		
	135	147	Lava rock		
	147	150	Lava rock		

RECEIVED
JUN 25 1987
Department of Water Resources
Southern Region

JUL 08 1987
Department of Water Resources

10. Work started July 29 1986 finished Aug 10

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Roy Hopkins Const Firm No. 196
Address Rt 2 Kimberly Date 6/20/87
Signed by (Firm Official) _____
and
(Operator) _____

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

W-10

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

JUN 10 1985

Department of Water Resources
Southern Idaho Office

1. WELL OWNER

Name: Canyon Springs Golf Course
Joe McMillan, Managing partner
Address: Box 1184 Twin Falls, Idaho 83301

Owner's Permit No. 82-7758

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☒ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	26 inches +	1 feet	26 feet
.375 inches	16 inches	1 feet	128 feet
.500 inches	inches	feet	feet
.375 inches	12 inches	1 feet	161 feet


Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 26 ft. Material used in seal: ☒ Cement grout ☐ Puddling clay ☐ Well cuttings
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☒ Cemented between strata
Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____
Lot No. _____ Block No. _____
County TWIN Falls
¼ ¼ ¼ Sec. 33, T. 9S N/S, R. 17E E/W.

7. WATER LEVEL

Static water level 58 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature ___ °F. Quality _____

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
No test		

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Color
36"	0	8	sand & dirt	
36"	8	26	gray lava boulders & sand	
20"	26	56	gray lava boulders & sand	
	56	79	gray rhyolite boulders&cinders	
	79	86	gray basalt (hard)	
16"	86	116	gray rhyolite& cinders (soft)	
	116	123	gray lava & some clay	
	123	140	blue clay&gray lava(some cavings)	
	140	157	gray hard lava	
	157	167	gray & brown clay,gray rhyolite	
	167	203	gray rhyolite&seams of clay	
	203	226	gray rhyolite & clay	
	226	261	gray basalt (hard)	
			83 ft. 20"x.3/8 casing set down to 81 ft. A gulled 12" & 16" diameter casing connected in mail, mail is to be finished with Rotary	
			24 in. casing cemnte d with added 9 to 1-ea yards of cement	

RECEIVED RECEIVED
JUN 14 1985 JUN 21 1985
Department of Water Resources Department of Water Resources

10.

Work started Oct. 1, 1981 Finished Dec. 22, 1981

11. DRILLERS CERTIFICATION DS

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name R. O. Denton & Son Firm No. 83
Address Paul, Idaho Date Dec. 27, 1981
Signed by (Firm Official) Robert O. Denton
and
(Operator) Robert O. Denton

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

W-11

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

5

1. WELL OWNER

Name: Canyon Springs Golf Course
P. O. Box 112 % J. D. McCollum
Address: Twin Falls, ID 83301

Owner's Permit No.: 47-7758

2. NATURE OF WORK

☐ New well ☒ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☒ Other: Heating clubhouse (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness		Diameter		From		To	
.250	inches	24	inches +	1	feet	26	feet
.312	inches	16	inches	1	feet	128	feet
.375	inches	12	inches	1	feet	261	feet
.250	inches	8	inches	1	feet	592	feet


Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number		From		To	
_____	perforations	_____	feet	_____	feet
_____	perforations	_____	feet	_____	feet
_____	perforations	_____	feet	_____	feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name
Type Model No.
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel
Placed from ___ feet to ___ feet
Surface seal depth 261 Material used in seal: ☒ Cement grout ☐ Puddling clay ☐ Well cuttings
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata
Describe access port

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name
Lot No. ___ Block No.
County: Twin Falls
NW ¼ NW ¼ Sec. 33 T. 9 N/S, R. 17 E/W

7. WATER LEVEL

Static water level ___ feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow
Artesian closed-in pressure ___ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature ___ °F. Quality

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
			Addenda to well log submitted 3/30/82		
			26' 24" surface casing cemented with cement and sand		
			261' 12 " casing pressure cemented in with 90 sacks of cement grout		
			128' 16" casing cemented in with 10 cubic yards of 3/4 mix		
			592 ' 8 inch casing pressure cemented through cementing shoe from inside & out with [illegible] sacks cement grout and 2 [illegible] cement & sand		
			See report filed by Denton Drilling 12/27/81		

RECEIVED
MAR 28 1985
Department of Water Resources

10. Rotary starting date
Work started 1-26-82 finished 3-11-82

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name: Miller Water Systems, Inc.
Address: [illegible] Twin Falls, Idaho 83301
Firm No. 15
Date 2/1/85
Signed by (Firm Official) Frederick B Will
and
(Operator) Frederick B Will

RECEIVED
MAY 15 1992

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

W-12

Form 238
1-79

RECEIVED
JUN 7 1982

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE TYPEWRITER OR BALLPOINT PEN

ID 107

1. WELL OWNER
Name: Canyon Springs Golf Course
P. O. Box 112 % J. D. McCollum
Address: Twin Falls, ID 83301
Owner's Permit No.: 47-7758

2. NATURE OF WORK
☐ New well ☒ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste ☐ Injection or Injection
☒ Other: Heating clubhouse (specify type)

4. METHOD DRILLED
☒ Rotary ☒ Air ☒ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION Bottom drilling contained at 261' of 12" casing
Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness	Diameter	From	To
.250 inches	24 inches	1 feet	26 feet
.312 inches	16 inches	1 feet	128 feet
.375 inches	12 inches	1 feet	261 feet
.250 inches	8 inches	1 feet	592 feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation inches by inches

Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name
Type Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet
Gravel packed? ☐ Yes ☒ No Size of gravel
Placed from feet to feet
Surface seal depth 261 Material used in seal ☒ Cement grout ☐ Puddling clay ☐ Well cuttings
Sealing procedure used ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata
Describe access port

6. LOCATION OF WELL
Sketch map location must agree with written location
N / W / E / S
Subdivision Name
Lot No Block No.
County Twin Falls
NW ¼ NW ¼ Sec. 33 T. 9 ☒S, R. 17 E ☒W

RECEIVED
MAY 18 1992

7. WATER LEVEL
Static water level 0 feet below land surface
Flowing? ☒ Yes ☐ No G.P.M. flow 6300
Artesian closed-in pressure 240 p.s.i.
Controlled by: ☒ Valve ☐ Cap ☐ Plug
Temperature 102 - 103°F Quality good

8. WELL TEST DATA
☐ Pump ☐ Bailer ☐ Air ☒ Other flow

Discharge G.P.M.	Pumping Level	Hours Pumped
6300	0	

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
8	260	274	Grey basalt-very hard		X
	274	280	Brown basalt-hard		
	280	312	Black basalt-hard		
	312	314	Broken basalt-crevice		
	314	315	Black basalt-some brown		
	315	329½	Black basalt-big or broken boulders		
	329½	377	Grey basalt-very hard Andesite ?		
	377	389	Broken black basalt ? Andesite ?		
	389	394	Black basalt ? Andesite ?		
	394	413	Broken black basalt		
	413	438	Grey basalt-very hard		
	438	452	Softer broken basalt		
			Trace of cold flowing water	T	
	452	460	Solid basalt		
	460	552	Layers of sandstone & clays-some warmer water	X	
	552	592	Layers of clay & rock Water increasing-about 150 GPM temp. increase from 80° to 92°F		
	592	670	Broken ryolite with shale layers Water increased about 600 GPM temp 99°		
	670	750	Broken ryolite with shale layers Big increase in water Temp increased 102-103°		
			See report filed by Denton Drilling 12/27/81		

10. Rotary drilling starting date
Work started 1-26-82 finished 3-11-82

11. DRILLERS CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was remo. d.
Firm Name Baker Water Systems, Inc. Firm No. 15
Address 624 Pierce Street Twin Falls, Idaho 83301 Date 3/30/82
Signed by (Firm Official) Judith B. Welk
and
(Operator) Judith B. Welk

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

W-13

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name ESTER GUILBRIDGE

Address JEROME, IDAHO

Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	6 inches	1 feet	20 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet


Was casing drive shoe used? ☐ Yes ☐ No
Was a packer or seal used? ☐ Yes ☐ No
Perforated? ☐ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☐ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18' Material used in seal: ☒ Cement grout ☐ Puddling clay ☒ Well cuttings
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overflow to seal depth
Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata
Describe screen perf. _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____
Lot No. ____ Block No. ____
County JEROME
NE ¼ NE ¼ Sec. 33, T. 9 S., R. 17 E.

7. WATER LEVEL

Static water level 210 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature ___ °F. Quality _____

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
6"	0	3	TOP SOIL		
	3	50	GREY LAVA & CINDERS		
	50	90	CINDERS HOT AIR		
	90	145	SOFT GREY LAVA		
	145	195	CINDERS & LAVA		
	195	240	SOFT		
	240	245	RED HARD @ SOFT SPOTS	X	
	245	255	CINDERS	X	
	255	260	HARD		X

10. Work started 3-29-79 Completed 3-30-79

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name EVANS DRILLING Firm No. 31
Address BOX 96 TF Date 4/1/79
Signature (Firm Official) _____
and
(Operator) _____

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

W-14

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

RECEIVED

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name GERALD Taylor

Address Rt. 4 TWIN Falls, IDA.

Owner's Permit No. _____

2. NATURE OF WORK

■ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

_____

3. PROPOSED USE

■ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)

☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

■ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 100 feet

Casing schedule ☑ Steel ☐ Concrete

Thickness	Diameter	From	To
¼ inches	6 inches	+ 3 feet	18 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ■ No

Perforated? ☐ Yes ■ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ■ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter ___ Slot size ___ Set from _____ feet to _____ feet

Diameter ___ Slot size ___ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ■ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 ft material used in seal ■ Cement grout ☐ Puddling clay ☐ Well cuttings

Sealing procedure used ☐ Slurry pit ☐ Other ☐ Overflow to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W E

S

Subdivision Name _____

Lot No. _____ Block No. _____

County Twin Falls

NW ¼ SE ¼ Sec. 33 T. 9S N/S, R. 17E E/W

7. WATER LEVEL

Static water level [redacted] feet below land surface

Flowing? ☐ Yes ■ No G.P.M. flow _____

Temperature 59 °F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ■ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
30 Gal +	0	2

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
8"	0	43	Top Soil		X
8"	43	80	Black Basalt		X
6"	18	30	" "		X
6"		30		X	
6"	30	35	Black Basalt		X
6"	35	47	Soft Red Basalt		X
6"	47	53	Clay and Cinders		X
6"	53	60	Black Basalt		X
6"		60	Cinders and Talc	X	
6"	60	72	Black Basalt and Talc	X	
6"	72	87	Black Basalt		
6"		87	Black Basalt and Talc	X	
6"	87	100	" "		X

Work started 18 June 74 finished 2 July

Driller's name Eugene W. Walker

Firm name Eugene W. Walker Firm No. 15

Firm address 124 Pierce St. Twin Falls Idaho

Signed by (Driller) Eugene Walker

and (Driller) Steve Walker

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT

W-15

WELL LOG AND REPORT BY THE
MACK GRAY WELL DRILLING
KIMBERLY, IDAHO

Permit No. _____ Well No. _____ County Twin Falls

Owner R.S. Tofflemire

Address Twin Falls, Idaho

Driller Mack Gray Well Drilling

Address Kimberly, Idaho

Well location SE ¼ SE ¼ Sec. 33, T. 9S ~~N/S~~, R. 17 ~~E/W~~

Size of drilled hole 6"

Total depth of well 125 ft.

Locate well in section

NW¼	NE¼
SW¼	SE¼ ✓

Give depth to standing water from the ground 92 ft. Water temp. _____ °Fahr.

If "Pumping Test" delivery was no test g.p.m. or _____ c.f.s. Drawdown was _____ feet.

Size of pump and motor used to make test _____

Length of time of test _____ hours _____ minutes.

If flowing well, give flow _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, described control works _____
(TYPE AND SIZE OF VALVE, ETC.)

Water will be used for Domestic Weight of casing per lineal foot _____

Thickness of casing ¼ Casing material steel
(STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing 6", 7', 0 to 7'
(CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER; CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
6"	0	7'	7'	

Number and size of perforations _____ located _____ feet to _____ feet from ground

Date of commencement of well 10/18/61 Date of completion of well 10/27/61

SESE 5-33 9S 17E

USGS

WELL LOG

From Feet	To Feet	Type of Material	Water-bearing Strata (Yes or No)	Quality of Water (Fresh or Salty)
0	7	Shale & dirt		
7	30	Grey lava firm		
30	35	Red lava		
35	65	Grey lava		
65	70	Black lava Hit water at 67 ft.		
70	95	Grey lava very hard		
95	100	Red lava soft		
100	125	Black lava Washed away cuttings		
		If more space is required use Sheet No. 2		

WELL DRILLER'S STATEMENT

This well was drilled under my supervision and the above information is true and correct to the best of my knowledge and belief.

Signed Mack Gray Well Drilling

By Mrs. Mack Gray

Chuck Jones License No. 201

Dated 11/1/61, 19

RECEIVED
MAY 15 1962

W-16

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Reclamation

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Elliott Beaubouche

Address Twin Falls, Idaho

Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

_____

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test

☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 150 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.250 inches	5 3/4 inches	1 1/2 feet	15 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number		From		To	
_____	perforations	_____	feet	_____	feet
_____	perforations	_____	feet	_____	feet
_____	perforations	_____	feet	_____	feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter ___ Slot size ___ Set from _____ feet to _____ feet

Diameter ___ Slot size ___ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____


Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 20 feet

Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



RECLAIMED
MAY 15 1992

County Twin Falls

SE ¼ SE ¼ Sec. 33 T. 9 S. R. 17 E.W.

7. WATER LEVEL

Static water level 93 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumping or Bailed
15	1.5'	30 Min.

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
6"	0	2	Soil		X
	2	8	Clay		X
	8	33	Basalt Gray		X
	33	45	Basalt [illegible] lava?		X
	45	46	Red Clay		X
	46	68	Basalt Gray		X
	68	80	[illegible] rock	X	
	80	85	Clay [illegible]	X	
	95	120	Basalt Gray		X
	120	150	Basalt [illegible] porous	X	

10.

Work started March 5 finished on. 10, 1972

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

[illegible] Dalton 6
Driller's or Firm's Name Number

210½ Kimberly Rd. Twin Falls, Idaho
Address

Signed By Harry Dalton Date 5-22-72

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

W-17

Form 238 7
6/88

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name: Blue Lakes Country Club, Inc.
P. O. Box 383
Address: Twin Falls, ID 83303-0583

Owner's Permit No. 36-89-8058

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
Well diameter increase
Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☒ Other Country club municipal- (specify type) commercial

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness	Diameter	From	To
.250 inches	10 3/4 inches	+ 3 feet	39 feet
.250 inches	8 5/8 inches	+ 2 feet	139 feet
inches	inches	feet	feet
inches	inches	feet	feet


Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun
Size of perforation 1/8 inches by 4 inches

Number		From	To
65	perforations	125 feet	138 feet
	perforations	feet	feet
	perforations	feet	feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name
Type Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet
Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 1/4
Placed from 120 feet to 138 feet
Surface seal depth 39 Material used in seal: ☒ Cement grout
☐ Bentonite ☐ Puddling clay ☐
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port well cap

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name
Lot No. Block No.
County Jerome
SW ¼ SE ¼ Sec. 28, T. 9 N ☐ S ☒ R. 17 E ☒ W ☐

7. WATER LEVEL

Static water level 47'7½" feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow
Artesian closed-in pressure p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 55 °F. Quality
Describe pressure or temperature issues below

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped
57	120	6 hrs

9. LITHOLOGIC LOG

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
12	0	2½	Blow sand		
	2½	27	Boulders, clay & sand		
	27	29	Sand, water	X	
	29	39	Clay & gravel	?	
10	39	120	Clay w/ very little sand		
	120	139	Soft brown basalt, some clay	X	

RECEIVED
APR 11 1990
Department of Water Resources

RECEIVED
APR 3 1990
Department of Water Resources
Southern Region Office

10. Work started 2/15/90 Finished 2/23/90

11. DRILLERS CERTIFICATION DL

I/We certify that all minimum well construction standards were complied with at the time this rig was removed.

Firm Name Walker Water Systems, Inc. 624 Pierce Street Twin Falls, Idaho 83301 Firm No. 15
Address Date 3/9/90
Signed by (Firm Official)
and
(Operator)

MAY 15 1990

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

W-18

JAN 16 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

Send the original and one copy to the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED
JAN 26 1987
Department of Water Resources

1. WELL OWNER
Name Jeff Oswalt
Address Jerome (Blue Lakes Blvd)
Owner's Permit No. _____

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED
☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____


Thickness	Diameter	From	To
.025 inches	6 5/8 inches +	1½ feet	18 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☒ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL
Sketch map location must agree with written location.



Subdivision Name _____
Lot No. 12 Block No. _____
County Jerome

7. WATER LEVEL
Static water level 10 feet above land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temporary water flow

8. WELL TEST DATA
☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
8	0	19	TOPSOIL	X	
6	19	24	BLACK LAVA	X	
6	24	30	CINDERS		

10. Work started 9-14-86 finished 9-15-86

11. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name C.B. Foland Firm No. 26
Address Wendell Date 1-16-87
Signed by (Firm Official) _____
and
(Operator) _____

W-19

Form 238-7
1-79

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

5 93

1. WELL OWNER
Name Arnold Elsing
Address Box 919 Twin Falls 83301
Owner's Permit No.

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☒ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other (specify type)

4. METHOD DRILLED
☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Casing schedule: ☒ Steel ☐ Concrete ☐ Other


Thickness	Diameter	From	To
.250 inches	6 5/8 inches	2 feet	966 feet
.250 inches	5 9/16 inches	960 feet	1010 feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☐ Yes ☐ No
Was a packer or seal used? ☐ Yes ☐ No
Perforated? ☐ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches

Number	From	To
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet

Well screen installed? ☐ Yes ☐ No
Manufacturer's name
Type Model No.
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Gravel packed? ☐ Yes ☐ No ☐ Size of gravel
Placed from feet to feet
Surface seal depth 962 Material used in seal: ☒ Cement grout ☐ Puddling clay ☐ Well cuttings
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☒ Cemented between strata
Describe access port

6. LOCATION OF WELL
Sketch map location must agree with written location.



Subdivision Name
Lot No. Block No.
County Jerome
SE ¼ NW ¼ Sec. 28 T. 9 N R. 17 E W.

7. WATER LEVEL
Static water level 0 feet below land surface.
Flowing? ☒ Yes ☐ No G.P.M. flow 35
Artesian closed-in pressure 50 p.s.i.
Controlled by: ☒ Valve ☐ Cap ☐ Plug
Temperature 85 °F. Quality Good

8. WELL TEST DATA
☐ Pump ☐ Bailer ☐ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
8"	2	112	Brn Lava		X
	112	136	Cinders		X
	136	432	Red Lava	X	
	432	627	Brn Lava Hard		X
	627	960	Red Lava (Flows)		X
5 9/16"	960	1010	Red Sand (Flows)	X	
	1010	1060	Brn Lava Hard		X

RECEIVED
JAN 11 1985
Department of Water Resources

RECEIVED
MAY 15 1992

10. Work started July 4 80 finished June 3 82

11. DRILLERS CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name Elsing Drilling Firm No. 31
Address Box 919 Date 2/12/84
Signed by (Firm Official) Arnold Elsing
and
(Operator) Lloyd Hayden

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

W-20

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 20 days after the completion or abandonment of the well.

1. WELL OWNER

Name Richard Kirk

Address

Owner's Permit No. Not required

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test

☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6" inches Total depth 82 feet

Casing schedule ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
.250 inches	6" inches	1' feet	79' feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation ____ inches by ____ inches

Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name

Type Model No.

Diameter Slot size Set from feet to feet

Diameter Slot size Set from feet to feet

Gravel packed? ☐ Yes ☒ No Size of gravel


Placed from feet to feet

Surface seal? ☒ Yes ☐ No To what depth 20' feet

Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



36

County Jerome

¼ ¼ ¼ Sec. 28 T. 9 N/S, R. 17 E/W

7. WATER LEVEL

Static water level 60 feet below land surface

Flowing? ☐ Yes ☐ No G.P.M. flow 10

Temperature ____° F. Quality

Artesian closed in pressure ____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
10	Same	3 hrs

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
8"	0	2	Blow Sand		
"	2	24	Boulders		
6"	24	28	Boulders coal bearing		
	28	70	Boulders 60'	Y	
	70	82	Lava Boulder & Gravel	Y	

Work started 5-5-73 finished 6-14-73

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Smith Drilling & Pump Co., Inc. II
Driller's or Firm's Name Number

328 West Ave A Jerome, Idaho 83338
Address

Signed By Date

MICROFILMED
MAY 15 1992

W-21

Incomplete


REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name H R Briggs
Address Twin Falls

Owner's Permit No.
NATURE OF WORK (check): Replacement well ☐
New well ☑ Deepened ☐ Abandoned ☐
Water is to be used for: domestic
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☑
Dug ☐ Other (explain)
CASING SCHEDULE: Threaded — Welded —
6 "Diam. from 0 ft. to 11 ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
Thickness of casing: .15 Material:
Steel ☑ concrete ☐ wood ☐ other ☐
(explain)
PERFORATED? Yes ☐ No ☐ Type of perforator used:
Size of perforations: " by "
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
WAS SCREEN INSTALLED? Yes ☐ No ☐
Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.
CONSTRUCTION: Well gravel packed? Yes ☐
No. ☐ size of gravel Gravel
placed from ft. to ft. Surface seal
provided? Yes ☐ No ☐ To what depth?
ft. Material used in seal:
Did any strata contain unusable water? Yes ☐
No. ☐ Type of water:
Depth of strata ft. Method of sealing strata off:
Surface casing used? Yes ☑ No. ☐
Cemented in place? Yes ☑ No ☐

Locate well in section



LOCATION OF WELL: County Twin Falls
SE¼ SE¼ Sec. 29 T. 9 S R. 17 E/W

Size of drilled hole: 6 Total depth of well: 129 Standing water level below ground: Temp. Fahr. 55 ° Test delivery: gpm or cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:
Length of time of test: Hrs, Min,
Drawdown: ft. Artesian pressure: ft. above land surface Give flow cfs or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing? Yes ☐ No ☐

DEPTH FROM FEET	DEPTH TO FEET	MATERIAL	WATER YES OR NO
0	11	Surface	
		Washed all cuttings away from about 100 ft. to Bottom	

Work started: 1964
Work finished:
Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.
Name: Eugene H Walker
Address:
Signed by:
License No. Date: 3 Aug 1964

Use other side for additional remarks

W-30

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

1. WELL OWNER
Name C E Whitworth
Address Rt 3 Twin Falls
Owner's Permit No.

2. NATURE OF WORK
☑ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☑ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED
☑ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches. Total depth 255 feet
Casing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
251 inches	6 inches	4 1/4 feet	98 feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet


Was a packer or seal used? ☐ Yes ☑ No
Perforated? ☐ Yes ☑ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches

Number	From	To
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet

Well screen installed? ☐ Yes ☑ No
Manufacturer's name
Type Model No.
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Diameter ___ Slot size ___ Set from ___ feet to ___ feet

Gravel packed? ☑ Yes ☐ No Size of gravel
Placed from feet to feet
Surface seal? ☑ Yes ☐ No To what depth 20 ft feet
Material used in seal ☑ Cement grout ☐ Puddling clay

6. LOCATION OF WELL
Sketch map location must agree with written location.



JUL 15 1992

County
NE ¼ NW ¼ Sec. 32 T. 9 S. R. 17 E.W.

7. WATER LEVEL
Static water level 90 feet above land surface
Flowing? ☐ Yes ☐ No G.P.M. flow
Temperature 58 °F. Quality
Artesian closed-in pressure p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☑ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
27	81	1

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
8	0	4	SURFACE		✓
8	4	39	BLACK LAVA		✓
8	39	67	DRY MUD		✓
8	67	87	BLACK LAVA		✓
8	87	95	DARK CLAY TRACE	✓	
8	95	97	ROCK		✓
8	97	98	CLAY		✓
6	98	143	BLACK & RED LAVA		✓
6	143	144	RED LAVA - SOFT	✓	
6	144	182	RED LAVA		✓
6	182	183	RED SOFT SPOT	✓	
6	183	191	BLACK LAVA		
6	191	221	HARD BLACK LAVA		✓
6	221	223	SOFT RED ASH	✓	
	223	231	RED LAVA		
	231	252	BROWN CLAY SOFT		
	252	255	LAVA FLOW IN GRAVEL	✓	
			HARD BLACK LAVA		

10. Work started 5 May 71 finished 23 May 71

11. DRILLER'S CERTIFICATION
This well was drilled under my supervision and this report is true to the best of my knowledge.

Eugene L Walker 15
Driller (or Firm's Name) Number
624 Pine St Twin Falls
Address
Eugene Walker 24 May 71
Signed By Date

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

W-22

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 20 days after completion or abandonment of the well.

Received 10-22-71 WA

1. WELL OWNER
Name Alf Barker
Address Twin Falls Idaho
Owner's Permit No. _____

2. NATURE OF WORK
☑ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☑ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED
☑ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 155 feet
Casing schedule: ☑ Steel ☐ Concrete

Thickness	Diameter	From	To
25 inches	6 inches	1 feet	17 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☑ No
Perforated? ☐ Yes ☑ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches


Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☑ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Diameter ___ Slot size ___ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☑ Yes ☐ No To what depth 17 feet
Material used in seal ☑ Cement grout ☐ Puddling clay

6. LOCATION OF WELL
Sketch map location must agree with written location.



RECEIVED
MAY 15 1992

County _____
SW ¼ SE ¼ Sec. 28 T. 7S N/S, R. 17 E/W

7. WATER LEVEL
Static water level 115 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Temperature 55 °F. Quality _____
Artesian shut-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☑ Bailer ☐ Other

Discharge G.P.M.	Drawdown	Hours Pumped
20	Bailer	2

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
6	0	8	Soil		✓
6	8	15	Fine Lava		✓
6	15	30	Black Lava		✓
		36	Casing		✓
6	36	46	Red Clinker Lava		✓
6	46	76	Lava		✓
6	76	96	Lava		✓
6	96	115	Black Red & Brown Lava		✓
	115	125	Soft Lava	125	✓
	125	145	Red Lava	145	✓
	145	155	" "	155	✓

10. Work started 13 July finished 22 July

DRILLER'S CERTIFICATION
This well was drilled under my supervision and this report is true to the best of my knowledge.

Eugene W Walker 15
Driller's or Firm's Name Number

Address _____

Signed By Eugene W Walker Date 30 July 1971

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

W-23

DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name C.F. Wadsworth Sr.
Address RT 2 Canyon Rim Rd, Twin Falls, Idaho
Owner's Permit No. 87-81-5 C11

2. NATURE OF WORK

☐ New well ☒ Deepened ☐ Reconditioned
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. or lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other (Specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☐ Steel ☐ Concrete ☐ Other None

Thickness	Diameter	From	To
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet


Was casing driven shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforations ____ inches by ____ inches

Number	From	To
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name ____
Type ____ Model No. ____
Diameter ____ Slot size ____ Set from ____ feet to ____ feet
Diameter ____ Slot size ____ Set from ____ feet to ____ feet
Gravel packed? ☐ Yes ☐ No ☐ Size of gravel ____
Placed from ____ feet to ____ feet
Surface seal depth ____ Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Puddling clay ☐ ____
Seating procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth
Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata
Describe access port Well Cap

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name ____
Lot No. ____ Block No. ____
County Twin Falls
NW ¼ NE ¼ Sec. 32, T. 9 N, R. 17 E W.

7. WATER LEVEL

Static water level ____ feet below land surface
Pumping? ☐ Yes ☒ No ____ G.P.M. flow
Artesian closed-in pressure ____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug
Temperature ____ °F Quality ____
Depth(s) of water-bearing zone(s) ____

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other ____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Boring Diam.	Depth From	Depth To	Material	Water Bearing
	15	100	Vesicular Blocklava	X
	100	117	Black Lava	
	117	125	Red & Brown Cinders	
	125	175	Black Lava	
	175	177	Red & Brown Cinders	
	177	193	Black Lava	
	193	200	Red & Brown Cinders	

RECEIVED
JUL 25 1989
Department of Water Resources
Southern Region Office

JUL 3 1989
Department of Water Resources

10. Work started 5-8-89 Finished 5-8-89

11. DRILLERS CERTIFICATION DL

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Ebis Drilling Firm No. 31
Address P.O. Box 419 Twin Falls, Idaho 83301 Date 5-28-89
Signed by (Firm Official) Ronald Ebis
and
(Operator) Ronald Ebis

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

W-24

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

Water Use reports due this report to that with the State Reclamation Engineer within 30 days after completion or abandonment of the well

1. WELL OWNER
Name R.E. Wadsworth
Address Box 1 Twin Falls
Owner's Permit No.

2. TYPE OF WORK
☑ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☑ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. DRILLER DRILLED
☑ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches. Total depth 98 feet
Casing installed: ☑ Steel ☐ Concrete

Diameter	From	To
20 inches	0	13 feet
6 inches	13	18 feet

Was perforation or well screen? ☐ Yes ☑ No
Perforated? ☐ Yes ☑ No
Type perforation? ☐ Factory ☐ Knife ☐ Torch
Size of perforations ____ inches by ____ inches


Diameter	From	To
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet

Was screen installed? ☐ Yes ☑ No
Manufacturer's name
Type Model No.
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Diameter ___ Slot size ___ Set from ___ feet to ___ feet

Gravel packed? ☐ Yes ☑ No Size of gravel
Placed from ___ feet to ___ feet

Surface seal? ☑ Yes ☐ No To what depth? 18 feet
Material used in seal ☑ Cement grout ☑ Puddling clay
Sacks used

6. LOCATION OF WELL
Sketch map location must agree with written location.



County Twin Falls
NW¼ of NW¼ Sec. 32 T. 9 S. R. 19 E.B.M.

7. WATER LEVEL
Static water level 8.5 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow
Temperature 56° F. Quality
Artesian pressure ____ psi
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☑ Bailer ☐ Other

Depth Water Level	Time Bailed	Yield GPM
20 ft	5	3

9. LITHOLOGIC LOG

Color	Depth From	Depth To	Material	Water Yes	Water No
B	0	7	Surface		✓
B	7	11	Broken Basalt & Dark Clay		✓
B	11	18	Solid Hard Black Basalt		✓
B	18	32	Solid Hard Black Basalt		✓
B	32	41	Soft Red Cinders & Clay		✓
B	41	60	Solid Dark Red Basalt		✓
B	60	75	Very Basalt		✓
B	75	96	Dark Clay	✓	
B	96	98	Cinders, Broken rock & Pole, Black Cinders		✓

10. Work started May 22 Completed May 29

11. DRILLER'S CERTIFICATION
This well was drilled under my supervision and this report is true to the best of my knowledge.

Signed Eugene W. Walker
Address 624 Pierce St. Twin Falls
Driller's Permit No. Signed Frederick B. Walker

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

W-25

USE TYPEWRITER OR BALLPOINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name Valley Drilling & Development
Address 792 Lorraine N. Twin Falls
Owner's Permit No. _____

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☐ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☒ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED
☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 8 inches Total depth 1280 feet
Casing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☐ No
Was a packer or seal used? ☐ Yes ☐ No
Perforated? ☐ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number		From	To
_____	perforations	_____ feet	_____ feet
_____	perforations	_____ feet	_____ feet
_____	perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☐ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Diameter ___ Slot size ___ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth _____ Material used to seal ☐ Cement grout ☐ Puddling clay ☐ Well cuttings
Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☐ Overflow to seal depth

6. LOCATION OF WELL
Sketch map location must agree with written location.

NW NE SW SE

Subdivision Name _____ Lot No. _____
County Twin Falls

RECEIVED
MAY 15 1992

7. WATER LEVEL
Static water level _____ feet below land surface
Flowing? ☒ Yes ☐ No G.P.M. flow 280
Temperature 102° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☒ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Drawdown	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
8"	780	905	HARD BLACK RHYOLITE		
	905	920	SLIGHTLY SOFTER RHYOLITE		
	920	940	RED/YELLOW CLAY		
	940	980	HARD BLACK RHYOLITE		
	980	990	DECOMPOSED LAVA		
	990	1040	HARD BROWN BLACK RHY.		
	1040	1070	SANDSTONE		
	1070	1078	VERY SOFT (SAND)		
	1078	1122	CONGLOMERATE & BROWN SHALE		
	1122	1180	BLACK LAVA		
	1180	1198	VERY HARD BLACK RHYOLITE		
	1198	1220	SLIGHTLY HARDER RHYOLITE		
	1220	1227	SOFTER BROWN ROCK		
	1227	1245	VERY HARD BLACK RHYOLITE		
	1245	1260	RED + BLACK RHYOLITE		
	1260	1265	RED + BLACK BROKEN RHYOLITE		
	1265	1280	RED BROWN + GREY BLACK SOFT BROKEN RHYOLITE		
1200	1215	1220	SOFT WHITE SHALE	X	
1215	1225	1230	BROWN RED HARD ROCK	X	
1225	1240	1245	SOFT + BROKEN RED ROCK	X	
1240	1250	1260	HARD BROWN RED RHYOLITE	X	

10. Work started 5-5-78 Completed 7-30-78

11. DRILLER'S CERTIFICATION
Firm Name Eastern Drillers Firm No. 31
Address PO Box 99 T.F. Date 7/28/78
Signed by (Firm owner) Harold Ebang
and
Operator Ron Gilmore

W-26

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED

1. WELL OWNER

Name [illegible]

Address 112 [illegible] Twin Falls

Owner's Permit No.

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)

☐ Municipal ☒ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 12 inches Total depth 464 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.250 inches	12 inches	+ 1 feet	21 feet
.250 inches	8 inches	+ 1 feet	443 feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☐ Yes ☐ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Well screen installed? ☐ Yes ☒ No

Gravel packed? ☐ Yes ☒ No

Surface seal depth 20' Material used in seal ☒ Cement grout ☐ Puddling clay ☐ Well cuttings

Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name

Lot No. Block No.

County Twin Falls

SE ¼ SE ¼ Sec. 32, T. 9 N/S, R. 17 E/W

7. WATER LEVEL

Static water level feet below land surface

Flowing? ☒ Yes ☐ No G.P.M. flow 780

Temperature 102 °F. Quality

Controlled by ☒ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	From	To	Material	Water Yes	Water No
	0	5	Topsoil		
	5	10	[illegible]		
	10	38	[illegible]		
	38	46	[illegible] gravel		
	46	55	[illegible]		
	55	59	[illegible] sandy clay		
	59	71	[illegible]		
	71	93	[illegible]	X	
	93	100	[illegible]		
	100	140	[illegible]		
	140	180	[illegible]		
	180	186	[illegible]		
	186	206	[illegible]		
	206	245	[illegible]		
	245	270	[illegible] sandy clay [illegible]		
	270	310	[illegible] clay		
	310	335	[illegible]		
	335	350	[illegible] sandy clay		
	350	370	[illegible]		
	370	375	[illegible]		
	375	445	[illegible]	X	
	445	520	[illegible]		
	520	535	[illegible] clay		
	535	600	[illegible] clay		
	600	619	[illegible] sandy clay		
	619	658	[illegible]		
	658	746	[illegible]		
	746	770	[illegible]		
	770	780	[illegible]		

10. Work started 5-5-78 finished 7-30-78

11. DRILLERS CERTIFICATION

Firm Name Elsing Drilling Firm No. 51

Address P.O. Box 919 T.F. Date 8/28/78

Signed by (Firm Official) [illegible signature]

and

Operator [illegible signature]

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

W-27

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

RECEIVED

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name: Hilton C Easterwright
Address: Twin Falls Idaho

2. NATURE OF WORK
☐ New well ☐ Deepened ☑ Replacement
☐ Abandoned (Describe method of abandonment)

3. PROPOSED USE
☑ Domestic ☑ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED
☑ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches. Total depth 185 feet
Casing schedule: ☑ Steel ☐ Concrete

Diameter	From	To
25 inches	6 inches	18½ feet
inches	inches	feet feet
inches	inches	feet feet
inches	inches	feet feet
inches	inches	feet feet

Was a packer or seal used? ☐ Yes ☑ No
Perforated? ☐ Yes ☑ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches

Number	From	To
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet

Well screen installed? ☐ Yes ☑ No
Manufacturer's name ____
Type ____ Model No. ____
Diameter ____ Slot size ____ Set from ____ feet to ____ feet
Diameter ____ Slot size ____ Set from ____ feet to ____ feet

Gravel packed? ☐ Yes ☑ No Size of gravel ____
Placed from ____ feet to ____ feet

Surface seal depth 18½ What material used in seal? ☑ Cement grout ☑ Puddling clay ☐ Drill cuttings
Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☑ Overbore to seal depth

6. LOCATION OF WELL
Sketch map location must agree with written location.

NE ¼ NE ¼ Sec. 32 T. 9S R. 17E B.M.
County Twin Falls

7. WATER LEVEL
Static water level 64 feet below land surface
Flowing? ☐ Yes ☐ No
Temperature 53 Quality Good
Artesian pressure in pounds
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☑ Bailer ☐ Other

Discharge GPM	Drawdown	Hours Pumped
20	Slight	3 hrs.

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
8	0	45	Top Soil Sandy		
8	45	56	Sandy Clay Gravel		
6	56	59	Sandy Clay Gravel Cobbles		
6	59	61	Soft Rock Cinder Clay + Lava Rock		
6	61	65	Hard Basalt Lava		
6	65	73	Gray Basalt Lava		
	73	77	Soft Black Lava - Fair Water		
	77	92	Black Basalt		
	92	105	Light Soft Rock + Clay		

10. Work started 7 June 75 Completed 13 June 75

11. DRILLING CONTRACTOR
Firm Name Eugene L Walker No. 65
Address Twin Falls
Signed by (Firm Official) Eugene L Walker
and
Operator ____

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

RECEIVED

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name J. L. Castlewright
Address 746 Twin Falls Road

2. NATURE OF WORK
☒ New well ☒ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED
☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches. Total depth 140 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
250 inches	6 inches	1 feet	(feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet

Was casing driven shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforations ____ inches by ____ inches

Number	From	To
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name ____
Type ____ Model No. ____
Diameter ____ Slot size ____ Set from ____ feet to ____ feet
Diameter ____ Slot size ____ Set from ____ feet to ____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel ____
Placed from ____ feet to ____ feet

Static water depth 20 Feet. Method used to test ☐ Compressed air ☐ Pumping rig ☐ Bailer ☐ Other
Flowing artesian well ☐ Valve ☐ Cap ☐ Plug

6. LOCATION OF WELL
Sketch map location must agree with written location.

7. WATER LEVEL
Static water level 82 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow ____
Temperature ____ °F. Quality ____
Artesian closed-in pressure ____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Static Water	Water Level

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
6"	0	105	DRILLED	X	
	105	107	HARD		
	107	109	SOFT SAND WATER		
	109	127	HARD		
	127	___	SOFT SAND		
	127	140	HARD	X	

Work started June 13, 1975

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

RECEIVED

MAY 16 1980

1. WELL OWNER
Name Robert Cartwright
Address Twin Falls Idaho
Owner's Permit No.

2. NATURE OF WORK
☐ New well ☐ Deepened ☑ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☑ Domestic ☑ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste disposal or injection

4. METHOD DRILLED
☑ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 105 feet
Casing schedule: ☑ Steel ☐ Concrete

Diameter	From	To
26" inches		
6 inches	0 feet	18½ feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Was a packer or seal used? ☐ Yes ☑ No
Perforated? ☐ Yes ☑ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation inches by inches

Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet

Was screen installed? ☐ Yes ☑ No
Manufacturer's name
Type Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet
Gravel packed? ☐ Yes ☑ No Size of gravel
Gravel from feet to feet
Static water level 64 feet above ground ☐ Flowing ☐ Artesian
Depth to first water 64 feet ☐ Flowing ☐ Artesian
Depth of seal ft. ☐ Neat cement ☐ Sand ☐ Clay ☐ Other
Was any zone sealed off? ☐ Yes ☐ No If yes, to what depth?

7. WATER LEVEL
Static water level 64 feet below ground
Flowing? ☐ Yes ☐ No
Temperature 60° F. Quality
Artesian closed in manner
Controlled by ☐ Valve ☐

8. WELL TEST DATA
☐ Pump ☑ Bailer ☐ Other

Drawdown (ft.)	Time (min.)
30	1 hr

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material
6	0	9	
6	9	15	
6	15	39	
6	39	47	
6	47	65	
6	65	75	
	75	77	
	77	87	
	87	96	
	96	105	

W-31

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

Department of Water Resources within 30

1 WELL OWNER

CHUCK, DAVID & PRISCILLA
JEROME, IDAHO

2 NATURE OF WORK

New well ☐ Deepening ☐ Replacement ☐

3 PROPOSED USE

Domestic ☐ Irrigation ☒ Test ☐ Other (specify type) ☐
Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐

4 METHOD DRILLED

Jetted ☒ Rotary ☐ Dug ☐

5 WELL CONSTRUCTION

Diameter of hole 8 inches. Total depth 300 feet.
Casing schedule: Steel ☐ Concrete ☐

Thickness	Diameter		From	To
.250 inches	8	inches	/ feet	6 feet
		inches	feet	feet
		inches	feet	feet
		inches	feet	feet
		inches	feet	feet

Was casing drive shoe used? ☐ Yes ☐ No
Was a packer or seal used? ☐ Yes ☐ No
Perforated? ☐ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforations _____ inches by _____ inches

Number		From	To
	perforations	feet	feet
	perforations	feet	feet
	perforations	feet	feet

Well screen installed? ☐ Yes ☐ No
Manufacturer's name _____
Type _____ Model No _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 6' Material used in seal ☐ Cement grout
☐ Puddling clay ☒ Well cuttings
Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing
☐ Overburg to seal depth

MAY 15 1990

6 LOCATION OF WELL

Sketch map location must agree with written location.

N
W E
S

Subdivision Name _____
Lot No _____ Block No _____
County JEROME
SE ¼ NW ¼ Sec 20 T 9 S, R 17 E W.

7 WATER LEVEL

Depth at which water was first found 140 ft. ☒ Artesian ☐
Static level _____ feet above/below land surface
Artesian water controlled by ☐ Valve ☐ Plug

8 WELL TEST DATA

Pump ☐ Bailer ☐ Other ☐

Discharge GPM	Drawdown	Hours Pumped

9 LITHOLOGIC LOG

Hole Diam	Depth From	Depth To	Material	Water Yes	Water No
	0	5	TOP SOIL		
	5	21	GREY LAVA		
	21	37	RED LAVA		
	37	59	LAVA & CLINKERS		
	59	82	HARD		
	82	91	MED HARD		
	91	93	FAIRLY SOFT & BROKEN		
	93	148	HARD		
	148	155	RED CLAY & SOFT LAVA	X	X
	155	185	VERY HARD		
	185	200	SOFT	X	
	200	270	HARD & BROKEN		X
	270	275	SOFTER FORMATION		
	275	283	HARD		
	283	287	SAND	X	
	287	290	HARD & BROKEN		X
	290	300	MED HARD		X

10 Work started 11-6-74 finished 11-15-74

11 DRILLER'S CERTIFICATION

Firm Name RISING WELL DRILLING Firm No. 31
Address P.O. Box 919 Twin Falls, Idaho Date 12/3/74
Signed by (Firm Official) _____
and
Driller Pat Gillespie

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT

W-32

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well

1. WELL OWNER

Name Neal Winbigler
Address Wendell, Idaho
Owner's Permit No 36-7414

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 18 inches Total depth 400 feet
Casing schedule ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.025 inches	18 inches	0 feet	18 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches

Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet


Well screen installed? ☐ Yes ☒ No
Manufacturer's name
Type Model No
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet

Gravel packed? ☐ Yes ☒ No Size of gravel
Placed from feet to feet

Surface seal? ☒ Yes ☐ No To what depth 18 feet
Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Each map location must agree with written location.



County Jerome
NE ¼ SW ¼ Sec. 20 T. 9 ☐ N ☐ S R. 17 ☐ E ☐ W

7. WATER LEVEL

Static water level 138 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow
Temperature ____ F. Quality
Artesian closed in pressure ____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
20"	0	3	Top Soil		X
	3	8	Boulders		X
18"	8	55	Qc Lava		X
	55	60	Red Lava		X
	60	80	Bc clay		X
	80	85	Qc Lava		X
	85	106	Bc clay		X
	106	112	wh clay		X
	112	130	Qc Lava		X
	130	140	Bc Lava	X	
	140	180	Qc Lava	X	
	180	190	Red clay	X	
	190	232	Gray Lava	X	
	232	243	Red Lava	X	
	243	282	Gray Lava	X	
	282	320	Brown Lava	X	
	320	330	Gray Lava	X	
	330	345	Red clay	X	
	345	425	Gray Lava	X	
	425	450	Red clay	X	
	450	470	Brown clay	X	
	470	600	Reddish brown clay	X	
			470 ft. reduced to 12" hole		

10. Work started 4-1-74 finished 6-8-74

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Kenneth F McCrae 243
Driller's or Firm's Name Number
Box 553 Wendell Idaho
Address
Kenneth F. McCrae
Signed By Date

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

c

MICROFILMED

MAY 1 5 1992

3537-1
36-7130

United States Department of the Interior

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION
230 Collins Road
Boise, Idaho 83702

July 31, 1991

RECEIVED
AUG 5 1991
Department of Water Resources
Southern Region Office

Loren Holmes
Idaho Department of Water Resources
222 Shoshone Street East
Twin Falls, Idaho 83301

Dear Mr. Wuthrich:

Enclosed for your use is a hydrograph of water level fluctuations in well 10S-17E-5DAA1 (Nazarene Church well). The water levels shown on the hydrograph are representative of water level fluctuations in the Twin Falls Geothermal system.

If you have any questions or need additional information, please call me at (208) 334-1566.

Sincerely,

H.W. Young
Hydrologist


Enclosure

HWY/mrl

Post-it™ brand fax transmittal memo 7671 | # of pages ▸ 2

To Jo Baumen	From Loren Holmes
Co.	Co. IDWR
Dept.	Phone # 736-3033
Fax # 334-8299	Fax # 736-3037

MICROFILMED
MAY 15 1992



RECEIVED
AUG 5 1991
Department of Water Resources
Southern Region Office

MAY 15 1992

PROVISIONAL RECORDS



MICROFILMED
MAY 15 1992

31539-1-8 (3)

PLEASE RECORD AND RETURN TO:
Rayborn & Rayborn
Attorneys At Law
First Interstate Bank Building
P.O. Box 321
Twin Falls, ID 83303-0321

WARRANTY DEED

For Value Received RONALD C. YANKE and LINDA L. YANKE, husband and wife, the Grantors, whose address is 4414 S. Gekeler Lane, Boise, Idaho 83705, do hereby grant, bargain, sell and convey unto PRISTINE SPRINGS, INC., an Idaho corporation whose business address is 101 4th Avenue South, Buhl, ID 83316, the Grantee, the following described premises, in JEROME COUNTY, IDAHO to wit:

All that real property which is more particularly described as Parcels A, B and C in Schedule "A" attached hereto and by this reference made a part hereof;

TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantee, its successors and assigns forever. The said Grantors do hereby covenant to and with the said Grantee that they are the owners in fee simple of said premises; that they are free from all encumbrances except current year's taxes, levies, and assessments, and except restrictions, reservations and easements of record and easements visible upon the premises, and that they will warrant and defend the same from all lawful claims whatsoever.

DATED: January 29, 1991

GRANTORS:

Ronald C Yanke
Ronald C. Yanke

Linda L. Yanke
Linda L. Yanke

91 20 8 9

RECORDED AT REQUEST OF Land Title & Escrow, Inc.
JUN 14 4 43 PM '91
JEROME COUNTY, IDAHO
FEES 27.00 DEP

PAID IN FULL
MAY 15 1992

STATE OF IDAHO)
)ss
COUNTY OF ADA)

On this 29th day of January, 1991, before me, a notary public in and for said State, personally appeared RONALD C. YANKE and LINDA L. YANKE, husband and wife, known to me to be the persons whose names are subscribed to the within instrument, and acknowledged to me that they executed the same.

A. JENKINS NOTARY (SEAL) PUBLIC STATE OF IDAHO

Notary Public for the state of Idaho

Residing at: Boise

My commission expires: 7/12/95

RECORDED
MAY 15 1992

SCHEDULE "A"

PARCEL A:

TOWNSHIP 9 SOUTH, RANGE 17, EAST OF THE BOISE MERIDIAN, JEROME COUNTY, IDAHO

THAT PART OF:

Section 19: Lot 13; NE¼SE¼; SE¼SE¼;

Section 20: Lots 3 and 4;

Section 29: Lots 8, 9, 10, 11, 12, 13, 14, 15, 16, 17 and 18;

Section 30: Lots 8, 9, 13 and 14;

All of which is more particularly described as follows:

Commencing at the North one-sixteenth corner between Sections 29 and 30;
Thence running South 71°48' East for 4,082.0 feet to a large lava boulder marked by a chiseled cross, said lava boulder being THE REAL POINT OF BEGINNING;
Thence along the Westerly boundary of a tract of land owned by Percy Green and Harold S. Miller known as the Blue Lakes Trout Farm Property on the following courses:
South 59°18' West for 380.0 feet;
Thence South 48°30' East for 430.0 feet;
Thence South 35°45' East for 320.0 feet;
Thence South 22°41' West for 190.0 feet;
Thence South 11°37' West for 131.0 feet, more or less, to the Mean High Water Mark of the right bank of the Snake River;
Thence running along the High Water Mark of the Snake River in the Northwesterly direction for 7900.0 feet, more or less;
Thence in a Northeasterly direction along said high water line for 2000.0 feet, more or less, to the Northerly boundary of Lot 13 of Section 19;
Thence Easterly along said Northerly boundary to the Northeast corner of said Lot 13;
Thence Northerly along the Westerly boundary of the NE¼SE¼ to the intersection of said Westerly boundary and the top edge of the rimrock;
Thence in a Southeasterly direction for 7900.0 feet, more or less, to the Easterly boundary of Lots 14 and 18 of Section 29 extended;

C o n t i n u e d

RECORDED
MAY 15 1992

Thence Southerly along said Easterly boundary to the Northerly boundary of the above described Blue Lakes Trout Farm Property;
Thence North 44°30' West for 45.0 feet, more or less, to THE REAL POINT OF BEGINNING.

EXCEPTING THEREFROM the Sunnybrook Subdivision No. 1 in a part of Lot 4 of Section 20 and in a part of Lots 9 and 10 of Section 29.

AND EXCEPTING THEREFROM the following described parcel of land:

Lots 8, 9, 10, 11, 12, 14, 15, 18 and 19 of Section 29, Township 9 South, Range 17, East of the Boise Meridian, being more particularly described as follows:

Commencing at the North one-sixteenth corner between Sections 29 and 30;
Thence running South 71°48' East for 4,082.0 feet to a large lava boulder marked by a chiseled cross, said lava boulder being THE REAL POINT OF BEGINNING;
Thence along the Westerly boundary of a tract of land owned by Percy Green and Harold S. Miller known as the Blue Lakes Trout Farm Property on the following courses:
South 59°18' West for 380.0 feet;
Thence South 48°30' East for 430.0 feet;
Thence South 35°45' East for 320.0 feet;
Thence South 22°41' West for 190.0 feet;
Thence South 11°37' West for 131.0 feet, more or less, to the Mean High Water Mark of the right bank of the Snake River;
Thence running along the High Water Mark of the Snake River in the Northwesterly directions for 1690 feet, more or less, to the West line of Lot 18 of said Section 29;
Thence North along the West line of Lots 18 and 14 of said Section 29 for 1,480.0 feet;
Thence North 54°00' West for 710.0 feet, more or less, to the centerline of a fork in an existing road;
Thence Northwesterly along the centerline of the North fork of said road for 695 feet;
Thence South 85°00' West for 375.0 feet;
Thence North 58°00' West for 440 feet;
Thence North 85°00' West for 154.0 feet, more or less, to the centerline of a fork in an existing road;
Thence Northwesterly along the centerline of the

C o n t i n u e d

MAY 13 19

West fork of said road for 1,786.0 feet, more or less, to the West line of Lot 10 of said Section 29;
Thence North along said West line for 175.00 feet, more or less, to the Northwest corner of said Section 29, being a United States Geodetic Survey Brass Cap;
Thence East along the North line of Lot 10 of said Section 29 for 210.67 feet to the Northwesterly boundary of Sunnybrook Subdivision No. 1;
Thence South 32°57' West along said Northwesterly boundary for 44.10 feet to the Western most point of said subdivision;
Thence Southeasterly along the Southwesterly boundary of said Subdivision for the following 18 courses and distances:
South 51°20.4' East, 100.50 feet;
South 71°52.6' East, 175.86 feet;
South 54°34' East, 96.54 feet;
South 24°53' East, 101.97 feet;
South 51°21.6' East, 116.07 feet;
South 47°33' East, 104.00 feet;
South 38°33.4' East, 102.21 feet;
South 65°54.3' East, 98.96 feet;
South 37°13.5' East, 50.03 feet;
South 55°43.9' East, 83.51 feet;
North 77°42' East, 100.00 feet;
South 47°33' East, 10.00 feet;
South 26°42' West, 85.00 feet;
South 32°51.4' East, 118.04 feet;
South 50°09.5' East, 99.46 feet;
South 64°51.7' East, 102.43 feet;
South 49°00.4' East, 99.50 feet;
North 39°00' East, 40.0 feet, more or less, to the centerline of an existing road;
Thence Easterly along the centerline of said road for 560.0 feet;
Thence North 54°37' East for 400.00 feet;
Thence South 44°00' East, 3,385.00 feet, more or less, to THE REAL POINT OF BEGINNING.

AND EXCEPTING THEREFROM a tract of land located in Lot 13 of Section 19, Township 9 South, Range 17, East of the Boise Meridian, described as follows:

Beginning at the Southeast corner of Lot 13 of said Section 19;
Thence North along the East line of said Lot 13 for 310.0 feet;
Thence West and parallel to the South line of said Lot 13 for 69.0 feet to THE REAL POINT OF BEGINNING;

Continued

RECEIVED
MAY 15

Thence continuing West and parallel to the South line of said Lot 13 for 865.5 feet, more or less, to the Mean High Water Mark of the right bank of the Snake River;
Thence running along the High Water Mark of the Snake River in the Northeasterly direction for 1950.6 feet, more or less, to the North line of Lot 13 of said Section 19;
Thence East along the North line of said Lot 13 for 335.8 feet, more or less, to a point 69.0 feet West of the East line of said Lot 13;
Thence South 69.0 feet West of and parallel to the East line of said Lot 13, 1010.0 feet, more or less, to THE REAL POINT OF BEGINNING.

AND EXCEPTING THEREFROM the following described parcel of land:

Commencing at the Northwest corner of Government Lot 16 of Section 29, which is marked by a G.L.O. Brass Cap;
Thence South 71°48' East for a distance of 4082.0 feet (recorded) (4078.76 feet measured) to a chiseled cross in a large lava boulder;
Thence along the Westerly boundary of the Blue Lakes Trout Farm on the following courses:
South 59°18' West, 380.0 feet;
South 48°30' East, 430.0 feet;
South 35°45' East, 20.0 feet to THE TRUE POINT OF BEGINNING;
Thence continuing South 35°45' East for a distance of 300.0 feet;
Thence South 22°41' West for a distance of 190.0 feet;
Thence South 11°37' West for a distance of 131.0 feet to the mean high water of the Snake River;
Thence leaving the Westerly boundary of the Blue Lakes Trout Farm and along the mean high water of the Snake River on the following courses:
South 51°31'23" West, 18.13 feet;
South 75°44'55" West, 132.14 feet;
North 79°22'50" West, 35.54 feet;
North 73°32'15" West, 68.09 feet;
North 70°12'42" West, 10.00 feet;
Thence leaving the mean high water of the Snake River North 17°25'30" East for a distance of 588.69 feet to THE TRUE POINT OF BEGINNING.

C o n t i n u e d

PARCEL B:

TOWNSHIP 9 SOUTH, RANGE 17, EAST OF THE BOISE MERIDIAN, JEROME COUNTY, IDAHO

Section 29: A tract of land located in Lots 8, 9, 10, 11, 12, 14, 15, 18 and 19, described as follows:

Commencing at the North one-sixteenth corner between Sections 29 and 30;
Thence running South 71°48' East for 4,082.0 feet to a large lava boulder marked by a chiseled cross, said lava boulder being THE REAL POINT OF BEGINNING;
Thence along the Westerly boundary of a tract of land owned by Percy Green and Harold S. Miller known as the Blue Lakes Trout Farm Property on the following courses:
South 59°18' West for 380.0 feet;
Thence South 48°30' East for 430.0 feet;
Thence South 35°45' East for 320.0 feet;
Thence South 22°41' West for 190.0 feet;
Thence South 11°37' West for 131.0 feet, more or less, to the Mean High Water Mark of the right bank of the Snake River;
Thence running along the High Water Mark of the Snake River in the Northwesterly directions for 1690 feet, more or less, to the West line of Lot 18 of said Section 29;
Thence North along the West line of Lots 18 and 14 of said Section 29 for 1,480.0 feet;
Thence North 54°00' West for 710.0 feet, more or less, to the centerline of a fork in an existing road;
Thence Northwesterly along the centerline of the North fork of said road for 695 feet;
Thence South 85°00' West for 375.0 feet;
Thence North 58°00' West for 440 feet;
Thence North 85°00' West for 154.0 feet, more or less, to the centerline of a fork in an existing road;
Thence Northwesterly along the centerline of the West fork of said road for 1,786.0 feet, more or less, to the West line of Lot 10 of said Section 29;
Thence North along said West line for 175.00 feet, more or less, to the Northwest corner of said Section 29, being a United States Geodetic Survey Brass Cap;
Thence East along the North line of Lot 10 of said Section 29 for 210.67 feet to the Northwesterly

Continued

RECEIVED MAY 15 1992

boundary of Sunnybrook Subdivision No. 1;
Thence South 32°57' West along said Northwesterly boundary for 44.10 feet to the Western most point of said subdivision;
Thence Southeasterly along the Southwesterly boundary of said Subdivision for the following 18 courses and distances:
South 51°20.4' East, 100.50 feet;
South 71°52.6' East, 175.86 feet;
South 54°34' East, 96.54 feet;
South 24°53' East, 101.97 feet;
South 51°21.6' East, 116.07 feet;
South 47°33' East, 104.00 feet;
South 38°33.4' East, 102.21 feet;
South 65°54.3' East, 98.96 feet;
South 37°13.5' East, 50.03 feet;
South 55°43.9' East, 83.51 feet;
North 77°42' East, 100.00 feet;
South 47°33' East, 10.00 feet;
South 26°42' West, 85.00 feet;
South 32°51.4' East, 118.04 feet;
South 50°09.5' East, 99.46 feet;
South 64°51.7' East, 102.43 feet;
South 49°00.4' East, 99.50 feet;
North 39°00' East, 40.0 feet, more or less, to the centerline of an existing road;
Thence Easterly along the centerline of said road for 560.0 feet;
Thence North 54°37' East for 400.00 feet;
Thence South 44°00' East, 3,385.00 feet, more or less, to THE REAL POINT OF BEGINNING.

TOWNSHIP 9 SOUTH, RANGE 17, EAST OF THE BOISE MERIDIAN, JEROME COUNTY, IDAHO

Section 19: A tract of land located in Lot 13, described as follows:

Beginning at the Southeast corner of Lot 13 of said Section 19;
Thence North along the East line of said Lot 13 for 310.0 feet;
Thence West and parallel to the South line of said Lot 13 for 69.0 feet to THE REAL POINT OF BEGINNING;
Thence continuing West and parallel to the South line of said Lot 13 for 865.5 feet, more or less, to the Mean High Water Mark of the right bank of the Snake River;
Thence running along the High Water Mark of the Snake River in the Northeasterly direction for 1950.6 feet, more or less, to the North line of

Continued

RECEIVED
MAY 15 1992

Lot 13 of said Section 19;
Thence East along the North line of said Lot 13 for 335.8 feet, more or less, to a point 69.0 feet West of the East line of said Lot 13;
Thence South 69.0 feet West of and parallel to the East line of said Lot 13, 1010.0 feet, more or less, to THE REAL POINT OF BEGINNING.

TOGETHER WITH a 50 foot wide ditch and access road easement thru Lots 19, 18, 17, 15 and 16 of Section 29, Lots 13, 8 and 9 of Section 30, Lot 13 and the SE¼SE¼ of Section 19, all in Township 9 South, Range 17, East of the Boise Meridian. Said Easement being 20 feet on the South side and 30 feet on the North Side of the existing centerline.

TOGETHER WITH a 50 foot wide ditch and access road easement thru Lot 10 of Section 29, Lot 8 of Section 30, the SE¼SE¼ and Lot 13 of Section 19, all in Township 9 South, Range 17, East of the Boise Meridian. Said easement being 20 feet on the South side and 30 feet on the North side of the existing centerline.

TOGETHER WITH the right of ingress and egress over and across all existing roadways leading to and from the above described tracts of land.

The above described Tracts of land are based on the Dependent Resurvey of Sections 19, 20, 28, 29, 30 and 33 of Township 9 South, Range 17, East of the Boise Meridian, as approved April 17, 1918 by the Surveyor General and a supplemental plat of Sections 28, 29 and 30 approved August 16, 1923. Also based on a survey plat of Sunnybrook Subdivision No. 1 as filed with the office of Clerk and Recorder, Jerome County, Idaho.

PARCEL C:

Lots 1, 2, 3 and 4 in Block 1 and Lots 1, 2, 3, 4, 5, 6, 7, 8, and 9 in Block 2 of Sunnybrook Subdivision No. 1, Jerome County, Idaho, as shown of record by Plat filed September 14, 1965 under Instrument Number 165247, Jerome County records.

TOGETHER WITH all water, water rights, ditches, canals and rights thereto, which are appurtenant to the above described Parcels A, B and C specifically including, but not limited to the following enumerated water rights:

(1) License No. 36-2603B
(2) License No. 36-7130
(3) Decreed Water Right 36-00200
(4) Permit No. 36-08414
(5) Permit No. 36-07757
(6) Application For Permit No. 36-08573

MAY 15 1992

MICROFILMED

MAY 1 5 1992

DAVIS WRIGHT TREMAINE

LAW OFFICES

702 WEST IDAHO STREET · SUITE 700 · BOISE, IDAHO 83702
(208) 338-8200

JOSEPHINE BEEMAN
(208) 338-8233

July 26, 1991

Loren O. Holmes
Idaho Department of Water Resources
Southern Region
222 Shoshone Street East
Twin Falls, Idaho 83301

Re: Application No. 36-8094

Dear Mr. Holmes:

Our client, Pristine Springs, Inc., recently purchased a fish farm located in the Snake River Canyon north of Twin Falls and immediately adjacent to the Blue Lakes Trout Farm. The legal description of this property is found in Schedule A of the enclosed warranty deed. The associated water rights for this property are licenses 36-2603B and 36-7130, decreed water right 36-0200, permits 36-8414 and 36-7757, and applications 36-8094 and 36-8573, including Snake River Basin Adjudication (SRBA) claims A36-0200, A36-2603B and A36-7130.

The assignment of Permit 36-8094 by Ronald C. Yanke to Pristine Springs, Inc., executed on July 2, 1991, was previously transmitted to you. A copy of this is attached for your information. Our review of the current status of the permit indicates the application is lacking the following requested information by the Department: (1) proof of Idaho residency, and (2) plans and engineering information for power production. We have enclosed a copy of the certificate and articles of incorporation for Pristine Springs, Inc. as evidence of the corporation's qualification to do business in Idaho pursuant to Idaho Code 42-206.

As you are aware, plans and engineering information were not required until resolution of the *College of Southern Idaho v. Idaho Department of Water Resources* litigation. An order dismissing this case and a settlement agreement were signed in 1988. However, prior applicants have never completed the application. We are writing to inform you that we intend to diligently pursue completion of the application.

We request an extension of time to submit engineering plans for application 36-8094. As noted above, Pristine Springs, Inc. was only recently assigned this water right. Currently, we are investigating options to stabilize the hot well on the property (License No. 36-7130) which will influence engineering plans for power development under application 36-8094. Consequently, Pristine Springs, Inc. intends to provide engineering plans to the Department

MAY 15 1992

FAX: (208) 338-8299
ANCHORAGE, ALASKA · BELLEVUE, WASHINGTON · LOS ANGELES, CALIFORNIA · PORTLAND, OREGON
RICHLAND, WASHINGTON · SEATTLE, WASHINGTON · WASHINGTON, D.C.

shortly after completion of investigations of our hot well. We will keep you informed of our progress and actions in this matter.

Please contact me regarding your decision in this matter. If additional information is needed, please do not hesitate to call me at 338-8233.

Sincerely,

DAVIS WRIGHT TREMAINE

Josephine P. Beeman

Enclosures

MAY 15 1992

#94319

State of Idaho

Department of State.

CERTIFICATE OF INCORPORATION
OF

PRISTINE SPRINGS, INC.

I, PETE T. CENARRUSA, Secretary of State of the State of Idaho, hereby certify that duplicate originals of Articles of Incorporation for the incorporation of the above named corporation, duly signed pursuant to the provisions of the Idaho Business Corporation Act, have been received in this office and are found to conform to law.

ACCORDINGLY and by virtue of the authority vested in me by law, I issue this Certificate of Incorporation and attach hereto a duplicate original of the Articles of Incorporation.

Dated: **January 25, 1991**

GREAT SEAL OF THE STATE OF IDAHO — ESTO PERPETUA

Pete T. Cenarrusa

SECRETARY OF STATE

by: M. Richards

MICROFILMED

MAY 15 1992

CIP 185

JAN 25 9 26 AM '91
SECRETARY OF STATE

ARTICLES OF INCORPORATION

OF

PRISTINE SPRINGS, INC.

The undersigned, WENDELL M. STARKE and KENT A. STARKE, citizens of the United States of America, of the age of majority, do hereby associate themselves together for the purpose of forming a corporation under the laws of the State of Idaho, and to that end do hereby adopt and execute the following Articles of Incorporation, and do hereby certify and declare:

I

The name of said corporation shall be PRISTINE SPRINGS, INC.

II

The corporation is formed for the following purposes:

A. The transaction of any or all lawful business for which corporations may be lawfully incorporated under Idaho law;

B. To receive, acquire, hold, purchase, dispose of, convey, mortgage and/or lease, real and personal property; to dispose of, sell, lease, assign, transfer, mortgage and/or convey any rights, privileges, franchises, real or personal property of the corporation, other than its franchise as a corporation; to acquire, purchase, guarantee, hold, mortgage, own, vote, sell, pledge and/or otherwise dispose of, or deal in shares, bonds,

MAY 15 1992

RAYBORN & RAYBORN
ATTORNEYS AT LAW
P.O. BOX 371
FIRST INTERSTATE BANK BLDG.
TWIN FALLS, IDAHO 83301
(208) 733-2600

securities, and debentures and other evidence of indebtedness of its own and other corporations, domestic or foreign; to pledge, mortgage and otherwise encumber the assets of the corporation;

C. To conduct business in this state and other states in the United States of America, to have one or more offices or places of business out of this state, and to acquire, receive, hold, purchase, lease, mortgage, dispose of and/or convey real or personal property situate of the State of Idaho.

D. To enter into, make, perform and carry out contracts of every kind and for every lawful purpose, without limit as to amount, with any person, firm, association, corporation, municipality, state or government, or any subdivision, district or department of any state, municipality or government, and to engage in association with other corporations, partnerships, associations and individuals in the joint operation of legitimate business endeavor, and to acquire, hold, and purchase the assets, franchises, permits, and good will of other operational organizations of whatever legal capacity engaged in business pursuits similar to those of this corporation;

E. To act as surety and guarantor in any and all types of engagements, including the power to execute, endorse and deliver contracts, and to guarantee the prompt and faithful performance and payments of debts, notes, agreements, contracts and undertaking of any other person, firm, partnership or corporation; and including also the power to act as an accommodation

RAYBORN & RAYBORN
ATTORNEYS AT LAW
P.O. BOX 521
FIRST INTERSTATE BANK BLDG.
TWIN FALLS, IDAHO 83301
(208) 733-2600

MICROFILMED
MAY 18 1992

co-maker or guarantor of obligations either as a primary or secondary obligor.

F. To do any and all other such acts, things and business in any manner connected with or necessary, incidental convenient or auxiliary to any of the objects hereinbefore enumerated, or calculated, directly or indirectly, to promote the best interests of the corporation.

G. The several clauses contained in this statement of purposes shall be construed as both purposes and powers, and the statements contained in each clause shall be in no way limited or restricted, by reference to, or inference from, the terms of any other clause, but shall be regarded as independent purposes and powers; and no recitation, expression, or declarations of specific or special powers or purposes herein enumerated shall be deemed to be exclusive; it is hereby expressly declared that any other lawful purposes not inconsistent with these Articles are intended to, and hereby are, included as purposes and powers of this corporation.

III

The registered office of this corporation in the State of Idaho shall be located in Buhl, Idaho, and the Post Office address of the registered office of said corporation shall be 101 Fourth Avenue South, Buhl, Idaho 83316.

IV

Subject to dissolution in the manner provided by law, the duration of this corporation shall be perpetual.

MICROFILMED
MAY 18 1992

RAYBORN & RAYBORN
ATTORNEYS AT LAW
P.O. BOX 321
FIRST INTERSTATE BANK BLDG.
TWIN FALLS, IDAHO 83301
(208) 733-2600

V

The corporation shall be governed by a Board of Directors. The number of the members of the Board shall be fixed by the By-laws of the corporation, except that such number shall be not less than two (2) nor more than five (5). The qualifications, duties, powers, limitations, and other factors relevant to the functioning of the Board of Directors shall be set out in the By-Laws of this corporation, subject to the laws of the State of Idaho.

VI

The Board of Directors of this corporation shall have the power to repeal and amend the By-Laws of this corporation, and shall have the power to adopt new By-Laws; this power may be exercised by the Board of Directors through a majority vote of that Board. By-Laws so repealed, amended or adopted by the Board of Directors, subject to these Articles and the By-Laws of the corporation, shall be subject to re-enactment, amendment or repeal by the shareholders of this corporation at their regular meetings or at any meeting specially called for that purpose. A majority of the shareholders of the corporation may exercise the powers of re-enactment, amendment, or repeal heretofore set out. The By-Laws of this corporation shall regulate the manner of voting for this and other governing actions of the corporation.

RAYBORN & RAYBORN
ATTORNEYS AT LAW
P.O. BOX 381
FIRST INTERSTATE BANK BLDG.
TWIN FALLS, IDAHO 83301
(208) 733-2600

MICROFILMED
MAY 15 1992

VII

The amount of authorized stock of the corporation shall be one thousand shares of common, voting stock with no par value. None of the stock shall be preferred and none of it is restricted.

VIII

The names and post office address of each of the incorporators are as follows:

NAME	ADDRESS
Wendell M. Starke	2 Ansley Drive N.E. Atlanta, GA 30309
Kent A. Starke	1401 Peachtree Street N.E. Suite 500 Atlanta, GA 30309

IX

Two directors shall constitute the initial Board of Directors, and the persons who will serve as directors until the first annual meeting of shareholders or until their successors are elected and qualify, will be:

NAME	ADDRESS
Wendell M. Starke	2 Ansley Drive N.E. Atlanta, GA 30309
Kent A. Starke	1401 Peachtree Street, N.E. Suite 500 Atlanta, GA 30309

X

The address of the initial registered office will be 101 Fourth Avenue South, Buhl, Idaho, 83316, and the initial

RECEIVED
MAY 15 1992

RAYBORN & RAYBORN
ATTORNEYS AT LAW
P.O. BOX 321
FIRST INTERSTATE BANK BLDG.
TWIN FALLS, IDAHO 83301
(208) 733-2600

registered agent of the corporation, at the same address is Richard Eggleston.

IN WITNESS WHEREOF, the parties have executed these ARTICLES OF INCORPORATION on this 23rd day of January, ~~1990.~~ 1991.

Wendell M. Starke
WENDELL M. STARKE

Kent A. Starke
KENT A. STARKE

STATE OF Georgia)
: ss.
County of Fulton)

On this 23rd day of January, 1991, personally appeared before me, a notary public in and for said State, WENDELL M. STARKE and KENT A. STARKE, known to me to be the signers of the within instrument, who duly acknowledged to me that they executed the same.

Terri B. Solmson
NOTARY PUBLIC
Residence: *
My Commission Expires:

Notary Public, Fulton County, Georgia
My Commission Expires July 19, 1994

* 7322 Spring Creek Ln.
Atlanta, GA 30350

RAYBORN & RAYBORN
ATTORNEYS AT LAW
P.O. BOX 521
FIRST INTERSTATE BANK BLDG.
TWIN FALLS, IDAHO 83301
(208) 733-2600

MICROFILMED

MAY 15 1992

cml 235-1
/90

Drilling Permit No. 36-91-2-003
Water Right Permit No. 36-2130
Injection Permit No. _____

State of Idaho
Department of Water Resources

FILE

APPLICATION FOR DRILLING PERMIT

. Applicant (please print) Pristine Springs, Inc.

. Mailing Address 4074 North 2000 East

City & State Filer, Idaho Zip Code 83328 Telephone (208) 326-5687

(X) Well Owner ( ) Well Operator ( ) Other, specify _____

. Proposed well location _____ 1/4 _____ 1/4, or Gov't Lot No. 14

Sec. 29, Twp. 9 South, Rge. 17 East, County Jerome County

Street Address of Well Site Bottom of Blue Lakes Grade

Lot, block and subdivision _____

1. Proposed use of well:

( ) Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

( ) Non-Domestic: Any beneficial use not included within the definition of domestic.

( ) Injection

( ) Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

(X) Other Fish Propagation and power generation
(Describe)

5. Well construction information:

A. ( ) New well ( ) Deepen ( ) Enlarge (X) Replace - See Condition 9

B. Proposed Surface Diameter _____ Proposed Maximum Depth 999

C. Anticipated bottom hole temperature:

( ) 85°F or less (Cold water well)
(X) 85°F to 212°F (Low temp. geothermal well)
( ) 212° or more (Geothermal well)

RECEIVED
MAY 15 1992

6. Construction Start Date August, 1991

7. Anticipated Well Driller Walker Water Systems; Twin Falls, Idaho
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Richard C. Eyholtz Date 7/23/91

Title Executive Vice President & General Manager

ACTION O[illegible]HE DEPARTMENT OF WATER [illegible]SOURCES

This Permit is APPROVED. Date 9-6-1991.

If approved, this permit authorizes the constuction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. [illegible] bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well [illegible]ner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Refer to the attached Specific Conditions.

Norm C Young 9/9/91 - Administrator

Signature of Authorized Department Representative Title

Receipt No. C081700 Receipted by MH Fee $200.00 ~~Hearing Request not~~ Date ~~9-9-91~~ 9-9-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

SPECIFIC CONDITIONS
Drilling Permit No. 36-91-Z-003
Water Right Permit No. 36-7130

10. The well shall be constructed according to the design criteria submitted as a Drilling Prospectus by Walker Water Systems, Inc. dated 8-20-91.

11. Prior to drilling the 16" open hole below the 16" casing shoe, the 16" casing shall be flanged to accept equipment capable of controlling water pressure up to 300 psi.

12. The 12" casing shall be fitted with equipment capable of safely controlling water pressures of 300 psi. This equipment shall be installed prior to drilling of 12" open hole below 12" casing shoe and must be approved by the Department prior to installation.

13. The 8" casing string shall be centralized in the hole during the pumping and setting of the cement. The cementing equipment, materials and procedure shall be capable to ensure the proper and thorough sealing of the well to prevent any movement of water via channels or voids in the annular space and approved by the Department prior to installation.

14. Cement shall be circulated to the surface during cementing of all casing strings.

15. Any artesian flowing water encountered during drilling shall be controlled and diverted away from the drill site to avoid it becoming a nuisance or a safety hazard.

16. Water shall not be diverted from the well authorized to be drilled under this drilling permit, other than for testing or drilling purposes as approved by IDWR, until the existing well authorized by water right no. 36-7130 has been abandoned in accordance with applicable Idaho statutes and IWRB rules and regulations and measuring equipment is installed in accordance with Operative Provision 7 of the "Settlement Agreement" entered into by Professional Investors Life Insurance Company and the College of Southern Idaho, dated May 19, 1988.

17. Prior to abandoning the existing well the Department must approve a procedure for properly cementing the well closed.

18. The continued validity of right no. 36-7130 is subject to determination in the Snake River Basin Adjudication.

19. Issuance of this drilling permit does not constitute approval to use the water for any purpose for which a valid water right does not exist and is not an indication that any pending applications to divert water from the well will be issued by IDWR.

20. The well authorized for construction under this drilling permit must be located within the same government lot as the existing well.

WALKER WATER SYSTEMS, INC.
624 Pierce Street • Twin Falls, Idaho 83301 •
Area Code 208 • 733-4744

August 20, 1991

Drilling Prospectus
Pristine Springs
Replacement well for the catfish well

This well would be drilled in two phases. One, using a large cable rig to get through the boulders and; second a rotary to drill the hard rock and complete the well.

The cable rig would start with a 24 inch hole with 24 inch casing, cemented in. Additional strings of casing would be added as needed to set approximately 130 to 150 feet of 16 inch casing. This string would then be pressure cemented in and the larger strings of casing pulled if possible.

The 16 inch hole would continue to approximately 240 feet. At this point, 12 inch casing would be set and pressure cemented in. The cable rig would then be replaced by the rotary drill.

Th 12 inch hole would be drilled to a depth when the water temperature climbs over 90°. We anticipate this to be between 550 feet and 600 feet. 8 inch casing would then be set and pressure cemented in. This would bethe production string. The well wouk be continued at 8 inch diameter to approximately 750 to 800 feet.

The expected temperature is between 102°-105° and the shut-in pressure is anticipated to be 250-300 psi.

We will notify the department of any major alterations of this drilling prospectus.


Frederick B Walker

Frederick B. Walker
Operations Officer

RECEIVED
MAY 1 6 1992

WALKER WATER SYSTEMS, INC.
624 Pierce Street • Twin Falls, Idaho 83301 •
Area Code 208 • 733-4744

Proposed Well Schematic
Pristine Springs Geothermal



Additional strings of casing may be needed to get the [illegible] into they may be pulled [illegible] the remaining 16".

RECEIVED
MAY 15 1992

The Farmers National Bank

P. O. Box 392
Phone 543-4351
Buhl, Idaho

P. O. Box 546
Phone 536-5271
Wendell, Idaho

August 5, 1991

RECEIVED
AUG 06 1991
Department of Water Resources

Mark Slifka
Idaho Dept. of Water Resources
1301 North Orchard Street
Boise, Idaho 83706-2237

Dear Mark,

Enclosed is our letter of credit for Pristine Springs Inc. to drill the new catfish well in Jerome County. This replaces the cash bond account number 75-281587 that I acknowledged on July 29, 1991.

Please call me at 543-4354 if you have any questions.

Sincerely,

Mike Hamilton
Executive Vice President

MH/mc

RECEIVED
MAY 15 1992

The Farmers National Bank

Box 392
Phone 543-4351
Buhl, Idaho

P. O. Box 546
Phone 536-5271
Wendell, Idaho

August 5, 1991

IRREVOCABLE LETTER OF CREDIT
NO. 153

TO: Idaho Department of Water Resources
1301 North Orchard Street
Boise, Idaho 83706-2237

Attention: Mark Slifka

Gentlemen:

We hereby authorize you to draw on Farmers National Bank for the account of Pristine Springs, Inc. up to an aggregate amount of $20,000.00 available by your draft(s) drawn AT SIGHT accompanied by a duly signed statement, purported to be signed by your authorized officer to the effect that Pristine Springs, Inc. has not complied with the construction, operation, or maintenance of the catfish well.

The request for payment under this Letter of Credit shall be final and conclusive for all purposes without verification by Farmers National Bank and shall not be subject to refutation, denial or contest. Multiple drawings shall be permitted but will not exceed $20,000.00 in total at any one time.

Drafts must be presented and negotiated at our counters not later than August 5, 1992.

Each draft under this credit must bear upon its face the works "Drawn Under Letter of Credit No. 153 of Farmers National Bank".

This credit is subject to the Uniform Customs and Practice for Documentary credits (1983 Revision) International Chamber of Commerce Publication no. 400.

We engage with you that all drafts drawn under and in compliance with the terms of this credit will be duly honored upon presentation to us.

Yours Very Truly,

Farmers National Bank

WATER RESOURCES
MAY 15 1992

By: Mike Hamilton EVP
Mike Hamilton EVP

Form 233-1
4/88

State of Idaho
Department of Water Resources

LOW TEMPERATURE GEOTHERMAL RESOURCE WELL
CASH BOND PLEDGE

To: Farmers National Bank
(Bank or Savings and Loan Association)

Address: 914 Main Street Buhl, Idaho 83316
(Must be in Idaho)

FOR VALUE RECEIVED, X Pristine Springs, Inc. does xxx hereby assign, set over and pledge to the Director, Idaho Department of Water Resources (Director) as a cash bond, or cash deposit the sum of _____ dollars in an account carried in the name of Pristine Springs, Inc. being Account No. ~~XXX146X825X~~ 75-281587.

This pledge is given in lieu of a Surety Bond to insure the construction, operation and maintenance of a low temperature geothermal resource well located in Township 9 South, Range 17 East, Section 29, Lot 14, Jerome County
(Legal Description)
in compliance with Chapter 2 and Chapter 40, Title 42, Idaho Code, and the rules and regulations promulgated pursuant thereto by the Director, said pledge to remain in full force and effect until one year after completion of the well construction or until released in writing by the Director, whichever occurs first.

The interest paid on the account shall be paid to account holder Pristine Springs, Inc., this assignment and pledge being only for the principal amount.

Dated at Boise, Idaho this 23rd day of July, 1991.

PRISTINE SPRINGS, INC.
Account Holder

By _____
Richard Eggleston
Executive Vice President

State of Idaho)
) ss
County of Ada)

On this 23rd day of July, 19 91, personally appeared before me the signer of the above instrument, who duly acknowledged to me that he be executed the same.

_____
Notary Public residing
at Boise, Idaho

My commission expires: 9-22-91

MICROFILMED
MAY 15 1992

I, Mike Hamilton (Name), Executive Vice President (Title)

do hereby acknowledge that Pristine Springs, Inc

has on deposit $20,000.00 dollars which has been assigned to the Director, which shall remain in force and effect until released by the Director.

Former National Bank

Mike Hamilton EVP

(Bank or Savings & Loan Official)

State of Idaho)
) ss
County of Twin Falls)

Acknowledged on this 29 day of July, 19 91, before me:

Michele Clark

Notary Public residing at:

Burley Idaho 83318

My commission expires: 3-10-93

MICROFILMED

MAY 25 1992