

MEMORANDUM

Date: September 24, 2009
To: Water Right File 63-31183
From: Michele Edl
Re: condition 9: Annual report

Due to personnel changes at Micron Technology, Inc., the annual report required by a condition of this permit was not submitted in March 2009 as expected.

After some phone and email prompting acceptable documents were received earlier this month.

Although I received confirmation from Michelle Atkinson (Micron's environmental group) that the required annual report was complete in early August, every document released by the company must past a review by their legal department which can take several weeks.

Edl, Michele

From: rlmurray@micron.com
Sent: Sunday, August 02, 2009 7:34 PM
To: TScanlan@spfwater.com; Edl, Michele
Cc: miatkinson@micron.com
Subject: RE: permit 63-31183

Terry,

Michelle A, is working out the details with Michele E. We should have something to you this week.

Thx,

Ricky L. Murray

Water & Chemical Services Manager

Micron Technology, Inc.

rlmurray@micron.com

Ph: 208-363-2339

Fax: 208-368-3121

From: Terry Scanlan [mailto:TScanlan@spfwater.com]
Sent: Friday, July 31, 2009 6:59 PM
To: rlmurray; Michele.Edl@idwr.idaho.gov
Cc: miatkinson
Subject: RE: permit 63-31183

Ricky –

Sorry for the slow response, but I've been traveling a lot this week. I checked my files, and don't have any confirmation that an analysis was submitted in 2009. In reviewing the IDWR on-line files, I see that a draft report was submitted in April 2008, and that Micron and IDWR had tentatively agreed last year that a one-page graph should be submitted annually by March 15.

Terry

-----Original Message-----

From: rlmurray@micron.com [mailto:rlmurray@micron.com]
Sent: Tuesday, July 28, 2009 10:27 AM
To: Michele.Edl@idwr.idaho.gov
Cc: Terry Scanlan; miatkinson@micron.com
Subject: RE: permit 63-31183

Michele,

Great question!

Michelle A., or Terry,

Can you confirm the status of this?

Ricky

From: Edl, Michele [mailto:Michele.Edl@idwr.idaho.gov]
Sent: Tuesday, July 28, 2009 8:42 AM

9/24/2009

To: rlmurray
Subject: FW: permit 63-31183

Good morning Ricky

I am picking up dropped threads and one of them is Micron's water rights. I have not received the 2008 analysis required to keep Micron in compliance with permit 63-31183.

Did it get submitted to Western region office?

Michele

From: rlmurray@micron.com [mailto:rlmurray@micron.com]
Sent: Monday, June 01, 2009 3:07 PM
To: Edl, Michele
Subject: RE: permit 63-31183

Michele,

It was very nice to meet you all last week! I sure to appreciate the speedy response and thanks for the clarifications.

No worries on our end!

Best Regards!

Ricky L. Murray

Water & Chemical Services Manager

Micron Technology, Inc.

rlmurray@micron.com

Ph: 208-363-2339

Fax: 208-368-3121

From: Edl, Michele [mailto:Michele.Edl@idwr.idaho.gov]
Sent: Thursday, May 28, 2009 4:29 PM
To: rlmurray
Subject: permit 63-31183

Mr. Murray,

It looks like I exaggerated IDWR's follow-up to Micron's 2007 submittal of annual analysis (condition 9 to permit 63-31183). We received it but it has not been scanned into the backfile for this permit. I will see to that a.s.a.p.

For your reference I have attached a PDF of the document we received. Brian Brown may have been the primary preparer last year. If my memory serves me, he hand-delivered the annual report along with a summary of an April 16, 2008 meeting.

Marty Lindgren requested comment on the report from me but addressed the report to Jeff Peppersack, whom you met today. (Jeff is the Bureau Chief for Water Allocation Bureau.) I found no record in the file that Jeff made a comment. I was pleased to see the required submittal but provided no comment either.

Micron deserved better follow-up. I apologize for my part in our lapses.

Sincerely,

Michele D. Edl
Associate Engineer
Water Rights Section
Idaho Department of Water Resources
322 East Front Street
Boise, ID 83720-0098
Phone: 208-287-4946
Fax: 208-287-4800

9/24/2009