

Hemenway, Sandy

From: Foster, Bob
Sent: Monday, September 14, 2009 3:13 PM
To: Hemenway, Sandy
Subject: RE: WR 75-7067 field inspection

Hi Sandy.

There is a small building near the pipeline split, but I do not believe it is or was a power house. It is a small wooden building that was open. I did look inside and there was no evidence of it containing a hydro unit. I could not find any evidence of wiring to the house either.

The wooden diversion structure would not suffice as a measuring device. It consists of a wooden structure with check boards to a screened bubbler. In my opinion neither the check structure or bubbler could be used as a measuring device without some extensive modification. It would be much easier to install a small weir for a measuring device. Thanks, Bob.

From: Hemenway, Sandy
Sent: Monday, September 14, 2009 2:22 PM
To: Foster, Bob
Subject: WR 75-7067 field inspection

Hey Bob,

In the notes for the permit for WR 75-7067, it talks about a headgate, then approx. 2000' of 6" pipe to a power house.

(1) I know in your report you say there is no evidence of hydropower use at the time of the exam, but was there a power house ever built, and is it still standing?

(2) Would the headgate be classified as a means of measuring flow or a measuring device for this water system? Can you describe it a bit, so I can include it with the system (to meet the condition)?

Thanks,
Sandy

Hemenway, Sandy

From: Hemenway, Sandy
Sent: Monday, September 14, 2009 11:31 AM
To: id_so_information@blm.gov
Cc: Hemenway, Sandy
Subject: Right of Way Grant I-12307, Request for Information

To whom it concerns,

I am working on an irrigation and power License 75-7067 for Martin W. Halpern (previous owner: Edward H. Corbett). In the file, there is a letter dated 6/28/1977 that states "Enclosed is right-of-way grant I-12307 for your irrigation pipeline and ditch. The grant has been issued for a period of 30 years and advance rental has been paid for the term of the grant," signed Vincent S. Strobel, Chief Branch of L&M Operations.

I have the following questions:

- (1) Has the right-of-way grant I-12307 for irrigation pipeline and ditch been renewed?
- (2) If renewed or denied, can I get a copy of the letter?
- (3) Does the right-of-way grant allow irrigation in T17N R20E Sec 14 NWNESW (since the government lot shows that property being owned by BLM)?

Thank you for your time.

Sincerely,

Sandy Hemenway
Sr. Water Resource Agent
Idaho Department of Water Resources/State Office
322 E Front St. Boise, ID
PO BOX 83720, Boise, ID 83720-0098
(208) 287-4920
Sandy.hemenway@idwr.idaho.gov