

State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 75-14590

Priority: January 09, 2009

Maximum Diversion Rate: 0.04 CFS

This is to certify, that SANDRA K DOLLIVER And
GAIL F GIBSON
504 LAKE ONTARIO LN
BOULDER CITY NV 89005

has applied for a permit to appropriate water from:

Source: SALMON RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

SALMON RIVER L12 (SE¼SW¼) Sec. 10 Twp 18N Rge 21E, B.M. LEMHI County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
18N 21E 10																	1.3
																	L 12

Total Acres: 1.3

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **October 01, 2011**.
2. Subject to all prior water rights.
3. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
4. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
5. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 75-14590

6. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
7. The right holder shall install or construct a straight length of conduit or ditch suitable for installation of a device for measuring the entire flow of water being diverted in connection with this right. If the right holder uses conduit, the straight length of conduit shall be at least ten times the diameter of the conduit and shall be above ground or otherwise easily accessible.
8. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
9. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 28 day of Sept., 2009.


for GARY SPACKMAN, Interim Director