

Gary D. Slette  
Robertson & Slette  
PO Box 1906  
Twin Falls, ID 83303-1906

RECEIVED  
SEP 21 2009  
DEPT. OF WATER RESOURCES  
SOUTHERN REGION

Dear Mr. Slette

This letter is in response to your discovery request.

**REQUESTS FOR ADMISSION**

**REQUEST FOR ADMISSION NO. 1:** It appears that the proposed water to be transferred will be transferred for commercial/stockwater use but that the existing domestic water right will be retained at the proposed location.

**REQUEST FOR ADMISSION NO. 2:** I will admit that the source of the water under Application for Transfer No. 75529 is ground water.

**REQUEST FOR ADMISSION NO. 3:** It is felt that the diversion of water sought under Application for Transfer No. 75529 will reduce the quantity of water available under my existing water right.

**REQUEST FOR ADMISSION NO. 4:** Historically Idaho Department of Water Resources hearing rulings have not addressed water quality issues as they have stated that water quality issues are regulated by other State agencies. As such it is felt that this admission is unnecessary but it is felt if best management practices are followed during the use of the water and disposal of wastewater then my water quality will not be adversely affected.

**REQUEST FOR ADMISSION NO. 5:** Without looking at Devries's financial records I do not have the ability to admit or deny that Devries has the sufficient financial resources to complete any and all work necessary to perfect the changes sought under Application for Transfer No. 75529. I will admit that I do not feel the transfer is being performed for speculative purposes but if you wish to have an admission that sufficient financial resources are present please submit all of your financial information for me to review and at that point I can review the information and make a determination if I feel sufficient financial resources are present.

**REQUEST FOR ADMISSION NO. 6:** I will not admit that I will not suffer any injury or adverse affect if Application for Transfer No. 75529 is approved.

**REQUEST FOR ADMISSION NO. 7:** I will not admit that I will not need to undertake any additional expense to divert my existing water rights if application for transfer no. 75529 is approved.

## **INTERROGATORIES**

### **INTERROGATORY NO. 1:**

**Name of individuals with knowledge on this matter.**

**Name:** DuWayne Kimball  
**Address:** 1333 E. 3500 N.  
                    Buhl, ID 83316  
**Phone:** 208-316-8506  
**Information:** Protestant

**Name:** DuWayne Kimball Jr.  
**Address:** 1335 E. 3500 N.  
                    Buhl, ID 83316  
**Phone:** 208-316-6789  
**Information:** Information Research

**Name:** Roy Murphy  
**Address:** 3424 N. 1400 E.  
                    Buhl, ID 83316  
**Phone:** 208-543-5175  
**Information:** Had to drill well in 2007 due to existing well going dry.

**Name:** Bruce Duffy  
**Address:** 3385 N. 1400 E.  
                    Buhl, ID 83316  
**Phone:** 208-543-8000  
**Information:** Had to drill well in 2007 due to existing well going dry.

**Name:** Barry Duelke  
**Address:** 1295 E. 3400 N.  
                    Buhl, ID 83316  
**Phone:** 208-543-5442  
**Information:** Had to drill well in 1999 due to existing well going dry. Continues to have water quantity issues associated with new well.

**Name:** Devon Ruhter  
**Address:** 1254 E. 3400 N.  
                    Buhl, ID 83316  
**Phone:** 208-543-0983  
**Information:** Historically runs out of water in well in April.

**INTERROGATORY NO. 2:** At this time do not plan to call upon any experts at the hearing.

**INTERROGATORY NO. 3:** Documents that are currently planned to be submitted at the hearing. Copies of all information have been provided so physical locations will not be noted.

Type of Record: Notice of Protest  
Subject Matter: Protest of Application No. 75529  
Author: DuWayne Kimball  
Date of Document: 15 June 2009

Type of Record: Well Drillers Report  
Subject Matter: Duffy Well Log Due to Need to Drill New Well  
Author: Elsing Drilling & Pump  
Date of Document: 31 Aug 2007

Type of Record: Well Drillers Report  
Subject Matter: Duelke Well Log Due to Need to Drill New Well  
Author: Eaton Drilling  
Date of Document: 31 Mar 1999

Type of Record: Well Drillers Report  
Subject Matter: Murphy Well Log Due to Need to Drill New Well  
Author: Elsing Drilling & Pump  
Date of Document: 17 July 2007

Type of Record: Well Hydrograph  
Subject Matter: Well 10S14E Section 7 Hydrograph  
Author: Idaho Department of Water Resources  
Date of Document: Unknown

Type of Record: Well Hydrographs  
Subject Matter: Twin Falls Ground Water Management Area  
Author: Idaho Department of Water Resources  
Date of Document: 01 Jan. 2007

Type of Record: Letter  
Subject Matter: Murphy Letter on why drilled new well  
Author: Roy Murphy  
Date of Document: Aug 2009

Type of Record: Technical Report  
Subject Matter: Geohydrology and Development of A Steady State Ground-Water Model for the Twin Falls, Idaho Area  
Author: Cosgrove, Donna M.; Johnson, Gary S.; Brockway, Charles E.; Robison, Clarence W.; University of Idaho  
Date of Document: Dec. 1997

Type of Record: Technical Report  
Subject Matter: Development of a Transient Ground-Water Model for the Twin Falls, Area, Idaho  
Author: Cosgrove, Donna M.; Johnson, Gary S.; Brockway, Charles E.; Robison, Clarence W.; University of Idaho  
Date of Document: June 1998

INTERROGATORY NO. 4: The criteria enumerated in Idaho Code section 42-222 that conflicts with this transfer is that my existing water right will be injured and this is not in the local public interest as other water rights will be damaged.

INTERROGATORY NO. 5: Potential injuries include from least significant to most significant: additional pumping costs associated with pumping at a greater depth, costs associated with a new well development if the existing well goes dry, or worst case not being able to develop a source that will provide the quantity of water as appropriated.

INTERROGATORY NO. 6: The distance between your point of diversion and the proposed point of diversion identified in Transfer No. 75529 is approximately 5 miles (5.04 miles from Google Earth).

**REQUESTS FOR PRODUCTION**

REQUEST FOR PRODUCTION NO. 1 THROUGH 5: Included are copies of the original protest, documents that are intended to be submitted as exhibits, and documents that support answers to the Interrogatory.

If you have any questions or comments please contact me at 208-316-8506.

Sincerely,

A handwritten signature in black ink, appearing to read "DuWayne Kimball", with a stylized flourish at the end.

DuWayne Kimball

September 15, 2009

RECEIVED  
SEP 21 2009  
DEPT. OF WATER RESOURCES  
SOUTHERN REGION

Gary D. Slette  
Robertson & Slette  
PO Box 1906  
Twin Falls, ID 83303-1906

Dear Mr. Slette,

The purpose of the letter is to indicate that I do not intend to call any witnesses to the hearing and to present additional information that I feel further supports the position that the water transfer will damage my existing water right and that the transfer is not in the best interest of the public.

INTERROGATORY NO. 3: Documents that are currently planned to be submitted at the hearing. Copies of all information have been provided so physical locations will not be noted.

Type of Record: Letter  
Subject Matter: Murphy letter on why drilled new well  
Author: Nancy Murphy  
Date of Document: Sept. 2009

Type of Record: Letter  
Subject Matter: letter on why drilled new well  
Author: Bruce Duffy  
Date of Document: Aug. 2009

Type of Record: Application for Abandonment of Well  
Subject Matter: Abandonment of Duelke Well  
Author: Eaton Drilling  
Date of Document: May 1999

If you have any questions or comments please contact me at 208-316-8506.

Sincerely,



DuWayne Kimball

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

**NOTICE OF PROTEST**

RECEIVED  
JUN 15 2009  
DEPT. OF WATER RESOURCES  
SOUTHERN REGION

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, and 42-222, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested Application for transfer No 75529 in the name of Greg & Julie D. Voss

2. Name of protestant DuWayne Kimball

3. Protestant's Representative for service (If different than protestant)

4. Service mailing address 1333 E. 3500 N Buhl, ID 83316

5. Service telephone no. 208-316-8506 Email Address: Kimball64@gmail.com

6. Basis of protest (including statement of facts and law upon which the protest is based)

Injury to my existing water right #47-10987  
Sec 42-222, Idaho Code

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? Denial of application

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 14<sup>th</sup> day of June, 2009

DuWayne Kimball  
Protestant

Protestant's Representative

**FOR OFFICE USE ONLY**

Fee: \$25.00

Receipt No. 5030943

Receipt by: CHW

Date Received: 6/15/09

Roy Murphy  
3424 N 1400E  
Buhl Id,

To whom it may concern:

We had to drill a new well last year because our well went dry. We have a dairy across the road from us. At first we could have water at night, but in the day time when the cows were drinking we would go totally dry. Our well dropped 20 to 30 feet in a year after the dairy was allowed to enlarge. When our well was going dry it smelled just like cow urine. It was undrinkable. We had to buy all our drinking & cooking water.

People say our water comes from the south hills, but I've talked to a lot of old times who've told me that before they started all the heavy irrigation in this area they had to go down from 500 feet to 1300 feet if they found water at all.

With all the pivots being put in there's not going to be as much absorption of water into the ground. I believe it's not too far off before we all are going to have problems with our wells.

Roy Murphy

Form 238-7  
6/02

IDAHO DEPARTMENT OF WATER RESOURCES  
WELL DRILLER'S REPORT

|                    |                 |            |  |
|--------------------|-----------------|------------|--|
| Office Use Only    |                 |            |  |
| Well ID No. _____  |                 |            |  |
| Inspected by _____ |                 |            |  |
| Twp. _____         | Rge. _____      | Sec. _____ |  |
| 1/4                | 1/4             | 1/4        |  |
| Lat. : : _____     | Long. : : _____ |            |  |

1. WELL TAG NO. D 0044631

DRILLING PERMIT NO. 848754

Water Right or Injection Well No. \_\_\_\_\_

2. OWNER

Name Bruce Duffy

Address 3385 N 1400 E

City Buhl State ID \_\_\_\_\_ Zip 83316

3. LOCATION OF WELL by legal description:

You must provide address or Lot, Blk, Sub. or Directions to well.

Twp. 11 North ☐ or South ☒

Rge. 14 East ☒ or West ☐

Sec. 11 1/4 NE 1/4 NE 1/4

Gov't Lot \_\_\_\_\_ County Twin Falls

Lat: 42: 29.333 Long: 114: 46.252

Address of Well Site 3385 N 1400 E

City Buhl

Blk. \_\_\_\_\_ Sub. Name \_\_\_\_\_

Lt. \_\_\_\_\_ Blk. \_\_\_\_\_ Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

Sub. Name \_\_\_\_\_

12. WELL TESTS:

|                               |                                 |                              |                                           |
|-------------------------------|---------------------------------|------------------------------|-------------------------------------------|
| <input type="checkbox"/> Pump | <input type="checkbox"/> Bailor | <input type="checkbox"/> Air | <input type="checkbox"/> Flowing Artesian |
| Yield gal./min.               | Drawdown                        | Pumping Level                | Time                                      |
|                               |                                 |                              |                                           |
|                               |                                 |                              |                                           |
|                               |                                 |                              |                                           |

Water Temp. \_\_\_\_\_ Bottom hole temp. \_\_\_\_\_

Water Quality test or comments: \_\_\_\_\_

Depth first Water Encounter \_\_\_\_\_

13. LITHOLOGIC LOG: (Describe repairs or abandonment)

| Bore Dia. | From | To  | Remarks: Lithology, Water Quality & Temperature | Water |
|-----------|------|-----|-------------------------------------------------|-------|
| 8         | 0    | 11  | TOPSOIL                                         | X     |
| 11        | 17   | 17  | DECOMPOSED BASALT                               | X     |
| 17        | 18   | 18  | GREY BASALT                                     | X     |
| 6         | 18   | 35  | GREY BASALT                                     | X     |
| 35        | 37   | 37  | CREVICE - LOST CIRC                             | X     |
| 37        | 141  | 141 | FRACTURED                                       | X     |
| 141       | 170  | 170 | BASALT                                          | X     |
| 170       | 250  | 250 | FRACTURED BASALT                                | X     |

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation

☐ Thermal ☐ Injection ☐ Other \_\_\_\_\_

5. TYPE OF WORK check all that apply (Replacement etc.)

☐ New Well ☐ Modify ☐ Abandonment ☒ Other Replacement

6. DRILL METHOD:

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other \_\_\_\_\_

7. SEALING PROCEDURES

Seal Material From To Weight / Volume Seal Placement Method

Bentonite 0 18 4 BAGS POURED

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) \_\_\_\_\_

Was drive shoe seal tested? ☐ Y ☐ N How? \_\_\_\_\_

8. CASING/LINER:

Diameter From To Gauge Material Casing Liner Welded Threaded

6 5/8 2 18 .250 Steel ☒ ☐ ☒ ☐

Length of Headpipe \_\_\_\_\_ Length of Tailpipe \_\_\_\_\_

Packer ☐ Y ☐ N Type \_\_\_\_\_

9. PERFORATIONS/SCREENS PACKER TYPE

Perforation Method \_\_\_\_\_

Screen Type & Method of Installation \_\_\_\_\_

From To Slot Size Number Diameter Material Casing Liner

10. FILTER PACK

Filter Material From To Weight/Volume Placement Method

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

134 ft. below ground Artesian pressure \_\_\_\_\_ lb.

Depth flow encountered \_\_\_\_\_ ft. Describe access port or control devices: \_\_\_\_\_

PLATE

RECEIVED  
SEP 04 2007  
DEPT. OF WATER RESOURCES  
SOUTHERN REGION

\* actual hole sizes are 8 3/4 & 6 1/8

Completed Depth 250' (Measurable)

Date: Started 8/28/07 Completed 8/29/07

14. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Elsing Drilling & Pump Co., Inc. Firm No. 669

Principal Driller Craig Egan Date 8/31/07

and Driller or Operator II \_\_\_\_\_ Date \_\_\_\_\_

Operator I David Housen Date 8/31/07

Principal Driller and Rig Operator Required.

Operator I must have signature of Driller/Operator II.

FORWARD COPY TO WATER RESOURCES

Form provided by Forms On-A-Disk - (214) 348-8429 - www.FormsOnADisk.com



Form 238-7  
6/02

IDAHO DEPARTMENT OF WATER RESOURCES  
**WELL DRILLER'S REPORT**

|                    |            |             |  |
|--------------------|------------|-------------|--|
| Office Use Only    |            |             |  |
| Well ID No. _____  |            |             |  |
| Inspected by _____ |            |             |  |
| Twp. _____         | Rge. _____ | Sec. _____  |  |
| _____ 1/4          | _____ 1/4  | _____ 1/4   |  |
| Lat: _____         |            | Long: _____ |  |

**1. WELL TAG NO. D 0044546**

DRILLING PERMIT NO. 847820

Water Right or Injection Well No. \_\_\_\_\_

**2. OWNER** appl. 900872

Name Roy Murphy

Address 3424 N 1400 E

City Buhl State ID \_\_\_\_\_ Zip 83316

**3. LOCATION OF WELL by legal description:**

You must provide address or Lot, Blk, Sub. or Directions to well.

Twp. 11 North ☐ or South ☒

Rge. 14 East ☒ or West ☐

Sec. 1 1/4 SW 1/4 SW 1/4

Gov't Lot \_\_\_\_\_ County Twin Falls

Lat: 42 :29.675 Long: 114 :46.212

Address of Well Site 3424 N 1400 E

City Buhl

Blk. \_\_\_\_\_ Sub. Name \_\_\_\_\_

Lt. \_\_\_\_\_

Sub. Name \_\_\_\_\_

**4. USE:**

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation

☐ Thermal ☐ Injection ☐ Other \_\_\_\_\_

**5. TYPE OF WORK** check all that apply (Replacement etc.)

☐ New Well ☐ Modify ☐ Abandonment ☒ Other Replacement

**6. DRILL METHOD:**

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other \_\_\_\_\_

**7. SEALING PROCEDURES**

Seal Material From To Weight / Volume Seal Placement Method

Bentonite 0 18 4 BAGS POURED

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) \_\_\_\_\_

Was drive shoe seal tested? ☐ Y ☐ N How? \_\_\_\_\_

**8. CASING/LINER:**

Diameter From To Gauge Material Casing Liner Welded Threaded

6 5/8 2 18 250 Steel ☒ ☐ ☐ ☐

☐ ☐ ☐ ☐

☐ ☐ ☐ ☐

Length of Headpipe \_\_\_\_\_ Length of Tailpipe \_\_\_\_\_

Packer ☐ Y ☐ N Type \_\_\_\_\_

**9. PERFORATIONS/SCREENS PACKER TYPE**

Perforation Method \_\_\_\_\_

Screen Type & Method of Installation \_\_\_\_\_

From To Slot Size Number Diameter Material Casing Liner

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

**10. FILTER PACK**

Filter Material From To Weight/Volume Placement Method

☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐

**11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:**

131 ft. below ground Artesian pressure \_\_\_\_\_ lb.

Depth flow encountered \_\_\_\_\_ ft. Describe access port or control devices: \_\_\_\_\_

PLATE

**12. WELL TESTS:**

☐ Pump ☐ Bailor ☐ Air ☐ Flowing Artesian

Yield gal./min. Drawdown Pumping Level Time

☐ ☐ ☐ ☐

☐ ☐ ☐ ☐

☐ ☐ ☐ ☐

Water Temp. \_\_\_\_\_ Bottom hole temp. \_\_\_\_\_

Water Quality test or comments: \_\_\_\_\_

Depth first Water Encounter \_\_\_\_\_

**13. LITHOLOGIC LOG: (Describe repairs or abandonment)** Water

Bore Dia. From To Remarks: Lithology, Water Quality & Temperature Y N

8 0 6 TOPSOIL ☐ ☒

6 15 BROWN ASH ☐ ☒

15 18 GREY BASALT ☐ ☒

6 18 31 GREY BASALT ☐ ☒

31 48 BROWN BASALT ☐ ☒

48 131 GREY BASALT ☐ ☒

131 135 RED ASH & CINDERS ☐ ☒

135 153 BROWN BASALT ☐ ☒

153 195 GREY BASALT ☐ ☒

195 198 RED ASH & CINDERS ☐ ☒

198 233 BROWN BASALT ☐ ☒

233 250 RED ASH & CINDERS ☐ ☒

RECEIVED  
AUG 9 2007  
DEPT. OF WATER RESOURCES  
SOUTHERN REGION

\* actual hole sizes are 8 3/4 & 6 1/8

Completed Depth 250' (Measurable)

Date: Started 7/16/07 Completed 7/16/07

**14. DRILLER'S CERTIFICATION**

We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Elsing Drilling & Pump Co., Inc. Firm No. 669

Principal Driller Craig Egger Date 7/17/07

and Driller or Operator II \_\_\_\_\_ Date \_\_\_\_\_


Operator I Alex Putnam Date 7/17/07

Principal Driller and Rig Operator Required.  
Operator I must have signature of Driller/Operator II.

FORWARD COPY TO WATER RESOURCES






Form provided by Forms On-A-Disk - (214) 346-8429 - www.FormsOnADisk.com

WELL 10514E-0700A1



# **LEGEND**

TD: TOTAL DEPTH  
 OP: INTERVAL AT WHICH THE WELL IS  
 PERFORATED OR OPEN TO THE AQUIFER  
 WATER BEARING FORMATION  
 NA: NOT AVAILABLE  
 ---: MORE THAN 1 YEAR  
 BETWEEN DATA POINTS  
 LEFT SIDE: DEPTH TO WATER  
 RIGHT SIDE: WATER ELEVATION  
 BASE: YEAR  
 ALL MEASUREMENTS IN FEET



## **TWIN FALLS GROUND WATER MANAGEMENT AREA** **Ground Water Hydrographs** **Current as of 1/1/2007**

Prepared by Idaho Department of Water Resources 2/07 hh

To Whom it may concern:

I had To drill a new well  
Last year due To it running  
Dry.

Percy Murphy

August 28, 2009

To Whom It May Concern:

In 2007 I drilled a well to replace my previous well which went dry of water.

Sincerely,

A handwritten signature in black ink, appearing to read 'Bruce Duffy', with a stylized, cursive script.

BRUCE DUFFY

A.

0017  
47-99-S-0076-300

Department of Water Resources

permit 720081

**APPLICATION FOR  
REPAIR ( ) OR ABANDONMENT (✓) OF A WELL**

**RECEIVED**  
**MAY 12 1999**  
Department of Water Resources  
Southern Region

**LEGAL CONTACT (Owner or Operator)**

Date: 5-10-99  
Name: Betty Durkin Phone Number \_\_\_\_\_  
Mailing Address: 1295 E 3400 N  
City: Castleford State ID Zip Code 83321

**WELL LOCATION**

Township 11 S, Range 18 E, Section 10, 1/4 NE 1/4 NE 1/4  
Gov't Lot No. \_\_\_\_\_ County Twin Falls  
Street Address of Well Site: 25 above City \_\_\_\_\_  
Lot \_\_\_\_\_, Block \_\_\_\_\_, Subdivision Name \_\_\_\_\_

**TYPE OF WELL**

☒ **DOMESTIC:** Water used for homes, organization camps, public campgrounds, livestock (1,000 head or less and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

**NON-DOMESTIC:** ☐ Irrigation ☐ Municipal ☐ Industrial  
☐ Stock ☐ Test ☐ Other \_\_\_\_\_  
(Over 1,000 head) (Describe)

☐ INJECTION  
☐ MONITORING

**WELL SPECIFICATIONS**

Previous Drilling Permit Number well tag # 0008041 - drilled by parent well  
Water Right Number \_\_\_\_\_  
Well Log on File? ☐ Yes ☐ No  
Casing Size: 6" Material: P Temperature: 42.57°  
Casing Height Above Ground: in Bldg P.T. approx 5' below ground  
Flowing Artesian? ☐ Yes ☐ No  
Static Water Level: approx 120' (Measured) Well Depth: approx 160' (Measure)  
Remarks: old well pump 5' off part of the well - replaced with new well

## 5. CONDITION OF WELL, REPAIRS REQUIRED

- drill produces enough water part of year.  
- poor surface seal seen in pit

## 6. PROPOSED METHODS OF REPAIR OR ABANDONMENT

(This Application must be approved prior to commencement of operations)

Fill with Kemurus Enviroplug Bentonite to S.W.L.  
Fill remainder with granular Bentonite

## 7. NAME OF DRILLER OR INDIVIDUAL PERFORMING THE REPAIR OR ABANDONMENT

Eaton Drilling #26

## 8. DATE OF PROPOSED REPAIR OR ABANDONMENT

Week of 5/24/99

## 9. APPLICANT'S SIGNATURE

*[Signature]*

DATE: 5-10-99

Title

Well Contractor

(Owner, Firm Representative, Other)

## ACTION OF THE DEPARTMENT OF WATER RESOURCES

This application for repair/abandonment is Approved

Date 5-12

This approval does not constitute an endorsement of the proper abandonment of this well, without an attached c prepared by an Idaho Licensed Water Well Driller, Professional Geologist or Engineer who witnessed the proced approval is subject to the following conditions of approval. READ CAREFULLY!

CONDITIONS OF APPROVAL:

1. Pursuant to Section 42-238(4), Idaho Code. All repairs and/or abandonment must meet the requireme Department's Rules and Regulations for Well Construction Standards.
2. Abandonment or repair of this well may require the services of a well driller licensed in the State of Idal

*[Signature]*  
Signature of Authorized Department Representative

*[Signature]*  
Title