

**STARTING
LEFT
SIDE OF
FILE**

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 45-7107 Priority August 17, 1972 Amount 2.79 cfs

THIS IS TO CERTIFY, that Robert L. &/or Janet Simplot
of Declo, Idaho, has complied with the terms and conditions of Permit
No. 45-7107 issued pursuant to Application for Permit dated August 17, 1972,
and has submitted proof to the Department of Water Resources on September 23, 1977,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.79 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u>	at <u>2.79</u> cfs and	<u>1056.0</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 2.79 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1056.0 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 16,
Twp 10S, Rge 25E in the County of Cassia

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
10S	25E	16									33	33	33	33	33	33	33	33	264

Total number of acres irrigated 264

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 9TH day of

FEBRUARY, 19 84.

Acting for the Director

Roman C. Young

MICROFILMED

Identification No. _____

Application No. 45-7107

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant ROBERT L. and/or JANET ~~SIMPLEX~~ SIMPLOT
post office address Declo, Idaho 83323
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 16 Township 10 S
Range 25X E B.M. Cassia County; additional points of diversion if any: _____


b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 6.4 for Irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 6.4 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
Pump and sprinkler

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 69,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

45 7107

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert L. Simpson
(Applicant)

45 7107

45 7107

Received by alw Date 8/17/72 Time 3:00 pm
Preliminary check by alw Fee \$ 85.00
Receipted by ef Date 8-17-72 heel # 8723
Publication prepared by alw Date 8-25-72
Published in South Idaho Press, Burley, Idaho
Publication dates 9-5 & 9-12-72
Publication approved alw Date 9-18-72
Priority reduced to 8-22-72 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by D

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45-7107, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1977.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 18th day of October, 1972.


Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	RA		Application No. <u>45-7107</u> Name <u>Robert L. and/or Janet Simple</u>
(2)	RA		Check: ☒ Signature ☒ Point of Diversion ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for C/W and application of water to B/U ☒ Place of Use ☒ Map ☒ Fee
(3)			Send copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M.
(5)	RA		In form for advertising _____
(6)	RA		Affidavit of Publication received _____
(7)	RA		Final date for protests _____ Protests received: yes _____ no <u>✓</u>
(8)			Date and Place of hearing _____ Decision reached at hearing _____
(9)			Located within Water District No. _____
(10)	RA		Critical groundwater area: yes _____ no <u>✓</u>
(11)			Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(12)			Comments: _____
(13)	RA		Action recommended: ☒ Approve Priority <u>8-17-72</u> ☐ Deny Reason for Reduction _____ See attached sheet for conditions of approval No conditions for approval
(14)			District <u>Southern</u> By <u>Bob Haynes</u> Date <u>9-29-72</u> Title <u>Dist Engr</u>

45 7107

RECOMMENDEDCONDITIONS OF APPROVAL

☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: _____

REC

SEP

Department of V
Southern

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)Ruth Chambers, being firstduly sworn, deposes and says that She is theBookkeeper of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions ofThe South Idaho Press for 2

consecutive weeks, commencing with the issue

dated September 5 1972, and endingwith the issue dated September 12, 1972Ruth Chambers

Subscribed and sworn to before me

this 14th day of September1972.Edith Laustadt Notary PublicCost of Publication 0.10 thisNotary Fee 19

Total Cost

My commission expires October 23, 1975

72-272

NOTICE OF APPLIC
FOR WATER PER

Notice is hereby given that Robert L. and-or Janet Declo, Idaho has on April 1972 submitted Application 45-7107 for a permit to appropriate 6.4 cubic second of water from groundwater source by means of pump and sprinkler system on the NE 1/4 SW 1/4, Sec. 10, R. 25E, B.M., Cassia Co. to be used from March 1 to May 15 for the irrigation of within the SW 1/4, SE 1/4, T. 10S, R. 25E, B.M.

If issued, this permit is subject to all prior water rights. Protests against the grant of the permit must be filed with the Idaho Department of Administration, 1020 Lakes Boulevard North, Boise, Idaho, 83720 on or before September 22, 1972.

R. KEITH HIGGINS

Published in the South Idaho Press, Burley, Idaho on September 5 and September 12, 1972.

45 7107

**STARTING
RIGHT
SIDE OF
FILE**

February 10, 1984

RE: Permit No. 45-7107

Robert L. &/or Janet Simplot
Declo,
Idaho 83323

Dear Mr. and Mrs. Simplot:

Enclosed herewith is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED

10 DAY LICENSE REVIEW

License vs. Permit

- No. correct A & B 45-7107
- Priority date correct
- Amount equal to or less than
- Name same
- Permit date correct
- Proof due date correct
- Source correct
- Use correct
- Period of use/use correct
- Rate of diversion/use equal to or less than
- Point of diversion description same or different
- County same
- Place of use description same or different
- Other water used on p/u? - N

License vs. Field Exam

- Amount for rate of diversion correct
- Capacity correct
- Amount for each use correct
- Total amount correct
- Volume for each use correct
- Total volume correct
- Field exam showing p/d correct
- Field exam showing p/u correct
- Does field exam show more land irrigated than permit allows? N/A
- Overlap review complete
- ✓ Conditions of approval correct
- ✓ Initial field exam correct

Cover Letter vs. License

- Name correct
- Number correct
- Amount correct
- P/D description correct
- P/U description correct
- Priority correct
- Conditions correct
- ✓ Initial license
- ✓ Sign letter

Name

Jew

Date

1-27-84

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 27, 1984

RE: Permit No. 45-7107

Robert L. &/or Janet Simplot
Declo,
Idaho 83323

Dear Mr. and Mrs. Simplot:

A representative of this Department has made an examination of the works covered by your Permit No. 45-7107, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.79 cfs Source: groundwater

The maximum quantity diverted shall not exceed 1056.0 acre feet
per year.

Point(s) of diversion: NE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 16, Twp 10S, Rge 25E

Beneficial use: Irrigation of 264 acres within SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 16,
Twp 10S, Rge 25E

Priority date established: August 17, 1972

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

45-7107

Permit No.

APR 9 1982

CONTACT WITH PERMIT HOLDER

DATE

INITIALS

Department of Water Resources

REMARKS

☒ Appointment letter mailed:

4-5-78

☐ Telephone call made:

(List Telephone No. used)

☒ Appointment scheduled for:

(Date, time, location)

9-29-81

TGR

Terry Smith 678-4306

EXAMINATION

Date 9-29-81

Accompanied by ^(Farm operator) Terry Smith & George Kelly

Total Q measured

2.79 cfs

If source is surface water, estimate total flow of source NA

Methods of measurement Annubar/Eagle Eye

Meets Permit requirements? yes

Measurement calculations: See Attached Sheet for Q

Volume = 264 Acres $\times$ 4.0 ^{AFA} _{Ann} = 1056 AFA _{Ann} ^{OK}
Irr. Req.

V = 2.79 $\times$ 1.9835 $\times$ 245 = 1355.8 AF

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
Well	150	U.S.	2690-22- 36284-04382					
Sump Pump #1	60	Aurora	045791119	High Thrust				
Sump Pump #2	60	Aurora	045794719	High Thrust				

System Description Deep well and pump delivers to a concrete Sump where 2 60 hp
Sump pumps deliver water to 2 1/4 mile pivots

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

Irrigation requirement = 4.0 ^{OK} AFA/Acre

Q (cfs)

V (afa)

FROM

TO

Irrigation ^{OK}

2.79 ^{OK}

1056 ^{OK}

Mar 15 ^{OK} Nov 15 ^{OK}
245 days

allow capacity

Total

2.79 ^{OK}

1056 ^{OK}

Remarks This is a remeasurement of a measurement made by Jim Stanton
on Aug 4, 1981.

264 $\times$ 0.02 cfs = 5.28 cfs - well does not produce
enough water for
1" per acre.

no overlapping rights as per micro-fische
1/24/84 - km

MAP (Attach Aerial Photo)

MICROFILMED

R. 25E

T. 10S

16

✓ OK
Ray

SCHEMATIC DIAGRAM OF SYSTEM See Attached Sheet

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 SW 1/4 Sec. 16 T. 10S R. 25E ✓ same as permit

Place(s) of Use same as permit - less acreage

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	25E	16									33	33	33	33	33	33	33	33	264 ✓

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
 ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature J. F. Stanton Date 3-29-82
 Checked by Mike J. Smith Date 4/5/82
 Approved by Ray Walker Date 1-25-84

IDWR SUPPLEMENTAL FIELD REP
FOR ANNUBAR MEASUREMENT

Measured by: TERRY G. Blau

Date: 9-29-81

Owner: Robert L. ^{and} Janet Simplot

Permit #: 45-7107

Description of well &/or measuring site (give distance to restrictions upstream and downstream): Deep well delivering to concrete catch basin
2 Sump Pumps pumping from catch basin to pivots
This is a re measurement Terry Smith and George Kelly were present

Measured inside diameter of pipe in inches 10.02" A

Size of Annubar used in test 10.02

State ID# of Meter used 91474 91420

Size Eagle Eye Meter used 10-80

State ID# of Meter used 91474

Date of Last Calibration of Meter 3-12-81

RECEIVED

APR 9 1982

Department of Water Resources


Observed inches of H2O read on Meter 15

Adjusted inches of H2O from Last Calibration 10.47 B

CALCULATION: $\frac{(3.85) \times (A)^2 \times (\sqrt{B})}{448.8} = 2.79 \checkmark$ cfs measured

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar

SKETCH:



UNRECORDED

RECEIVED

OCT 12 1977

- Department of Water Resources**

Phone

~~698-0220~~
654-9031

- Amount 6.40 c.f.s. for Irrig.
 AF/Annum (nature of use)

Period of Use: from Mar. 15 to Nov. 15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

RECEIVED

APR 9 1982

Department of Water Resources

Permit No.

45-7107

b7c

- Max Rate of Diversion 6.40 cubic feet per second and annual volume _____ AF/Annum.

- Township 10S N/S, Range 25E E/W, B.M., Section 16, Subdivision NE $\frac{1}{4}$ SW $\frac{1}{4}$, Cassia
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____
County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County _____

Other Points of Diversions: _____

Description of diverting works: 150 hp turbine pump set at 260', two 60 hp booster turbine pumps, steel mainline, two pivot sprinklers

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**

320

MICROFILMED

MICROFILMED

R. 25E

T. 10S

16




Diagram of System

DATE OF EXAM _____

ACREAGE
Found _____ 264
Recommended _____ 264

Irrigation Requirement _____ 4.0 _____ Ac Ft/Ac

USE
Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no X

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured _____ Method of measurement _____

Total Q recommended _____ Meter No. _____ Type _____ Condition _____

Total V recommended _____

Recommended Amendments:

P/D. _____
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION:

Well, pump, U.S. Motor Vertical Motor 150 hp ID #C2690-02-362 84-04389, open discharge
into concrete sump, two Verti-Line pumps with 60 hp High Thrust motors ID #045791119
and ID #045794719, main line to two 1/4-mile pivots.

SYSTEM DESCRIPTION:

REMARKS:

Examiner's Signature _____ Date _____

Checked by _____ Date _____

Approved by _____ Date _____

MICROFILMED

October 7, 1977

Re: Permit No. 45-7107

Robert L. &/or Janet Simplot
Declo, Idaho
83323

Dear Mr. & Mrs. Simplot:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this exam will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

We note that in reviewing this proof affidavit, you do not indicate that you have installed a measuring device as required as a condition of approval of your permit. This measuring device must be installed by the time our examiner makes the exam or your water rights cannot be confirmed by the issuance of a license. We are enclosing a list of the types of measuring devices approved by this office.

If you have any questions regarding the field exam, please contact our Southern Regional Office in Twin Falls.

Sincerely,

JANICE RENK
Water Rights

Encl.

MICROFILMED

RECEIVED

Identification No. 45-7107
 Permit No. 45-7107
 Department of Water Resources

STATE OF IDAHO
 DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Robert L. Simplot & Janet Simplot
 b) Post Office Address Declo, Idaho
2. Permit Number 45-7107
3. Date of Priority that you are prepared to establish May 1, 1972
4. a) Source from which water was appropriated Well
 b) Location of the point of diversion: NE 1/4 SW 1/4, Section 16
Township 10S, Range 25E Boise Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
 Amount 6.4 cfs for irrigation purposes from 3-15 to 11-15 incl.
 (cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
 Amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
 Amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
 b) Total amount appropriated 6.4 cfs cfs and/or acre-feet per annum
 c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
 a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
 b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 150 hp turbin pump set at 260 feet; two 60 hp booster turbine pumps, steel mainline, two pivot sprinklers.
 b) Describe the type and size of measuring device which you have installed at your point of diversion: Inspected by Department of Water Resources at time well was test pumped.
- c) Give well driller's name and address and the date the well was completed: Sherman Couch,
Burley, Idaho 4-7-73
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Exam typed 10/1/77 by [signature]

MICROFILMED

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	25E	16									40	40	40	40	40	40	40	40	320

Total number of acres irrigated 320

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

December 10, 1976
(Date)

Robert L. Simpson
(Signature)

State of Idaho)
County of Cassia) ss.

On this 10th day of December, 1976, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

John E. Gray
Notary Public residing at Burley, Id.

My commission expires June 20, 1977

FEDERAL LAND BANK ASSOCIATION OF BURLEY

1305 ALBION AVENUE BURLEY, IDAHO 83318

(208) 678-3516 JOHN E. GRAY, MANAGER

RUPERT BRANCH: 301 SCOTT AVENUE P.O. BOX 305

RUPERT, IDAHO 83350 (208) 436-9312

ROBERT L. BALCH, BRANCH MANAGER




September 22, 1977

State of Idaho
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Gentlemen:

We are enclosing herewith an Application for Proof of Beneficial Use at the request of Robert L. Simplot. Please send a receipt to our office. Please advise if anything further is needed to complete the requirements for licensing.

Yours truly,


John E. Gray
Manager

Enclosure



"OWNED BY FARMERS : FOR FARMERS"

MICROFILMED



July 29, 1977

CERTIFIED MAIL

138794

Re: Permit No. 45-7107

Robert L. &/or Janet Simplot
Declo, Idaho
83323

Dear Mr. & Mrs. Simplot:

One of the conditions of approval of your water Permit No. 45-7197 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before October 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



C. STEPHEN ALLRED
Director

CSA:jfr

Enc: Proof affidavit

✓

RECORDED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name: BOB SIMPLOTAddress: Declo IdahoOwner's Permit No. 45-7107

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20-16 inches Total depth 548 feetCasing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>4</u> inches	<u>20 0-0</u> inches	<u>+ 1 1/2</u> feet	<u>30 1/2</u> feet
<u>4</u> inches	<u>16 0-0</u> inches	<u>1 1/2</u> feet	<u>506</u> feet
<u>4</u> inches	<u>16 0-0</u> inches	<u>1 1/2</u> feet	<u>506</u> feet
<u>4</u> inches	<u>16 0-0</u> inches	<u>1 1/2</u> feet	<u>506</u> feet

Was a packer or seal used? ☐ Yes ☐ NoPerforated? ☒ Yes ☐ NoHow perforated? ☐ Factory ☒ Knife ☐ TorchSize of perforation 1 inches by 3 inches

Number	From	To
<u>10 per</u> perforations	<u>184</u> feet	<u>187</u> feet
<u>per</u> perforations	<u>286</u> feet	<u>296</u> feet
<u>per</u> perforations	<u>377</u> feet	<u>383</u> feet
	<u>424</u> feet	<u>438</u> feet

Well screen installed? 44 ☒ Yes ☐ No 456

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☐ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 30 feetMaterial used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



MICROFILMED

County Cassia1/4 NE 1/4 Sec. 16, T. 10 S, R. 25 E

7. WATER LEVEL

Static water level 168 feet below land surfaceFlowing? ☐ Yes ☐ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
2500	233	aprx 30

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
22	0	3	topsoil		
	3	30	clay		
20	30	47	gray lava solid		
	47	50	gray lava loose		
	50	74	gray lava hard		
	74	89	red lava firm		
	89	111	brown lava solid		
	111	115	brown lava loose		
	115	147	brown lava solid		
	147	154	brown lava loose		
	154	175	brown lava firm		
	175	185	gray lava hard		
	185	187	gray lava loose	x	
	187	192	gray lava solid		
16	192	223	brown clay		
	223	247	sand		
	247	252	sand and sandstone		
	252	260	sandy clay		
	260	286	gray shale		
	286	296	sandy gravel	x	
	296	305	sand		
	305	318	brown clay		
	318	340	sand		
	340	377	brown clay		
	377	383	sand & small gravel	x	
	383	413	sandy clay & sandstone		
	413	424	sand & some clay & gravel		
	424	438	brown clay & gravel	x	
	438	445	brown sandy clay & gravel		
	445	456	cemented gravel	x	
	456	468	sand		
	468	486	clay & gravel		
	486	502	sand & some gravel		
	502	505	clay & gravel		
	505	507	gray lava solid		
	507	510	gray & brown lava broken	x	
	510	543	brown lava solid		
	543	548	brown sand		

10.

Work started 1-19-73 finished 4-7-73

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

SHERMAN COUCH WELL DRILLING 161
Driller's or Firm's Name Number340 Wauna Vista Dr, Burley Idaho
AddressSigned By Sherman Couch 4-21-73
Date

October 20, 1972

Re: 45-7107

Robert L. and/or Janet Simplot
Declo, Idaho 83323

Dear Mr. and Mrs. Simplot:

Enclosed is a copy of your approved Application for Permit No. 45-7107 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

45 7107

August 25, 1972

Re: Claim Nos. 43-4048 - A. D. Nye
43-4049 - A. D. Nye
Application No. 45-7107 - Robert L. and/or Janet Simplot

South Idaho Press
Box 190
Burley, Idaho 83318

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

" I hereby certify that the foregoing account is just and correct,
that the amount claimed is legally due, after allowing all just
credits, and that no part of the same has been paid. "

(signature of claimant)

Very truly yours,

Bob Haynes
District Engineer
Southern District

Bill submitted 9-15-72 by elw

BH:alw

Enc: Legal Notices (3)

45 7107

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Robert L. and/or Janet Simplot,

Declo, Idaho

has on August 22, 1972 submitted Application No. 45-7107

for a permit to appropriate 6.4 cubic feet per second ~~XXXX XXXX XXX XXXXX~~ acre feet per annum

of water from a groundwater source

by means of pump and sprinkler

within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 16, T. 10S, R. 25E, B.M., Cassia County

to be used from March 15 to Nov. 15 for the irrigation of 320 acres

for XXXX

within the SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 16, T. 10S, R. 25E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before September 22, 1972.

R. KEITH HIGGINSON

Director

Published in the South Idaho Press, Burley, Idaho

on September 5 and September 12, 1972

45 7107

72-272

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Robert L. and-or Janet Simplot, Declo, Idaho has on August 22, 1972 submitted Application No. 45-7107 for a permit to appropriate 6.4 cubic feet per second of water from a groundwater source by means of pump and sprinkler within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 16, T. 10S, R. 25E, B.M., Cassia County to be used from March 15 to Nov. 15 for the irrigation of 320 acres within the SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 16, T. 10S, R. 25E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before September 22, 1972.

R. KEITH HIGGINSON
Director

Published in the South Idaho Press, Burley, Idaho on September 5 and September 12, 1972.

45
7107