

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-10452

Priority: April 29, 2009

Maximum Diversion Rate: 0.09 CFS

This is to certify, that DOMINIQUE R PITMAN
11702 E BUNCO RD
ATHOL ID 83801
(208) 691-1298

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.09 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER, NE¼NW¼, Sec. 25, Twp 53N, Rge 03W, B.M., KOOTENAI County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
53N 03W 25					5.0												5.0

Total Acres: 5


CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 01, 2011**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of the management plan approved by the director for the RPGWMA.
5. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 95-10452

6. When notified by the Department, the right holder shall record the quantity of water diverted and annually report diversions of water and/or other pertinent hydrologic and system information as required by Section 42-701, Idaho Code, and/or the management plan for the Rathdrum Prairie Ground Water Management Area.
7. When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.
8. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
9. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Coeur d'Alene, this 17th day of July, 2009.


Director