

RECEIVED

RECEIVED

FORM 202 10/07

OCT 22 2008

JUN 25 2009

WATER RESOURCES
WESTERN REGIONWATER RESOURCES
WESTERN REGION

Ident. No.

57-11753

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- Name of Applicant Wanda J Parker Phone 208 249 1965
Mailing address 7300 Opeline Rd. Melba, ID 83641 Email wparker@smarternet.net
- Source of water supply groundwater which is a tributary of MA net
- Location of point of diversion is Township 2N Range 4W Sec. 35 in the SE $\frac{1}{4}$,
SE $\frac{1}{4}$, SE $\frac{1}{4}$, Govt. Lot _____, B.M., Canyon County;
additional points of diversion if any: Owyhee
- Water will be used for the following purposes:
Amount .06 for Heating purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)
Amount .04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Total quantity to be appropriated is (a) .06 and/or (b) _____
cubic feet per second acre feet per year
- Proposed diverting works:
a. Describe type and size of devices used to divert water from the source Submersible pump
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet;
total reservoir capacity _____ acre-feet
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
- d. Is ground water with a temperature of greater than 85°F being sought? yes
- e. If well is already drilled, when? no; Drilling firm Kane #417
Well was drilled for (well owner) _____; Drilling Permit No. D0053358
- Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)
- Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in kW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. ONE HOUSEHOLD WITH DRAINAGE
e. Other; describe fully. RUN THROUGH TWO OUTBUILDING
AND A POND FOR FISH FOR
OUR OWN USE.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2 ^N	4 ^W	35																X	
																		X	

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? _____

11. a. Who owns the property at the point of diversion? WELL IS LOCATED ON PROPERTY OWNED
b. Who owns the land to be irrigated or place of use? BU US, CHARLES & WANDA PARKER
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. SEE 8-D

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wanda Parker
Signature of Applicant


Wanda Parker owner
Print Name (and title, if applicable)

For Department Use:

Received by gmh Date 10-22-08 Time 12:25 Preliminary check by KW
Fee \$ 100.00 Receipted by gmh Receipt No. 6036999 Date 10-22-08
Publication prepared by DB Date 8/12/2009 Published in OWYHEE AVALANCHE
Publication approved _____ Date _____ Dates Published AUGUST 19 & 26, 2009

Idaho Department of Water Resources**Well Drillers' Locator**

The lat/long you provided was 43° 27.565' N; 116° 46.333' W
SE quarter of the SE quarter of Section 35, Township 02N, Range 04W
IDTM NAD83 coordinates: Easting=2275727; Northing=1365792



Choose the map-display background:



☐ Wells ☐ Water Rights ☐ Water Right Permits ☐ Adjudication Claims ☐ Adjudication Recommendations

* Positions of wells/headgates may be based upon the center of a quarter-quarter section; those obtained by GPS or survey are accurate.

57-11753

Buffington, Denise

From: Buffington, Denise

Sent: Wednesday, August 12, 2009 2:34 PM

To: 'Jennifer Stutheit'

Subject: LEGAL NOTICES - OWYHEE COUNTY

Attachments: Owyhee County Ads - Cover Letter.doc; X-fer 73748 & 73749 Ad.doc; 55-13890 Ad.doc; 57-11753 Ad.doc; 57-11765 Ad.doc

Attached please find ⁴(5) legal notices being submitted for publication. If you have any questions or are not able to run the notices on the dates requested, please contact me immediately.

Thank You in advance,

Denise Buffington
Administrative Assistant
Dept of Water Resources
Western Region

8/12/2009

August 12, 2009

LEGAL NOTICE DEPARTMENT

OWYHEE AVALANCHE
PO BOX 97
HOMEDALE, ID 83628

RE: Transfer No. 73748
Water Right No(s). 2-7168C, 2-7279A, 2-7168A

RE: Transfer No. 73749
Water Right No(s). 57-2239

RE: Application For Permit No.: 55-13890, 57-11753 & 57-11765

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 9/8/2009. Your cooperation is appreciated.

Sincerely,

Denise Buffington
Administrative Assistant

Enclosure(s)

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

57-11753

WANDA J PARKER
7300 OPALINE RD
MELBA, ID 83641

Point of Diversion SESESE S35 T02N R04W OWYHEE County Source GROUND WATER

Use: HEATING 01/01 to 12/31 0.06 CFS

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Total Diversion: 0.06 CFS

Date Filed: 10/22/2008

Place Of Use: DOMESTIC
T02N R04W S35 SESE

Place Of Use: HEATING SAME AS DOMESTIC

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 9/8/2009. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Interim Director

Published on 8/19/2009 and 8/26/2009

RESIDENTIAL SPACE HEATING/COOLING REQUIREMENTS FOR COLD OR GEOTHERMAL SOURCES

Worksheet created by Cindy Hodges, 11/93.

Data entered by: kwalker
 Exam Date: 07/08/09
 File No: 57-11753
 Computations for: heating

REQUIRED DATA:

Area of livable floor space, ft² (A) 6420
 2 story? (N=1, Y=2) 1
 House efficiency factor (e) * 0.67
 Inside design temperature (Ti) 70
 Average outside temperature (To) ** 48
 Source temperature, degrees F (S) 92
 Heating/cooling days per season (D) 365
 Hours/day system operates (H) 18

* e values are as follows:

- 0.28 Best energy efficiency - extra insulation, caulked and weatherstripped, with storm windows and doors
- 0.44 Better energy efficiency - standard insulation, caulked and weatherstripped, with storm windows and/or doors

0.67 Average residence - standard insulation, no weatherproofing but with storm windows or double panes

- 1.11 Poor energy efficiency - minimal insulation, no weatherproofing or storm windows (older homes, shops or greenhouses)

** Suggested average outside temperatures:

	WINTER	SUMMER
4 deg F Boise		80 deg F Boise
6 deg F Grand View		90 deg F Grand View
-8 deg F Cascade		70 deg F Cascade

CALCULATED DATA:

DESIGN HEAT LOAD (BTU/hr required)
 Formula: $E = [e \times (Ti - To)] \times A$
 Applies factor of 0.8 for two-story dwelling

E = 94,631 BTU/hour

TEMPERATURE DROP ACROSS SYSTEM
 Formula: $Ts = 0.3 \times [S - Ti]$

Ts = 6.6 degrees F

FLOW RATE REQUIRED (at given source temperature)
 Formula: $Q = E / (500 \times Ts) \times 448.8$

Q = 0.06 cfs

DIVERTED VOLUME OVER SEASON
 Formula: $Vdiv = Q \times D \times H / 24 \times 1.9835$

Vdiv = 34.7 AFA

AVERAGE TEMPERATURE CALCULATION:

4 DEG MIN + 80 DEG HIGH / 2 =

42 DEG AVERAGE YEAR ROUND TEMP.

7/2/2009

Re; 57-11753

RECEIVED

JUL 07 2009

WATER RESOURCES
WESTERN REGION

Dear Ms. Walker,

Following is the sizes of the buildings and drainage pond:

House, Heated floor area 4100 sq. ft.

Outbuilding #1 Shop etc. 48 \ 40 1920 sq. ft.

Outbuilding #2 Barn Heated area 400 sq. ft

Drainage Pond ½ acre

Thank you for your help on the warm water permit.

Sincerely.

Wanda and Chuck Parker

A handwritten signature in cursive script that reads "Charles B. Parker". The signature is written in dark ink and is positioned below the typed name "Wanda and Chuck Parker".



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082

PHONE: (208) 334-2190 FAX: (208) 334-2348 www.idwr.idaho.gov

C.L. "BUTCH" OTTER, Governor
DAVID R. TUTHILL, JR., Director

June 25, 2009

WANDA J PARKER
7300 OPALINE RD
MELBA ID 83641

Re: Application for Permit No. 57-11753

Dear Ms. Parker:

After receipt of the information requested in my letter of June 17, 2009, we find we need more information in regard to the heating use you have applied for. We need information regarding the size of each of the buildings you plan to heat (square footage of your home and each of the out buildings) and the dimensions of the pond (approximate acre size and average depth) you propose to discharge the water into. You may need to amend the application to add a storage parameter if the pond will not fill in a 24 hour period. If the application is amended to add additional uses, the priority date of the application will need to be advanced to the date the amended application is submitted. You also need to address what will happen to the excess water once the pond, collecting the discharged water, has been filled.

Please submit the requested information for application processing to continue. You may request additional time to provide the information by making a written request to delay or interrupt processing. A response including the requested information, or a request for additional time, must be received within thirty (30) days. The application may be voided without a timely written reply.

IDWR forms and other information are available on the Internet at www.idwr.idaho.gov. Please contact me at 208-334-2190 if you need more information. Thank you for your attention to these matters.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

RECEIVED

JUN 25 2009

WATER RESOURCES
WESTERN REGION

KAY

THANK YOU FOR HELPING
US ON THIS PERMIT.

WHEN I TALKED TO
ROB WHITNEY YESTERDAY
ON ANOTHER MATTER
I ASK HIM HIS OPINION
ON HOW WE SHOULD PROCEED
~~WITH~~ WITH THE PERMIT.

HE ADVISED STATING OUR
MOST BASIC NEEDS FOR
NOW, IF OTHER USES OF
THE RESOURCE CAME UP
IN THE FUTURE WE COULD
POSSIBLY AMEND THE
RESOURCE WATER RIGHT
THEN.

CHUCK PARKER



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082

PHONE: (208) 334-2190 FAX: (208) 334-2348 www.idwr.idaho.gov

C.L. "BUTCH" OTTER, Governor
DAVID R. TUTHILL, JR., Director

June 17, 2009

WANDA J PARKER
7300 OPALINE RD
MELBA ID 83641

Re: Application for Permit No. 57-11753

Dear Ms. Parker:

We are in the process of reviewing the above referenced application for permit and find we need additional information before we can proceed with our review. We are enclosing the original application form for your use in completing the items listed below.

1. ✓ Nature of use. What do you intend to use this water for? You have applied for heating and domestic uses but failed to insert what you will be heating and how many homes you intend to provide domestic water to. Please insert your response under item 8 of the form.
2. ✓ How much time do you need to complete your water system once the application has been finalized? You may apply for a minimum of 1 year and up to 5 years to develop the system. Please insert your answer under item 7 of the form.
3. ✓ Who owns the property at the point of diversion and place of use? Please respond to these questions under item 11 of the application form.

Please complete the form and submit the requested information for application processing to continue. You may request additional time to provide the information by making a written request to delay or interrupt processing. A response including the requested information, or a request for additional time, must be received within thirty (30) days. The application may be voided without a timely written reply.

IDWR forms and other information are available on the Internet at www.idwr.idaho.gov. Please contact me at 208-334-2190 if you need more information. Thank you for your attention to these matters.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure: Original application form

Walker, Kay

From: Walker, Kay
Sent: Wednesday, June 10, 2009 7:57 AM
To: cwparker@frontiernet.net
Cc: Walker, Kay
Subject: Application for Permit 57-11753

Importance: High

Wanda:

We are in the process of reviewing your application for water right permit and find we need additional information. Please respond the the questions below and return your answers as soon as possible so we can proceed with processing the application.

1. Nature of Use: What do you intend to use this well for? You have applied for heating and domestic uses but failed to insert what you will be heating and how many homes you intend to provide domestic use to.
2. Time required for completion of works and application of water to proposed beneficial use. **You may apply for a minimum of 1 year and up to 5 years to develop your system.** Please indicate how long you need to complete your system from this well.

Please provide the information requested at your earliest convenience. If you have any questions, feel free to contact me at 334-2190. Thank you for your help in this matter.

Kay Walker
Sr. Water Resource Agent
Idaho Department of Water Resources

no response -
Sent letter 6/17/09 -
KW

IDAHO DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

851419

1. WELL TAG NO. D 0052860

Drilling Permit No. _____

Water right or injection well # _____

2. OWNER: Chuck + Miranda Parker

Name Same as owner

Address 4601 River Road

City Dubu State Id Zip 83316

3. WELL LOCATION:

Twp. 2 North ☒ or South ☐ Rge. 4 East ☐ or West ☒

Sec. 35 1/4 SE 1/4 SE 1/4

Gov't Lot _____ County Blaine

Lat. _____ (Deg. and Decimal minutes)

Long. _____ (Deg. and Decimal minutes)

Address of Well Site SE 7248 opaline

City Marsing

Lot. _____ Blk. _____ Sub. Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other _____

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
<u>Pentonight</u>	<u>0</u>	<u>18</u>	<u>600 lbs</u>	<u>10' overbore</u>

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Liner	Threaded	Welded
<u>6</u>	<u>+2</u>	<u>38</u>	<u>250</u>	<u>Steel</u>	☒	☐	☐	☒
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 38'

9. PERFORATIONS/SCREENS:

Perforations ☐ Y ☒ N Method _____

Manufactured screen ☐ Y ☒ N Type _____

Method of installation _____

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
		☒				
		☒				
		☒				

Length of Headpipe X Length of Tailpipe A

Packer ☐ Y ☐ N Type X

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method
<u>X</u>				<u>X</u>

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____

Describe control device well cap

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 350 Static water level (ft) 35

Water temp. (°F) ? Bottom hole temp. (°F) 92°

Describe access port -0-

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)
	<u>40</u>	

Test method:

Pump ☐ Bailer ☐ Air ☒ Flowing artesian ☐

Water quality test or comments: Suffer Smell

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
<u>10</u>	<u>0</u>	<u>5</u>	<u>over burden</u>		
<u>10</u>	<u>5</u>	<u>8</u>	<u>Boulders</u>		
<u>10</u>	<u>8</u>	<u>18</u>	<u>Black Gravel Dry</u>		
<u>6</u>	<u>18</u>	<u>23</u>	<u>= =</u>		
<u>6</u>	<u>23</u>	<u>45</u>	<u>Blue Clay</u>		
<u>6</u>	<u>45</u>	<u>120</u>	<u>Light Blue Clay</u>		
<u>6</u>	<u>120</u>	<u>345</u>	<u>Shal Blue</u>		
<u>6</u>	<u>345</u>	<u>405</u>	<u>Blue Clay with sand</u>		
<u>6</u>	<u>405</u>	<u>508</u>	<u>Shal Blue</u>		
<u>6</u>	<u>508</u>	<u>523</u>	<u>Shal with water</u>		
<u>6</u>	<u>523</u>	<u>540</u>	<u>Shal Blue</u>		
<u>6</u>	<u>540</u>	<u>565</u>	<u>Light Shal Blue</u>		
<u>6</u>	<u>565</u>	<u>602</u>	<u>Hard Shal</u>		
			<u>Water started getting murky</u>		

JUN 27 2008

WATER RESOURCES
WESTERN REGION

Completed Depth (Measurable): 602

Date Started: 5-10-08 Date Completed: 5-15-08

14. DRILLER'S CERTIFICATION:

I/we certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Kuic Pump & Drilling Co. No. 417

*Principal Driller Mike Kuic Date 6-26-08

*Driller Mike Kuic Date _____

*Operator II _____ Date _____

Operator I _____ Date _____

* Signature of Principal Driller and rig operator are required.

Idaho Department of Water Resources Receipt


Receipt ID: W036999

Payment Amount \$300.00 Date Received 10/22/08 12:28 Region WESTERN
Payment Type Check Check Number 6032
Payer PARKER, CHARLES/WANDA

Comments WellTag: D0053358 and APPLICATION FOR PERMIT FOR DOMESTIC AND HEATING 02N
04W SEC 35 SE SE

Fee Details

Amount	Description	Fund	Fund Detail	PCA	Subobject
\$200.00	DRILLING TAGS	0229	21	62134	1205
\$100.00	PERMITS	0229	21	62103	1155



Signature Line (Department Representative)

Form 235-3, 8/2004

904427-851419

Idaho Dept. of Water Resources

Write Tag Number Here

Start Card/Permit - Single Family Domestic Well Only

(Cold Water less than 85 degrees F.)

1. Owner's Name (please print): Chuck + Wanda Parker
2. Owner's Mailing Address: 4601 Miller Road
City: Buhl State: Id Zip Code: 82316 Telephone (208) 249-1905
3. Proposed Well Location: Twp. 2N Rge. 4W Sec. 35 1/4 SE 1/4 SE 1/4
Gov't Lot No. _____ County Owyhee Lat. _____ Long. _____
Street Address of Well Site 7249 Opaline Road City Marsing
Must give at least name of road + Distance to Road or Landmark
Lot _____ Block _____ and Subdivision _____

4. Are all adjacent septic tanks and drain fields accurately located? By Property Owner: Yes [] No [X] By Health District: Yes [] No [X]

5. Well Construction Information:

A. ☒ New well [] Replace [] Deepen [] Modify Previous well #: _____ B. Proposed Casing Dia. 6 C. Proposed Maximum Depth: 600

6. Construction Start Date: 5-7-08 Well Driller: Kevin Pump + Drilling Driller's Lic. No. 417

8. The Driller hereby accepts the terms and conditions of the Start Card/Permit.

Driller's Signature: Kevin Date: 5-7-08

9. The Well Owner affirms to have read this Start Card/Permit, validates its accuracy and accepts the conditions.

Owner's Signature: _____ Date: _____

CONDITIONS FOR USE OF START CARD:

1. This permit authorizes the construction or modification of one domestic well for a single-family residence. No additional residences, businesses, or dwellings may be connected to this well without a valid water right. Limited to irrigation of 1/2 acre lawn/garden and 13,000 gpd.
2. This form must be complete, including the prepaid tag number and signature of the driller. The owner should sign the start card after reviewing these conditions. Mailing must take place no less than 72 hours prior to construction (Dept. address below), hand delivered or faxed to the Dept. prior to commencing construction. The start construction date shall be no more than 10 days after the Department receives the permit. An incomplete form will not be considered a valid permit to drill.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare. All wells must be drilled a minimum distance of 100' from a drain field. Domestic wells must be drilled a minimum of 50' from a septic tank.
4. Only Well Drillers licensed in Idaho may use a Start Card for construction of a well. The driller shall maintain a copy of the Start Card and the well I.D tag at the drilling site during construction.
5. This drilling permit does not authorize trespass on the land of another party.
6. This drilling permit does not constitute other local, county, state or federal approvals, which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85 F. or greater is encountered, well construction shall cease and the well driller shall contact the Department immediately.
9. Idaho Code, § 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (Digline is a one-call center for utility notification) not less than 2 working days prior to the start of any excavation for this project. The "Digline" Number for your area is 1-800-342-1585.
10. The stainless steel I. D. tag must be welded to the well casing upon completing the well and must remain permanently attached above ground level for the life of the well. Other tags may be added following a repair or modification of the well. The well driller is responsible for permanently attaching the I.D. tag to the casing upon completing the well. The well tag shall be attached by welding at least 3 sides or using Four (4) stainless steel, closed-end pop rivets.
11. A start card is not valid for drilling in Areas of Drilling Concern, Critical Groundwater Areas, Groundwater Management Areas or Areas Identified by the Department as Contaminated.
12. The possession of a well tag does not authorize construction of a well.
13. Any well being replaced by a new well, shall be properly abandoned by the well driller prior to removing the drilling equipment, unless otherwise authorized by the department.

Effective Feb. 1, 2005

Your Start Card/Application and Tag purchase may be submitted to one of the following offices:

Western Region
Idaho Department of Water Resources
2735 Airport Way, Boise, ID 83705-5062
Phone: (208) 334-2190 Fax: (208) 334-2348

Northern Region
Idaho Department of Water Resources
1910 Northwest Blvd., STE 210 Coeur d'Alene, ID 83814-2815
Phone: (208) 768-1450 Fax: (208) 768-1454

Eastern Region
Idaho Department of Water Resources
900 North Skyline Drive STE A Idaho Falls, ID 83402-1718
Phone: (208) 525-7181 Fax: (208) 525-7177

Southern Region
Idaho Department of Water Resources
1341 Fillmore Street, STE 200 Twin Falls, ID 83301-3380
Phone: (208) 736-3033 Fax: (208) 736-3037

Drilling Permit No. _____
Drilling Permit I.D. Tag No. D0053358
Water Right Permit No. _____
Injection Permit No. _____

COPY

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT
(FOR THE CONSTRUCTION OF A WELL)

1. Owner (please print): Wanda J Parker
2. Mailing Address: 7300 Opline Road
City: Marsing State: Id Zip Code: 83641 Telephone: (208) 896-4801
3. Proposed Well Location: Twp. 2N, Rge. 4W, Sec. 35, SE 1/4 SE 1/4 SE 1/4;
Gov't Lot No. _____ County Canyon Lat. 43: 27: 56.5 Long. 116: 46: 33.3
Street Address of Well Site Same as above City _____
Lot, block and subdivision None
Give at least name of road + Distance to Road or Landmark

4. Proposed Use of Well:

☒ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☐ Irrigation ☐ Municipal ☐ Industrial
☐ Livestock ☐ Test ☒ Other Heating
Type _____ Number Hd. _____ (Describe)

☐ INJECTION

☐ MONITORING: A well bore schematic and map is required for each blanket permit. No. of proposed wells: _____

5. Well Construction Information:

A. ☐ New well

☒ Modify of D0052860

☐ Replace

B. Proposed Casing Diameter _____ Proposed Maximum Depth _____

C. Anticipated bottom hole temperature:

☐ 85 F or less
(Cold Water Well)

☒ 85 F to 212 F
(Low Temp. Geo. Well)

☐ 212 F. or more
(Geothermal Well)

6. Construction Start Date: ? 10-26-08

7. Anticipated Well Driller: Kate Pumps & Drilling Mkt. Inc. Driller's Lic. No. 417
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's Signature: Charles B. Parker Date OCT 22 - 2008

Address (if different than owner): _____

City: _____ State: _____ Zip Code: _____ Telephone: _____

Title: **RECEIVED**

OCT 22 2008

(Owner, Firm Representative, Other)

WATER RESOURCES
WESTERN REGION

ORIGINAL

D0053358

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is **APPROVED** Date _____

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. **READ CAREFULLY!**

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one(1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare, which may be required before construction of the well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals, which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho. If the well being drilled is associated with approved water right(s) use of the well must comply with conditions of said water right(s).
7. If a bottom hole temperature of 85 or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
8. Idaho Code, S 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (DigLine is a one-call center for utility notification) not less than 2 working days prior to the start of any excavation for this project. The "DigLine" Number for your area is 1-800-342-1585.
9. Please be advised that this drilling permit should be considered and treated as a preliminary permit. If you are in disagreement with this preliminary permit you have fourteen (14) days of the service date of this permit to petition the Department for reconsideration pursuant to Section 67-5243, Idaho Code.
10. The well tag for the drilling permit/start card shall be securely and permanently attached to the well casing through welding or by the use of four closed end domed stainless steel pop rivets. The tag attachment will be done at the time of completion of the well, and prior to removing the drill rig from the drill site.

SPECIFIC CONDITIONS:

Not signed yet.

Can get final

Copy from ROB

OR Sherry.

10/22

**SENIOR WATER
RESOURCE AGENT**

Fee \$200 Date 10-22-08

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____

Ground Level

D0053358

Attachment I

14" over bore

Cement

10" casing + 40'

Cement

Cement

6" 250 well casing

10" over bore

Cement

Michael Krue
Charles B Parker

10-21-08