

State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 47-17517

Priority: April 13, 2009

Maximum Diversion Rate: 0.04 CFS

This is to certify, that BARRY TIEMANN
PO BOX 9176
BEALE AFB CA 95903

has applied for a permit to appropriate water from:

Source: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUNDWATER	L3 (NW1/4NW1/4)	Sec. 4, Twp 09S, Rge 14E, B.M.
TWIN FALLS County		

PLACE OF USE: DOMESTIC


Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S	14E	4						X											
								L3											

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 01, 2014**.
2. Subject to all prior water rights.
3. Low temperature geothermal water with a temperature greater than 85 degrees Fahrenheit diverted under this right shall be limited to in-house use only.
4. Domestic use is for one home and does not include lawn, garden, landscape, or other types of irrigation.
5. The domestic use authorized under this right shall not exceed 13,000 gallons per day.
6. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 22nd day of July, 2009.

F-02


GARY SPACKMAN, Interim Director