

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 47-08389A

RECEIVED

MAY 20 2009

DEPARTMENT OF
WATER RESOURCES

Date of Priority: October 31, 1995

Maximum Diversion Rate: 7.00 CFS

Comes now CITY OF TWIN FALLS
PO BOX 1907

TWIN FALLS ID 83303-1907 and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 47-08389A, and requests that the permit be changed as follows:

Source: GROUND WATER


<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	7.00 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SE1/4SE1/4SE1/4	Sec. 29, Twp 10S, Rge 17E, B.M.
TWIN FALLS County		
GROUND WATER	SE1/4SW1/4SE1/4	Sec. 29, Twp 10S, Rge 17E, B.M.
TWIN FALLS County		
GROUND WATER	NE1/4SE1/4SE1/4	Sec. 14, Twp 10S, Rge 17E, B.M.
TWIN FALLS County		
GROUND WATER	NE1/4SE1/4SE1/4	Sec. 14, Twp 10S, Rge 17E, B.M.
TWIN FALLS County		

PLACE OF USE: MUNICIPAL – Place of use is within the service area of the City of Twin Falls municipal water supply system as provided for under Idaho Law.

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 14 day of May, 2009.


(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 47-08389A

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 50.00 Received by: CH # C088697 Date: 5/20/2009


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, DAVID R. TUTHILL, JR., of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 47-08389A with the following:

CONDITIONS OF APPROVAL


1. Place of use is within the service area of the City of Twin Falls municipal water supply system as provided for under Idaho Law.
2. A map depicting the place of use boundary for this water right at the time of this approval is attached to this document for illustration purposes.
3. Irrigation of large projects such as parks, golf courses, or sports activities fields is not authorized under this right.
4. The daily diversion volume for non-domestic uses under this municipal right shall not exceed 2,500 gallons per use and the daily diversion volume for domestic uses under this right shall not exceed 13,000 gallons per dwelling in accordance with Section 42-111, Idaho Code.
5. After specific notification by the department, the right holder shall annually report the amount of water diverted to the department.
6. The diversion and use of water described in this right may be subject to additional conditions and limitations agreed to by the protestants, intervenors and the right holder under separate agreement to which the Department is not a party and which may be enforceable by a court of law.
7. The right holder shall maintain a totalizing measuring device of a type approved by the Department as a part of the diverting works at each point of diversion. The right holder shall also maintain an airline or similar device approved by the department to measure the water level in the wells used as points of diversion for this right.

Witness my hand this 30th day of June, 2009.



for DAVID R. TUTHILL, JR.
Director

State of Idaho
Department of Water Resources
Application for Amendment
47-8389A
Water Service Area Boundary for City Of Twin Falls
June 22, 2009



Legend

- Point of Diversion
- Water Service Area Boundary
- Townships
- PLS Sections
- Quarter Quarters

0 1 2 4 Miles

