

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 63-31208

Priority: April 20, 1995

Maximum Diversion Rate: 0.10 CFS

This is to certify, that FRANCISCO ODIAGA
14035 OASIS RD
CALDWELL ID 83607

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/01 to 11/15	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NW1/4NW1/4 Sec. 2, Twp 05N, Rge 03W, B.M., CANYON County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
05N 03W 2							5.0										5.0

Total Acres: 5

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **May 01, 2011**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. This right does not grant any right-of-way or easement across the land of another.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
6. Place of use is located within Lot 6, Hill Ridge Estates

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 63-31208

7. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 11th day of May, 2009.


JOHN WESTRA, Western Regional Manager