

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

1. Name of Applicant Lavar Thornton Phone 208-922-5779
Mailing address 2800 S. Ten Mile Rd, Kuna, ID 83634 Email _____
2. Source of water supply Ground Water which is a tributary of _____
3. Location of point of diversion is Township 2N Range 1W Sec. 34, in the _____ $\frac{1}{4}$,
NE $\frac{1}{4}$, SE $\frac{1}{4}$, Govt. Lot 1, B.M., Ada County;
additional points of diversion if any: 2N 1W Sec 34 NESE, SWSE (3 points total)
4. Water will be used for the following purposes:
Amount 2.06 for Irrigation purposes from 3/1 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.06 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source 2 existing wells in the NESE, 1 proposed well in the SWSE, pumps, sprinklers
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet;
total reservoir capacity _____ acre-feet
 - c. Proposed well diameter is 16 inches; proposed depth of well is 600 feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? No
1973 Frank Skinner
 - e. If well is already drilled, when? 1992; Drilling firm Johnston Drilling;
Kenneth Forrey 801559
Well was drilled for (well owner) Applicant; Drilling Permit No. 725334 & 727944
7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in kW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. _____
 - e. Other; describe fully. _____

RECEIVED

JUL 14 2008

WATER RESOURCES
WESTERN REGION

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	1W	34			36	40				12	28			20	41	39	21		237

Total number of acres to be irrigated 237

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? 63-3469, 63-7154, 63-7247, 63-11602

- 11.a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. A transfer application was submitted in May, 2006 on the overlapping rights proposing a combined system for irrigation of 215 acres within the place of use described above using ground water diverted from the two existing wells listed on this application. Currently, 203 of the overlapping acres covered on rights 63-3469, 63-7154 and 63-7247 are limited to 0.012 cfs/acre.

This application proposes irrigation of all 237 acres described above at 0.02 cfs/acre.

Water bearing zone to be appropriated is from 200 to 600 feet.

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)


BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
Signature of Applicant

Laura Thornton
Print Name (and title, if applicable)

For Department Use:

Received by pmh Date 7-14-08 Time 11:19 AM Preliminary check by VLM
 Fee \$ 330- Received by DB Receipt No. W036723 Date 7-14-08
 Publication prepared by DB Date 6/10/2009 Published in IDAHO STATESMAN
 Publication approved _____ Date _____ Dates Published JUNE 18 & 25, 2009



63-33073

WELL DRILLER'S REPORT


State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

801559

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

725334

1. WELL OWNER Name <u>Lavar K. Thornton</u> Address <u>Pr 2 Kuna Id 83634</u> Drilling Permit No. <u>63-92-W-024-000</u> Water Right Permit No. <u>63-11602</u> <u>Well drilled per 63-94-W-001-100</u>	7. WATER LEVEL Static water level <u>181</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>56</u> °F. Quality <u>good</u> Describe artesian or temperature zones below.																																																																																																																																																																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Modification ☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)	8. WELL TEST DATA ☒ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>450</u></td><td><u>250</u></td><td><u>3</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>450</u>	<u>250</u>	<u>3</u>																																																																																																																																																																																		
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																							
<u>450</u>	<u>250</u>	<u>3</u>																																																																																																																																																																																							
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <u>082014</u> <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td><u>20</u></td><td><u>0</u></td><td><u>20</u></td><td><u>TURSOIL</u></td><td></td><td></td></tr><tr><td><u>20</u></td><td><u>20</u></td><td><u>25</u></td><td><u>BROKEN BASALT</u></td><td></td><td></td></tr><tr><td><u>20</u></td><td><u>25</u></td><td><u>26</u></td><td><u>SOLID BASALT</u></td><td></td><td></td></tr><tr><td><u>16</u></td><td><u>26</u></td><td><u>44</u></td><td><u>BROKEN LOOSE ROCK</u></td><td></td><td></td></tr><tr><td><u>4</u></td><td><u>44</u></td><td><u>45</u></td><td><u>HARD BASALT</u></td><td></td><td></td></tr><tr><td></td><td><u>45</u></td><td><u>50</u></td><td><u>BROKEN BASALT</u></td><td></td><td></td></tr><tr><td></td><td><u>50</u></td><td><u>52</u></td><td><u>CINDERS SLACK</u></td><td></td><td></td></tr><tr><td></td><td><u>52</u></td><td><u>53</u></td><td><u>BLACK BASALT</u></td><td></td><td></td></tr><tr><td></td><td><u>53</u></td><td><u>57</u></td><td><u>BROKEN RED BASALT</u></td><td></td><td></td></tr><tr><td></td><td><u>57</u></td><td><u>68</u></td><td><u>BLACK CINDERS</u></td><td></td><td></td></tr><tr><td></td><td><u>68</u></td><td><u>70</u></td><td><u>HARD BASALT</u></td><td></td><td></td></tr><tr><td></td><td><u>70</u></td><td><u>74</u></td><td><u>BLACK BASALT</u></td><td></td><td></td></tr><tr><td></td><td><u>74</u></td><td><u>75</u></td><td><u>BLACK CINDERS</u></td><td></td><td></td></tr><tr><td></td><td><u>75</u></td><td><u>83</u></td><td><u>BROKEN BASALT</u></td><td></td><td></td></tr><tr><td></td><td><u>83</u></td><td><u>92</u></td><td><u>HARD BASALT</u></td><td></td><td></td></tr><tr><td></td><td><u>92</u></td><td><u>98</u></td><td><u>BROWN CINDERS</u></td><td></td><td></td></tr><tr><td></td><td><u>98</u></td><td><u>113</u></td><td><u>BLACK BASALT</u></td><td></td><td></td></tr><tr><td></td><td><u>113</u></td><td><u>124</u></td><td><u>BROKEN LOOSE BASALT</u></td><td></td><td></td></tr><tr><td></td><td><u>124</u></td><td><u>143</u></td><td><u>BLACK BASALT</u></td><td></td><td></td></tr><tr><td></td><td><u>143</u></td><td><u>147</u></td><td><u>SOFT BASALT</u></td><td></td><td></td></tr><tr><td></td><td><u>147</u></td><td><u>158</u></td><td><u>RED BASALT</u></td><td></td><td></td></tr><tr><td></td><td><u>158</u></td><td><u>184</u></td><td><u>RED GRAVEL-TANNED YELLOW</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>184</u></td><td><u>200</u></td><td><u>YELLOW GRAVEL CLAY</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>200</u></td><td><u>213</u></td><td><u>YELLOW SAND - 030</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>213</u></td><td><u>228</u></td><td><u>SANDY YELLOW CLAY</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>228</u></td><td><u>250</u></td><td><u>DIAMOND SAND</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>250</u></td><td><u>272</u></td><td><u>BROWN AND GOLD SAND - 030</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>272</u></td><td><u>300</u></td><td><u>WHITE CLAY</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>300</u></td><td><u>315</u></td><td><u>WHITE SAND - 035</u></td><td></td><td>☒</td></tr></tbody></table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>20</u>	<u>0</u>	<u>20</u>	<u>TURSOIL</u>			<u>20</u>	<u>20</u>	<u>25</u>	<u>BROKEN BASALT</u>			<u>20</u>	<u>25</u>	<u>26</u>	<u>SOLID BASALT</u>			<u>16</u>	<u>26</u>	<u>44</u>	<u>BROKEN LOOSE ROCK</u>			<u>4</u>	<u>44</u>	<u>45</u>	<u>HARD BASALT</u>				<u>45</u>	<u>50</u>	<u>BROKEN BASALT</u>				<u>50</u>	<u>52</u>	<u>CINDERS SLACK</u>				<u>52</u>	<u>53</u>	<u>BLACK BASALT</u>				<u>53</u>	<u>57</u>	<u>BROKEN RED BASALT</u>				<u>57</u>	<u>68</u>	<u>BLACK CINDERS</u>				<u>68</u>	<u>70</u>	<u>HARD BASALT</u>				<u>70</u>	<u>74</u>	<u>BLACK BASALT</u>				<u>74</u>	<u>75</u>	<u>BLACK CINDERS</u>				<u>75</u>	<u>83</u>	<u>BROKEN BASALT</u>				<u>83</u>	<u>92</u>	<u>HARD BASALT</u>				<u>92</u>	<u>98</u>	<u>BROWN CINDERS</u>				<u>98</u>	<u>113</u>	<u>BLACK BASALT</u>				<u>113</u>	<u>124</u>	<u>BROKEN LOOSE BASALT</u>				<u>124</u>	<u>143</u>	<u>BLACK BASALT</u>				<u>143</u>	<u>147</u>	<u>SOFT BASALT</u>				<u>147</u>	<u>158</u>	<u>RED BASALT</u>				<u>158</u>	<u>184</u>	<u>RED GRAVEL-TANNED YELLOW</u>		☒		<u>184</u>	<u>200</u>	<u>YELLOW GRAVEL CLAY</u>		☒		<u>200</u>	<u>213</u>	<u>YELLOW SAND - 030</u>		☒		<u>213</u>	<u>228</u>	<u>SANDY YELLOW CLAY</u>		☒		<u>228</u>	<u>250</u>	<u>DIAMOND SAND</u>		☒		<u>250</u>	<u>272</u>	<u>BROWN AND GOLD SAND - 030</u>		☒		<u>272</u>	<u>300</u>	<u>WHITE CLAY</u>		☒		<u>300</u>	<u>315</u>	<u>WHITE SAND - 035</u>		☒
Bore Diam.	Depth		Material	Water																																																																																																																																																																																					
	From	To		Yes	No																																																																																																																																																																																				
<u>20</u>	<u>0</u>	<u>20</u>	<u>TURSOIL</u>																																																																																																																																																																																						
<u>20</u>	<u>20</u>	<u>25</u>	<u>BROKEN BASALT</u>																																																																																																																																																																																						
<u>20</u>	<u>25</u>	<u>26</u>	<u>SOLID BASALT</u>																																																																																																																																																																																						
<u>16</u>	<u>26</u>	<u>44</u>	<u>BROKEN LOOSE ROCK</u>																																																																																																																																																																																						
<u>4</u>	<u>44</u>	<u>45</u>	<u>HARD BASALT</u>																																																																																																																																																																																						
	<u>45</u>	<u>50</u>	<u>BROKEN BASALT</u>																																																																																																																																																																																						
	<u>50</u>	<u>52</u>	<u>CINDERS SLACK</u>																																																																																																																																																																																						
	<u>52</u>	<u>53</u>	<u>BLACK BASALT</u>																																																																																																																																																																																						
	<u>53</u>	<u>57</u>	<u>BROKEN RED BASALT</u>																																																																																																																																																																																						
	<u>57</u>	<u>68</u>	<u>BLACK CINDERS</u>																																																																																																																																																																																						
	<u>68</u>	<u>70</u>	<u>HARD BASALT</u>																																																																																																																																																																																						
	<u>70</u>	<u>74</u>	<u>BLACK BASALT</u>																																																																																																																																																																																						
	<u>74</u>	<u>75</u>	<u>BLACK CINDERS</u>																																																																																																																																																																																						
	<u>75</u>	<u>83</u>	<u>BROKEN BASALT</u>																																																																																																																																																																																						
	<u>83</u>	<u>92</u>	<u>HARD BASALT</u>																																																																																																																																																																																						
	<u>92</u>	<u>98</u>	<u>BROWN CINDERS</u>																																																																																																																																																																																						
	<u>98</u>	<u>113</u>	<u>BLACK BASALT</u>																																																																																																																																																																																						
	<u>113</u>	<u>124</u>	<u>BROKEN LOOSE BASALT</u>																																																																																																																																																																																						
	<u>124</u>	<u>143</u>	<u>BLACK BASALT</u>																																																																																																																																																																																						
	<u>143</u>	<u>147</u>	<u>SOFT BASALT</u>																																																																																																																																																																																						
	<u>147</u>	<u>158</u>	<u>RED BASALT</u>																																																																																																																																																																																						
	<u>158</u>	<u>184</u>	<u>RED GRAVEL-TANNED YELLOW</u>		☒																																																																																																																																																																																				
	<u>184</u>	<u>200</u>	<u>YELLOW GRAVEL CLAY</u>		☒																																																																																																																																																																																				
	<u>200</u>	<u>213</u>	<u>YELLOW SAND - 030</u>		☒																																																																																																																																																																																				
	<u>213</u>	<u>228</u>	<u>SANDY YELLOW CLAY</u>		☒																																																																																																																																																																																				
	<u>228</u>	<u>250</u>	<u>DIAMOND SAND</u>		☒																																																																																																																																																																																				
	<u>250</u>	<u>272</u>	<u>BROWN AND GOLD SAND - 030</u>		☒																																																																																																																																																																																				
	<u>272</u>	<u>300</u>	<u>WHITE CLAY</u>		☒																																																																																																																																																																																				
	<u>300</u>	<u>315</u>	<u>WHITE SAND - 035</u>		☒																																																																																																																																																																																				
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Auger ☐ Reverse rotary ☒ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)																																																																																																																																																																																									
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ Thickness Diameter From To <u>250</u> inches <u>16</u> inches + <u>1</u> feet <u>26</u> feet <u>250</u> inches <u>12</u> inches + <u>1</u> feet <u>315</u> feet _____ inches _____ feet _____ feet Was casing drive shoe used? ☒ Yes ☐ No <u>ON 12"</u> Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☒ Factory ☐ Knife ☒ Torch ☐ Gun Size of perforation? <u>1/16</u> inches by <u>6</u> inches Number From To <u>1200</u> perforations <u>200</u> feet <u>300</u> feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer _____ Type _____ Top Packer or Headpipe _____ Bottom of Tailpipe _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>26</u> Material used in seal: ☐ Cement ☒ Bentonite ☒ Pudding clay Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☒ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access point <u>2" pipe 10' to 12" casing</u>																																																																																																																																																																																									
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>ADN</u> <u>NE 1/4 SE 1/4 Sec. 34, T. 2 N 1/4 E 1/4</u> <u>S 1/4 R. 1 W 1/4</u>	11. DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Sebastian Drilling</u> Firm No. <u>92</u> Address <u>3226 Southside Blvd.</u> Date <u>MAY 19 92</u> Signed by Drilling Supervisor <u>E.O. Johnson</u> and (Operator) <u>Edwin Johnson</u> (If different than the Drilling Supervisor)																																																																																																																																																																																								

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

Use Typewriter
or
Ball Point Pen

092659

2. OWNER:

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.


 T. 2 North ☒ or South ☐
 E. 1 East ☐ or West ☒
 Sec. 34 $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$
10 acres 40 acres 160 acres
 Gov't Lot _____ County ADA

Address of Well Site SAME AS ABOVE

(Give at least Direction + Distance to Road or Landmark)

Lot No. _____ Block No. _____ Subd. Name _____

4. PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☐ New Well ☒ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD *DEEPEN*

☐ Mud Rotary ☐ Air Rotary ☒ Cable ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
21/A				

Was drive shoe seal tested? ☐ ☒ How?

8. CASING/LINER:

Diameter	From	To	Gauge	Casting	Liner	Steel	Plastic	Welded	Threaded
10"	300	410	250		X	☒	☐	☒	☐
						☐	☐	☐	☐
						☐	☐	☐	☐
						☐	☐	☐	☐

Final location of shoes 410'

Top Packer or Headpipe 300 Bottom Tailpipe 410

9. PERFORATIONS/SCREENS

☒ Perforations Method TORCH 3 FACTOR 1
☐ Screens Type _____ Material _____

From	To	Slot Size	Number	Diameter	Yale/Pipe Size	Casting	Line
320	405	1/4 x 1/6	850	10"		☐	☒
						☐	☐
						☐	☐
						☐	☐
						☐	☐

FEB 08 1995

10. WELL TESTS:

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Depth	Time
700	UNKNOWN	UNKNOWN	24 HRS

Temperature of water 56 Was a water analysis done? Yes ☐ No ☒

By whom? _____

Water Quality (odor, etc.) GOOD

Bottom Hole Temperature 56

11. STATIC WATER LEVEL:

177 ft. below surface Depth artesian flow found _____

Artesian pressure _____ lb. Describe access port _____

Describe Controlling Devices: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

[illegible]

Date: Started MAR 1 94 Completed MAR 23 94

13. DRILLER'S CERTIFICATION

/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name JOHNSTON DRILLING Firm No. 92

Firm Official *E D [Signature]* Date *Mar. 23 94*

and

Supervisor or Operator Sam Schitten Date MAR. 23 94

(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES

Buffington, Denise

From: Buffington, Denise
Sent: Wednesday, June 10, 2009 4:24 PM
To: legals@idahostatesman.com
Subject: LEGAL NOTICES
Attachments: Ada County Ads - Cover Letter.RTF; 63-33073 Ad.RTF; 63-33072 Ad.RTF

Attached please find (2) legal notices being submitted for publication. Please contact me if you have any questions about the attached information; or if you are not able to run the ads on the dates listed.

Thank You,

Denise Buffington
Administrative Assistant
Dept of Water Resources
Western Region

6/11/2009

June 10, 2009

Legal Notice Department
IDAHO STATESMAN
PO BOX 40
BOISE ID 83707

RE: Application for Permit No. 63-33072 & 63-33073

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 07/06/2009. Your cooperation is appreciated.

Sincerely,

Denise Buffington
Administrative Assistant

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-33073

LAVAR THORNTON
2800 S TEN MILE RD
KUNA ID 83634

Point(s) of Diversion NESE S34 T02N R01W ADA County Source GROUND WATER

Point(s) of Diversion NESE S34 T02N R01W ADA County Source GROUND WATER

Point(s) of Diversion SWSE S34 T02N R01W ADA County Source GROUND WATER

Use: IRRIGATION 03/01 To 11/15 2.06 CFS

Total Diversion: 2.06 CFS

Date Filed: 07/14/2008

Place Of Use: IRRIGATION

T02N R01W S34 SWNE SENE SENW NESW SESW NESE NWSE SWSE

Number of Acres 236

Remark: Water bearing zone to be appropriated is from 200 to 600 feet.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 07/06/2009. The protestant must also send a copy of the protest to the applicant.

DAVID R. TUTHILL, JR., Director

Published on June 18th & 25th, 2009



RECEIVED

JUL 14 2008

WATER RESOURCES
WESTERN REGION

July 11, 2008

Steve Lester
IDWR Western Region Office
2735 Airport Way
Boise, ID 83705

Subject: Applications for Permit (3)

Dear Steve,

Enclosed on behalf of Lavar Thornton, are three *Applications for Permit* for irrigation use. The total fee for these applications is \$990; please find a check for that amount enclosed.

Let me know if there are any questions concerning these applications.

Sincerely,

Lori Graves
Water Rights Specialist

Cc: Lavar Thornton

Enclosures: 3 applications

SPF file number: 344.0010