

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-32421

Priority: August 09, 2006

Maximum Diversion Rate: 0.42 CFS
Maximum Diversion Volume: 154.1 AF

It is hereby certified that BOISE STATE UNIVERSITY
OFFICE OF THE PRESIDENT
1910 UNIVERSITY DR
BOISE ID 83725 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated August 09, 2006; and has
submitted Proof of Beneficial Use on May 29, 2009. An examination indicates that the works have a
diversion capacity of 0.42 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
COOLING	01/01 to 12/31	0.42 CFS	154.1 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NW¼NE¼ Sec. 15, Twp 03N, Rge 02E, B.M. ADA County

PLACE OF USE: COOLING


Twp	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
03N	02E	15		X				X											

CONDITIONS OF APPROVAL

1. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
2. Cooling is for three (3) Boise State University Buildings.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 3rd day of June, 2009.


for DAVID R. TUTHILL, JR.
Director