

Skaggs, Pam

From: Skaggs, Pam
Sent: Saturday, February 07, 2009 8:40 AM
To: 'Jim Speck'
Subject: Kammer Transfer 73570

Jim,

Transfer 73570 was remanded back to IDWR by the District Court a year ago. Shelley Keen contacted you by phone on 02-14-2008 to discuss a plan to address the issue of diversion of greater than 0.02 cfs per acre by pressurized sprinkler system. It was agreed that Dr. Charles Brockway would prepare a report supporting a diversion rate in excess of 0.02 cfs per acre for the Department to consider. Shelley contacted you again on 08-02-2008 requesting status of report and you replied that you were checking with Dr. Brockway.

As of this date we have not received a report from Dr. Brockway or a timeline from you as when it might be submitted. Please advise me of your intent to address the diversion rate issue. If this is no longer an issue with your client, perhaps the appeal to the court should be dismissed and the matter closed. If you do wish to pursue this matter, the report should be submitted for review.

I would appreciate your consideration to resolve this matter at your earliest convenience.

Pam

Pamela S. Skaggs
Water Rights Supervisor
Water Allocation Bureau
Idaho Department of Water Resources
322 E Front St
PO Box 83720
Boise ID 83720-0098
Phone (208) 287-4951
Fax (208) 287-6700
pam.skaggs@idwr.idaho.gov