

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-10207

Priority: March 19, 2009

Maximum Diversion Rate: 0.20 CFS

This is to certify, that TERRY A MARVIN AND/OR
REGINA E MARVIN
461 W REMINGTON RD
ATHOL ID 838101
(208)623-2165

has applied for a permit to appropriate water from:

Source: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.20 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION:GROUNDWATER, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 14, Twp 53N, Rge 04W, B.M., KOOTENAI County**PLACE OF USE:** IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
53N 04W 14																	10.0
																	10.0

Total Acres: 10

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
53N 04W 14																	X

PLACE OF USE: STOCKWATER


Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
53N 04W 14																	X

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 95-10207

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **May 01, 2011**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. Domestic use is for 1 home. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
6. Stockwater use is for 10 head of mixed cattle.
7. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
8. When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.
9. This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of the management plan approved by the director for the RPGWMA.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Coeur d' Alene, this 7th day of May, 2009.


DAVID R. TUTHILL, JR., Director