

75508

RECEIVED
MAR 30 2009
IDWR/North

To appropriate the public waters of the State of Idaho

1. Name of Applicant Ted & Charlotte Odell Phone 762-0949
Mailing address 24650 N. Birch Rock Road, Hayden, B3B39 Email _____
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is Township 52N Range 03W Sec. 4 in the _____ ¼.
SE ¼, SW ¼, Govt. Lot _____, B.M., Kootenai County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
- Amount 0.15 for IRRIGATION purposes from 4/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) 0.15 cfs and/or (b) _____
cubic feet per second acre feet per year
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source Roller Pump
Wellhead Control
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet;
total reservoir capacity _____ acre-feet
- c. Proposed well diameter is 6 inches; proposed depth of well is 320 feet
- d. Is ground water with a temperature of greater than 85°F being sought? No
- e. If well is already drilled, when? 7-18-05; Drilling firm H2O
Well was drilled for (well owner) ODELL Ted; Drilling Permit No. D0040336
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N	3W	4												5					5

Total number of acres to be irrigated: 5

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? None

11. a. Who owns the property at the point of diversion? Ted & Charlotte Odell
 b. Who owns the land to be irrigated or place of use? Ted & Charlotte Odell
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Drip Irrigation System

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Signature of Applicant

Print Name (and title, if applicable)

For Department Use:


Received by cm Date 3-30-09 Time _____ Preliminary check by _____
 Fee \$ 225.00 Receipted by cm Receipt No. NO 20174 Date 3-30-09

95-10280



Legend

- workingpod
- workingpou
- QQ



IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only		
Inspected by		
Twp	Rge	Sec
1/4	1/4	1/4
Lat	Long	

WELL TAG NO. D0040336
Permit No. 834525
Other IDWR No. _____

2. OWNER ODELL, TED & CHARLOTTE Well Number: 995
Address 24650 N RIMROCK RD

City HAYDEN State ID Zip 83835

3. LOCATION OF WELL by legal description
sketch map location must agree with written location

Twp. <u>52</u> ☒ North or ☐ South	
Rge. <u>3</u> ☐ East or ☒ West	
Sec. <u>4</u> <u>1/4 SE 1/4 SW 1/4</u>	
Gov't Lot _____ County <u>KOOTENAI</u>	
Lat: _____ Long: _____	

Address of Well Site 24650 N RIMROCK
City HAYDEN

(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement, etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
BENTONITE	0	78	300 LBS	OVERBORE

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 78

Was drive shoe seal tested? ☒ Y ☐ N How? AIR

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6	+2	78	.250	STEEL	☒	☐	☒	☐
4	-5	320	200	PVC	☐	☒	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☒ Perforations Method SKIL SAW

☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
285	320	1/4 X 5	110	4	PVC	☐	☒

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

70 ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or control devices: _____

11. WELL TESTS:

☐ Pump	☐ Bailer	☒ Air	☐ Flowing Artesian
Yield gal./min.	Drawdown	Pumping Level	Time
<u>7</u>			<u>1 HR</u>

Water Temp. COLD Bottom Hole Temp. COLD

Water Quality test or comments: CLEAR

Depth first Water encountered 80

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Diam	From	To	Remarks: Lithology, Water Quality, Temperature	Water	
8	0	3	Top soil	☐ Y	☒ N
8	3	70	Sands, gravels, brown clay	☐ Y	☒ N
8	70	78	Clay, brownish, fractured	☐ Y	☒ N
6	78	80	Shell brn, fractured 7GPM	☒ Y	☐ N
6	80	110	Shell, brn, fractured	☐ Y	☒ N
6	110	120	Shell, greenish, fractured	☐ Y	☒ N
6	120	170	Shell, brown, med	☐ Y	☒ N
6	170	180	Shell, greenish, med	☐ Y	☒ N
6	180	320	Shell, brown, med	☐ Y	☒ N

RECEIVED
AUG 13 2005
IDWR/North

RECEIVED
AUG 29 2005
IDWR/North

Completed Depth 320 (Measurable)
Date: Started 7/12/2005 Completed 7/14/2005

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name T20 Well Service, Inc. Firm No. 448
Firm Official Mike Halterma Date 7-18-05
and
Supervisor or Operator Mike Halterma Date 7-18-05
MIKE HALTERMA (Sign Once if Firm Official and Operator)

52N 3W 4

W-11 IDH05064

ODELL



Legend

-  Working Shape
-  Taxlots

0 165 330 660 990 1,320 Feet





State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815
Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

April 08, 2009

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

TED ODELL
CHARLOTTE ODELL
24650 N RIMROCK RD
HAYDEN ID 83835

RE: Application for Permit No 95-10280

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the Coeur d'Alene Press on April 16 & 23, 2009. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

Keith E. Franklin
Senior Water Resource Agent

Enclosure – Corrected copy of Receipt No. N020174 indicating Permit Fee and Well Upgrade Fee

Ball, Dianne

From: Ball, Dianne
Sent: Wednesday, April 08, 2009 4:14 PM
To: Legal Notices-CdA Press
Subject: LEGAL NOTICE FOR PUBLICATION ON 4/16 AND 23/2009
Attachments: CoverLetter 04-08-09 CdA e-mail 95-10232,270,280,283.doc; LegalNotice 04-08-09 CdA e-mail 95-10232,270,280,283.doc

Good afternoon, Kattie,

Attached is our letter requesting publication of a legal notice on April 16 and 23, 2009. The legal notice is also attached.

This is not quite as long as the last one, but long enough!

Please send a proof/preview copy for my review before this goes to press.

Thanks for all your wonderful help. You're super!

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819

4/8/2009



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR
Director

*Please Fax or e-mail proof/preview copy to me before this goes to press.
Fax (208) 762-2819 ~ e-mail dianne.ball@idwr.idaho.gov
Thanks, Dianne*

April 08, 2009

KATTIE HOY
LEGAL NOTICE DEPARTMENT
COEUR D ALENE PRESS
201 N 2ND
COEUR D ALENE ID 83814

RE: Applications for Permits No. 95-10232, 95-10270, 95-10280, 95-10283

Dear Kattie:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated, April 16 and 23, 2009, once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 05/04/2009. Your cooperation is truly appreciated.

Sincerely

Dianne

Dianne Ball
Administrative Assistant

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-10232

RICKY FRANGIONE

585 N MEGAN ST

POST FALLS ID 83854

Point of Diversion L4 (NWNW) S3 T53N R03W KOOTENAI CO

Source GROUND WATER

Use: IRRIGATION 04/01 To 10/31 0.09 CFS

Use: STOCKWATER 01/01 To 12/31 0.02 CFS

Use: DOMESTIC 01/01 To 12/31 0.04 CFS

Total Diversion: 0.15 CFS

Date Filed: 03/24/2009

Place Of Use: DOMESTIC

T53N R03W S3 NWNW Lot 4

Place Of Use: IRRIGATION & STOCKWATER same as DOMESTIC

Number of Acres 3

Remark: Domestic use is for 1 home.

Stockwater use is for 10 head of range cattle.

95-10270

CALVIN MAUCK

8501 E PARKS RD

ATHOL ID 83801

Point of Diversion SENW S23 T53N R03W KOOTENAI County

Source GROUND WATER

Use: IRRIGATION 04/01 To 10/31 0.03 CFS

Use: DOMESTIC 01/01 To 12/31 0.06 CFS

Total Diversion: 0.09 CFS

Date Filed: 03/30/2009

Place Of Use: DOMESTIC

T53N R03W S23 SENW

Place Of Use: IRRIGATION same as DOMESTIC

Number of Acres 1

Remark: Domestic use is for 2 homes.

95-10280

TED ODELL

CHARLOTTE ODELL

24650 N RIMROCK RD

HAYDEN ID 83835

Point of Diversion SESW S4 T52N R03W KOOTENAI County

Source GROUND WATER

Use: IRRIGATION 04/01 To 10/31 0.15 CFS

Total Diversion: 0.15 CFS

Date Filed: 03/30/2009

Place Of Use: IRRIGATION

T52N R03W S4 SESW

Number of Acres: 5

95-10283

RUSSELL K PALMER

MYRNA J PALMER

12555 N BRADBURY DR

HAYDEN ID 83835

Point of Diversion NENW S7 T51N R03W KOOTENAI County

Source SPRING tributary to SINKS

Use: IRRIGATION 03/15 To 10/31 0.03 CFS

Use: AESTHETIC 01/01 To 12/31 0.03 CFS

Total Diversion: 0.03 CFS

Date Filed: 04/01/2009

Place Of Use: IRRIGATION

T51N R03W S7 NENW

Number of Acres 0.5

Place Of Use: AESTHETIC same as IRRIGATION

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 05/04/2009.

The protestant must also send a copy of the protest to the applicant.

DAVID R. TUTHILL, JR., Director

Legal #

Published 4/16 & 23/2009