

State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 43-13607

Priority: November 09, 2008

Maximum Diversion Rate: 0.01 CFS

This is to certify, that WADE ZOLLINGER
1994 S 100 E
OAKLEY ID 83346

LINDA ZOLLINGER
1994 S 100 E
OAKLEY ID 83346

has applied for a permit to appropriate water from:

Source: SPRING

Tributary: SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.01 CFS

LOCATION OF POINT(S) OF DIVERSION:

SPRING NW1/4SW1/4SW1/4 Sec. 22, Twp 16S, Rge 26E, B.M.
CASSIA County

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
16S 26E 21													X				

CONDITIONS OF APPROVAL


1. Proof of application of water to beneficial use shall be submitted on or before **April 01, 2010**.
2. Subject to all prior water rights.
3. Stockwater use is for 25 horses or range cattle.
4. Diversion and use of water in accordance with this water right shall not exceed 13,000 gallons per day for stockwater use. The water delivery system established in accordance with this water right shall be fully enclosed and shall be equipped with an automatic shutoff valve at the trough or a mechanism for returning unused water to the source through an enclosed system. The water delivery system shall be designed to facilitate measurement of the rate of flow through the system.
5. Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion.

State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 43-13607

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 17th day of March, 20 09.

A handwritten signature in black ink, appearing to read "David R. Tuthill, Jr.", is written over a horizontal line.

DAVID R. TUTHILL, JR., Director