

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08687

Date of Priority: March 21, 1991

Maximum Diversion Rate: 1.31 CFS
Maximum Diversion Volume: 948.4 AF

Comes now AVONDALE IRRIGATION DIST
PO BOX 81
HAYDEN LAKE ID 83835

and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 95-08687, and requests that the permit be changed as follows:


Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	1.31 CFS	948.4 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER KOOTENAI County	NW1/4SE1/4	Sec. 14, Twp 51N, Rge 04W, B.M.
GROUND WATER KOOTENAI County	NW1/4SE1/4	Sec. 14, Twp 51N, Rge 04W, B.M.
GROUND WATER KOOTENAI County	NW1/4SE1/4	Sec. 14, Twp 51N, Rge 04W, B.M.
GROUND WATER KOOTENAI County	NE1/4SW1/4	Sec. 15, Twp 51N, Rge 04W, B.M.
GROUND WATER KOOTENAI County	NE1/4SW1/4	Sec. 15, Twp 51N, Rge 04W, B.M.
GROUND WATER KOOTENAI County	SW1/4SW1/4	Sec. 24, Twp 51N, Rge 04W, B.M.

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 3 day of March, 2007.


(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08687

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 150.00 Received by [Signature] # N019915 Date 2/6/09

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, DAVID R. TUTHILL, JR., of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 95-08687 with the following:

CONDITIONS OF APPROVAL

1. Place of use is within the service area boundary of Avondale Irrigation District (PWS Number 1280008) pursuant to Section 43-323, Idaho Code.
2. Place Of Use may include lands outside the boundary of the Avondale Irrigation District pursuant to Section 43-1901, Idaho Code.
3. A map depicting the place of use boundary for this water right at the time of this approval is attached to this document for illustration purposes.
4. Three Points of Diversion are located at the Miles Avenue well site (NW1/4SE1/4, Sec. 14, Twp 51N, Rge 04W) and two Points of Diversion are located at the Kootenai County Airport / Pappy Boyington Field (NE1/4SW1/4, Sec.15, Twp 51N, Rge 04W, B.M.).
5. Rights 95-7558, 95-8144, 95-8321, 95-8687, 95-8774, 95-8867 and 95-8909 when combined shall not exceed a total diversion rate of 13.94 CFS and a total annual maximum diversion volume of 10092.2 AF at the field headgate..
6. A flow measurement port or other device as specified by the Department shall be installed by the right holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. Subject to all prior water rights.

Witness my hand this 12th day of March, 2009.

[Signature]
DAVID R. TUTHILL, JR.
Director